

Annex G

Hourly Average of Parameters Recorded for CAPCS, CHP and ASP

Annex G1

Hourly Average of Parameters Measured in CAPCS

Date	Hour	VOC (including methane) (mg/Nm ³)	Dust (mg/Nm ³)	Odour (OU/Nm ³) (including NH ₃ & H ₂ S)	Remarks <small>*empty cells denote non-operating hours</small>
01-03-2019	12 AM	NA	0.0	120	
01-03-2019	1 AM	NA	0.0	103	
01-03-2019	2 AM	NA	0.0	98	
01-03-2019	3 AM	NA	0.0	107	
01-03-2019	4 AM	NA	0.0	102	
01-03-2019	5 AM	NA	0.0	87	
01-03-2019	6 AM	NA	2.6	85	Dust: Self calibration/ Auto purge data
01-03-2019	7 AM	NA	0.0	93	
01-03-2019	8 AM	NA	0.0	142	
01-03-2019	9 AM	NA	0.0	81	
01-03-2019	10 AM	NA	0.0	76	
01-03-2019	11 AM	NA	0.0	86	
01-03-2019	12 PM	NA	0.0	96	
01-03-2019	1 PM	NA	0.0	88	
01-03-2019	2 PM	NA	2.9	70	Dust: Self calibration/ Auto purge data
01-03-2019	3 PM	NA	0.0	54	
01-03-2019	4 PM	NA	0.0	42	
01-03-2019	5 PM	NA	0.0	37	
01-03-2019	6 PM	NA	0.0	48	
01-03-2019	7 PM	NA	0.0	68	
01-03-2019	8 PM	NA	0.0	78	
01-03-2019	9 PM	NA	0.0	77	
01-03-2019	10 PM	NA	2.8	70	Dust: Self calibration/ Auto purge data
01-03-2019	11 PM	NA	0.0	77	
02-03-2019	12 AM	NA	0.0	76	
02-03-2019	1 AM	NA	0.0	76	
02-03-2019	2 AM	NA	0.0	76	
02-03-2019	3 AM	NA	0.0	75	
02-03-2019	4 AM	NA	0.0	74	
02-03-2019	5 AM	NA	0.0	132	

02-03-2019	6 AM	NA	2.9	269	Dust: Self calibration/ Auto purge data Odour: Manual Dosing of chemical / Dosing System under maintenance
02-03-2019	7 AM	NA	0.0	230	Odour: Manual Dosing of chemical / Dosing System under maintenance
02-03-2019	8 AM	NA	0.0	206	
02-03-2019	9 AM	NA	0.0	179	
02-03-2019	10 AM	NA	0.0	146	
02-03-2019	11 AM	NA	0.0	142	
02-03-2019	12 PM	NA	0.0	142	
02-03-2019	1 PM	NA	0.0	140	
02-03-2019	2 PM	NA	5.8	121	Dust: Self calibration/ Auto purge data
02-03-2019	3 PM	NA	0.0	95	
02-03-2019	4 PM	NA	0.0	83	
02-03-2019	5 PM	NA	0.0	73	
02-03-2019	6 PM	NA	0.0	71	
02-03-2019	7 PM	NA	0.0	71	
02-03-2019	8 PM	NA	0.0	74	
02-03-2019	9 PM	NA	0.0	77	
02-03-2019	10 PM	NA	2.8	82	Dust: Self calibration/ Auto purge data
02-03-2019	11 PM	NA	0.0	93	
03-03-2019	12 AM	NA	0.0	95	
03-03-2019	1 AM	NA	0.0	87	
03-03-2019	2 AM	NA	0.0	86	
03-03-2019	3 AM	NA	0.0	100	
03-03-2019	4 AM	NA	0.0	94	
03-03-2019	5 AM	NA	0.0	93	
03-03-2019	6 AM	NA	5.8	90	Dust: Self calibration/ Auto purge data
03-03-2019	7 AM	NA	0.0	82	
03-03-2019	8 AM	NA	0.0	73	
03-03-2019	9 AM	NA	0.0	78	
03-03-2019	10 AM	NA	0.0	76	

03-03-2019	11 AM	NA	0.0	67	
03-03-2019	12 PM	NA	0.0	71	
03-03-2019	1 PM	NA	0.0	79	
03-03-2019	2 PM	NA	2.6	70	Dust: Self calibration/ Auto purge data
03-03-2019	3 PM	NA	0.0	72	
03-03-2019	4 PM	NA	0.0	75	
03-03-2019	5 PM	NA	0.0	70	
03-03-2019	6 PM	NA	0.0	67	
03-03-2019	7 PM	NA	0.0	63	
03-03-2019	8 PM	NA	0.0	66	
03-03-2019	9 PM	NA	0.0	63	
03-03-2019	10 PM	NA	5.8	60	Dust: Self calibration/ Auto purge data
03-03-2019	11 PM	NA	0.0	64	
04-03-2019	12 AM	NA	0.0	62	
04-03-2019	1 AM	NA	0.0	71	
04-03-2019	2 AM	NA	0.0	72	
04-03-2019	3 AM	NA	0.0	67	
04-03-2019	4 AM	NA	0.0	75	
04-03-2019	5 AM	NA	0.0	77	
04-03-2019	6 AM	NA	2.6	74	Dust: Self calibration/ Auto purge data
04-03-2019	7 AM	NA	0.0	82	
04-03-2019	8 AM	NA	0.0	82	
04-03-2019	9 AM	NA	0.0	79	
04-03-2019	10 AM	NA	0.0	83	
04-03-2019	11 AM	NA	0.0	78	
04-03-2019	12 PM	NA	0.0	74	
04-03-2019	1 PM	NA	0.0	80	
04-03-2019	2 PM	NA	2.9	81	Dust: Self calibration/ Auto purge data
04-03-2019	3 PM	NA	0.0	73	
04-03-2019	4 PM	NA	0.0	72	
04-03-2019	5 PM	NA	0.0	77	
04-03-2019	6 PM	NA	0.0	78	

04-03-2019	7 PM	NA	0.0	76	
04-03-2019	8 PM	NA	0.0	78	
04-03-2019	9 PM	NA	0.0	75	
04-03-2019	10 PM	NA	2.6	76	Dust: Self calibration/ Auto purge data
04-03-2019	11 PM	NA	0.0	73	
05-03-2019	12 AM	NA	0.0	68	
05-03-2019	1 AM	NA	0.0	68	
05-03-2019	2 AM	NA	0.0	67	
05-03-2019	3 AM	NA	0.0	58	
05-03-2019	4 AM	NA	0.0	48	
05-03-2019	5 AM	NA	0.0	50	
05-03-2019	6 AM	NA	2.9	59	Dust: Self calibration/ Auto purge data
05-03-2019	7 AM	NA	0.0	57	
05-03-2019	8 AM	NA	0.0	47	
05-03-2019	9 AM	NA	0.0	60	
05-03-2019	10 AM	NA	0.0	75	
05-03-2019	11 AM	NA	0.0	58	
05-03-2019	12 PM	NA	0.0	45	
05-03-2019	1 PM	NA	0.0	37	
05-03-2019	2 PM	NA	2.6	7	Dust: Self calibration/ Auto purge data
05-03-2019	3 PM	NA	0.0	0	
05-03-2019	4 PM	NA	0.0	0	
05-03-2019	5 PM	NA	0.0	0	
05-03-2019	6 PM	NA	0.0	0	
05-03-2019	7 PM	NA	0.0	0	
05-03-2019	8 PM	NA	0.0	0	
05-03-2019	9 PM	NA	0.0	0	
05-03-2019	10 PM	NA	2.9	0	Dust: Self calibration/ Auto purge data
05-03-2019	11 PM	NA	0.0	0	
06-03-2019	12 AM	NA	0.0	0	
06-03-2019	1 AM	NA	0.0	0	
06-03-2019	2 AM	NA	0.0	0	

06-03-2019	3 AM	NA	0.0	0	
06-03-2019	4 AM	NA	0.0	0	
06-03-2019	5 AM	NA	0.0	0	
06-03-2019	6 AM	NA	2.6	0	Dust: Self calibration/ Auto purge data
06-03-2019	7 AM	NA	0.0	0	
06-03-2019	8 AM	NA	0.0	0	
06-03-2019	9 AM	NA	0.0	0	
06-03-2019	10 AM	NA	0.0	0	
06-03-2019	11 AM	NA	0.0	0	
06-03-2019	12 PM	NA	0.0	0	
06-03-2019	1 PM	NA	0.0	0	
06-03-2019	2 PM	NA	2.9	0	Dust: Self calibration/ Auto purge data
06-03-2019	3 PM	NA	0.0	0	
06-03-2019	4 PM	NA	0.0	0	
06-03-2019	5 PM	NA	0.0	0	
06-03-2019	6 PM	NA	0.0	0	
06-03-2019	7 PM	NA	0.0	0	
06-03-2019	8 PM	NA	0.0	0	
06-03-2019	9 PM	NA	0.0	0	
06-03-2019	10 PM	NA	5.2	0	Dust: Self calibration/ Auto purge data
06-03-2019	11 PM	NA	0.0	0	
07-03-2019	12 AM	NA	0.0	1	
07-03-2019	1 AM	NA	0.0	1	
07-03-2019	2 AM	NA	0.0	0	
07-03-2019	3 AM	NA	0.0	0	
07-03-2019	4 AM	NA	0.0	0	
07-03-2019	5 AM	NA	0.0	0	
07-03-2019	6 AM	NA	2.9	0	Dust: Self calibration/ Auto purge data
07-03-2019	7 AM	NA	0.0	0	
07-03-2019	8 AM	NA	0.0	0	
07-03-2019	9 AM	NA	0.0	0	
07-03-2019	10 AM	NA	0.0	0	

07-03-2019	11 AM	NA	0.0	0	
07-03-2019	12 PM	NA	0.0	0	
07-03-2019	1 PM	NA	0.0	0	
07-03-2019	2 PM	NA	5.2	0	Dust: Self calibration/ Auto purge data
07-03-2019	3 PM	NA	0.0	0	
07-03-2019	4 PM	NA	0.0	0	
07-03-2019	5 PM	NA	0.0	0	
07-03-2019	6 PM	NA	0.0	55	
07-03-2019	7 PM	NA	0.0	125	
07-03-2019	8 PM	NA	0.0	114	
07-03-2019	9 PM	NA	0.0	97	
07-03-2019	10 PM	NA	2.9	78	Dust: Self calibration/ Auto purge data
07-03-2019	11 PM	NA	0.0	63	
08-03-2019	12 AM	NA	0.0	45	
08-03-2019	1 AM	NA	0.0	29	
08-03-2019	2 AM	NA	0.0	25	
08-03-2019	3 AM	NA	0.0	19	
08-03-2019	4 AM	NA	0.0	13	
08-03-2019	5 AM	NA	0.0	12	
08-03-2019	6 AM	NA	2.6	10	Dust: Self calibration/ Auto purge data
08-03-2019	7 AM	NA	0.0	4	
08-03-2019	8 AM	NA	0.0	0	
08-03-2019	9 AM	NA	0.0	0	
08-03-2019	10 AM	NA	0.0	0	
08-03-2019	11 AM	NA	0.0	361	Odour: Manual Dosing of chemical / Dosing System under maintenance
08-03-2019	12 PM	NA	0.0	87	
08-03-2019	1 PM	NA	0.0	71	
08-03-2019	2 PM	NA	2.9	57	Dust: Self calibration/ Auto purge data
08-03-2019	3 PM	NA	0.0	51	
08-03-2019	4 PM	NA	0.0	51	
08-03-2019	5 PM	NA	0.0	46	

08-03-2019	6 PM	NA	0.0	42	
08-03-2019	7 PM	NA	0.0	46	
08-03-2019	8 PM	NA	0.0	41	
08-03-2019	9 PM	NA	0.0	44	
08-03-2019	10 PM	NA	2.9	44	Dust: Self calibration/ Auto purge data
08-03-2019	11 PM	NA	0.0	44	
09-03-2019	12 AM	NA	0.0	42	
09-03-2019	1 AM	NA	0.0	44	
09-03-2019	2 AM	NA	0.0	44	
09-03-2019	3 AM	NA	0.0	46	
09-03-2019	4 AM	NA	0.0	42	
09-03-2019	5 AM	NA	0.0	46	
09-03-2019	6 AM	NA	2.9	44	Dust: Self calibration/ Auto purge data
09-03-2019	7 AM	NA	0.0	56	
09-03-2019	8 AM	NA	0.0	68	
09-03-2019	9 AM	NA	0.0	56	
09-03-2019	10 AM	NA	0.0	52	
09-03-2019	11 AM	NA	0.0	48	
09-03-2019	12 PM	NA	0.0	71	
09-03-2019	1 PM	NA	0.0	75	
09-03-2019	2 PM	NA	2.9	81	Dust: Self calibration/ Auto purge data
09-03-2019	3 PM	NA	0.0	83	
09-03-2019	4 PM	NA	0.0	86	
09-03-2019	5 PM	NA	0.0	92	
09-03-2019	6 PM	NA	0.0	120	
09-03-2019	7 PM	NA	0.0	121	
09-03-2019	8 PM	NA	0.0	105	
09-03-2019	9 PM	NA	0.0	230	Odour: Manual Dosing of chemical / Dosing System under maintenance
09-03-2019	10 PM	NA	2.6	209	Dust: Self calibration/ Auto purge data
09-03-2019	11 PM	NA	0.0	185	

10-03-2019	12 AM	NA	0.0	251	Odour: Manual Dosing of chemical / Dosing System under maintenance
10-03-2019	1 AM	NA	0.0	233	Odour: Manual Dosing of chemical / Dosing System under maintenance
10-03-2019	2 AM	NA	0.0	209	
10-03-2019	3 AM	NA	0.0	219	
10-03-2019	4 AM	NA	0.0	240	Odour: Manual Dosing of chemical / Dosing System under maintenance
10-03-2019	5 AM	NA	0.0	213	
10-03-2019	6 AM	NA	2.9	294	Dust: Self calibration/ Auto purge data Odour: Manual Dosing of chemical / Dosing System under maintenance
10-03-2019	7 AM	NA	0.0	274	Odour: Manual Dosing of chemical / Dosing System under maintenance
10-03-2019	8 AM	NA	0.0	236	Odour: Manual Dosing of chemical / Dosing System under maintenance
10-03-2019	9 AM	NA	0.0	277	Odour: Manual Dosing of chemical / Dosing System under maintenance
10-03-2019	10 AM	NA	0.0	271	Odour: Manual Dosing of chemical / Dosing System under maintenance
10-03-2019	11 AM	NA	0.0	263	Odour: Manual Dosing of chemical / Dosing System under maintenance
10-03-2019	12 PM	NA	0.0	402	Odour: Manual Dosing of chemical / Dosing System under maintenance
10-03-2019	1 PM	NA	0.0	379	Odour: Manual Dosing of chemical / Dosing System under maintenance
10-03-2019	2 PM	NA	5.2	155	Dust: Self calibration/ Auto purge data
10-03-2019	3 PM	NA	0.0	135	
10-03-2019	4 PM	NA	0.0	132	
10-03-2019	5 PM	NA	0.0	108	
10-03-2019	6 PM	NA	0.0	111	
10-03-2019	7 PM	NA	0.0	112	

10-03-2019	8 PM	NA	0.0	117	
10-03-2019	9 PM	NA	0.0	141	
10-03-2019	10 PM	NA	2.9	98	Dust: Self calibration/ Auto purge data
10-03-2019	11 PM	NA	0.0	86	
11-03-2019	12 AM	NA	0.0	80	
11-03-2019	1 AM	NA	0.0	79	
11-03-2019	2 AM	NA	0.0	86	
11-03-2019	3 AM	NA	0.0	75	
11-03-2019	4 AM	NA	0.0	80	
11-03-2019	5 AM	NA	0.0	88	
11-03-2019	6 AM	NA	5.2	102	Dust: Self calibration/ Auto purge data
11-03-2019	7 AM	NA	0.0	108	
11-03-2019	8 AM	NA	0.0	108	
11-03-2019	9 AM	NA	0.0	108	
11-03-2019	10 AM	NA	0.0	104	
11-03-2019	11 AM	NA	0.0	86	
11-03-2019	12 PM	NA	0.0	86	
11-03-2019	1 PM	NA	0.0	64	
11-03-2019	2 PM	NA	2.9	76	Dust: Self calibration/ Auto purge data
11-03-2019	3 PM	NA	0.0	97	
11-03-2019	4 PM	NA	0.0	120	
11-03-2019	5 PM	NA	0.0	157	
11-03-2019	6 PM	NA	0.0	207	
11-03-2019	7 PM	NA	0.0	376	Odour: Manual Dosing of chemical / Dosing System under maintenance
11-03-2019	8 PM	NA	0.0	411	Odour: Manual Dosing of chemical / Dosing System under maintenance
11-03-2019	9 PM	NA	0.0	443	Odour: Manual Dosing of chemical / Dosing System under maintenance
11-03-2019	10 PM	NA	2.6	370	Dust: Self calibration/ Auto purge data Odour: Manual Dosing of chemical / Dosing System under maintenance

11-03-2019	11 PM	NA	0.0	430	Odour: Manual Dosing of chemical / Dosing System under maintenance
12-03-2019	12 AM	NA	0.0	534	Odour: Manual Dosing of chemical / Dosing System under maintenance
12-03-2019	1 AM	NA	0.0	495	Odour: Manual Dosing of chemical / Dosing System under maintenance
12-03-2019	2 AM	NA	0.0	543	Odour: Manual Dosing of chemical / Dosing System under maintenance
12-03-2019	3 AM	NA	0.0	600	Odour: Manual Dosing of chemical / Dosing System under maintenance
12-03-2019	4 AM	NA	0.0	497	Odour: Manual Dosing of chemical / Dosing System under maintenance
12-03-2019	5 AM	NA	0.0	476	Odour: Manual Dosing of chemical / Dosing System under maintenance
12-03-2019	6 AM	NA	2.9	530	Dust: Self calibration/ Auto purge data Odour: Manual Dosing of chemical / Dosing System under maintenance
12-03-2019	7 AM	NA	0.0	492	Odour: Manual Dosing of chemical / Dosing System under maintenance
12-03-2019	8 AM	NA	0.0	598	Odour: Manual Dosing of chemical / Dosing System under maintenance
12-03-2019	9 AM	NA	0.0	316	Odour: Manual Dosing of chemical / Dosing System under maintenance
12-03-2019	10 AM	NA	0.0	167	
12-03-2019	11 AM	NA	0.0	102	
12-03-2019	12 PM	NA	0.0	26	
12-03-2019	1 PM	NA	0.0	78	
12-03-2019	2 PM	NA	2.6	120	Dust: Self calibration/ Auto purge data
12-03-2019	3 PM	NA	0.0	152	
12-03-2019	4 PM	NA	0.0	141	
12-03-2019	5 PM	NA	0.0	157	
12-03-2019	6 PM	NA	0.0	152	

12-03-2019	7 PM	NA	0.0	288	Odour: Manual Dosing of chemical / Dosing System under maintenance
12-03-2019	8 PM	NA	0.0	309	Odour: Manual Dosing of chemical / Dosing System under maintenance
12-03-2019	9 PM	NA	0.0	390	Odour: Manual Dosing of chemical / Dosing System under maintenance
12-03-2019	10 PM	NA	2.9	416	Dust: Self calibration/ Auto purge data Odour: Manual Dosing of chemical / Dosing System under maintenance
12-03-2019	11 PM	NA	0.0	743	Odour: Manual Dosing of chemical / Dosing System under maintenance
13-03-2019	12 AM	NA	0.0	504	Odour: Manual Dosing of chemical / Dosing System under maintenance
13-03-2019	1 AM	NA	0.0	285	Odour: Manual Dosing of chemical / Dosing System under maintenance
13-03-2019	2 AM	NA	0.0	261	Odour: Manual Dosing of chemical / Dosing System under maintenance
13-03-2019	3 AM	NA	0.0	242	Odour: Manual Dosing of chemical / Dosing System under maintenance
13-03-2019	4 AM	NA	0.0	712	Odour: Manual Dosing of chemical / Dosing System under maintenance
13-03-2019	5 AM	NA	0.0	1665	Odour: Manual Dosing of chemical / Dosing System under maintenance
13-03-2019	6 AM	NA	2.6	1904	Dust: Self calibration/ Auto purge data Odour: Manual Dosing of chemical / Dosing System under maintenance
13-03-2019	7 AM	NA	0.0	1778	Odour: Manual Dosing of chemical / Dosing System under maintenance
13-03-2019	8 AM	NA	0.0	1953	Odour: Manual Dosing of chemical / Dosing System under maintenance
13-03-2019	9 AM	NA	0.0	2447	Odour: Manual Dosing of chemical / Dosing System under maintenance

13-03-2019	10 AM	NA	0.0	2004	Odour: Manual Dosing of chemical / Dosing System under maintenance
13-03-2019	11 AM	NA	0.0	2311	Odour: Manual Dosing of chemical / Dosing System under maintenance
13-03-2019	12 PM	NA	0.0	2539	Odour: Manual Dosing of chemical / Dosing System under maintenance
13-03-2019	1 PM	NA	0.0	2578	Odour: Manual Dosing of chemical / Dosing System under maintenance
13-03-2019	2 PM	NA	2.9	2107	Dust: Self calibration/ Auto purge data Odour: Manual Dosing of chemical / Dosing System under maintenance
13-03-2019	3 PM	NA	0.0	2156	Odour: Manual Dosing of chemical / Dosing System under maintenance
13-03-2019	4 PM	NA	0.0	1201	Odour: Manual Dosing of chemical / Dosing System under maintenance
13-03-2019	5 PM	NA	0.0	450	Odour: Manual Dosing of chemical / Dosing System under maintenance
13-03-2019	6 PM	NA	0.0	459	Odour: Manual Dosing of chemical / Dosing System under maintenance
13-03-2019	7 PM	NA	0.0	577	Odour: Manual Dosing of chemical / Dosing System under maintenance
13-03-2019	8 PM	NA	0.0	842	Odour: Manual Dosing of chemical / Dosing System under maintenance
13-03-2019	9 PM	NA	0.0	833	Odour: Manual Dosing of chemical / Dosing System under maintenance
13-03-2019	10 PM	NA	2.6	783	Dust: Self calibration/ Auto purge data Odour: Manual Dosing of chemical / Dosing System under maintenance
13-03-2019	11 PM	NA	0.0	460	Odour: Manual Dosing of chemical / Dosing System under maintenance
14-03-2019	12 AM	NA	0.0	328	Odour: Manual Dosing of chemical / Dosing System under maintenance

14-03-2019	1 AM	NA	0.0	369	Odour: Manual Dosing of chemical / Dosing System under maintenance
14-03-2019	2 AM	NA	0.0	309	Odour: Manual Dosing of chemical / Dosing System under maintenance
14-03-2019	3 AM	NA	0.0	334	Odour: Manual Dosing of chemical / Dosing System under maintenance
14-03-2019	4 AM	NA	0.0	292	Odour: Manual Dosing of chemical / Dosing System under maintenance
14-03-2019	5 AM	NA	0.0	282	Odour: Manual Dosing of chemical / Dosing System under maintenance
14-03-2019	6 AM	NA	2.9	369	Dust: Self calibration/ Auto purge data Odour: Manual Dosing of chemical / Dosing System under maintenance
14-03-2019	7 AM	NA	0.0	374	Odour: Manual Dosing of chemical / Dosing System under maintenance
14-03-2019	8 AM	NA	0.0	406	Odour: Manual Dosing of chemical / Dosing System under maintenance
14-03-2019	9 AM	NA	0.0	538	Odour: Manual Dosing of chemical / Dosing System under maintenance
14-03-2019	10 AM	NA	0.0	454	Odour: Manual Dosing of chemical / Dosing System under maintenance
14-03-2019	11 AM	NA	0.0	349	Odour: Manual Dosing of chemical / Dosing System under maintenance
14-03-2019	12 PM	NA	0.0	349	Odour: Manual Dosing of chemical / Dosing System under maintenance
14-03-2019	1 PM	NA	0.0	465	Odour: Manual Dosing of chemical / Dosing System under maintenance
14-03-2019	2 PM	NA	2.6	736	Dust: Self calibration/ Auto purge data Odour: Manual Dosing of chemical / Dosing System under maintenance
14-03-2019	3 PM	NA	0.0	721	Odour: Manual Dosing of chemical / Dosing System under maintenance

14-03-2019	4 PM	NA	0.0	604	Odour: Manual Dosing of chemical / Dosing System under maintenance
14-03-2019	5 PM	NA	0.0	489	Odour: Manual Dosing of chemical / Dosing System under maintenance
14-03-2019	6 PM	NA	0.0	458	Odour: Manual Dosing of chemical / Dosing System under maintenance
14-03-2019	7 PM	NA	0.0	412	Odour: Manual Dosing of chemical / Dosing System under maintenance
14-03-2019	8 PM	NA	0.0	423	Odour: Manual Dosing of chemical / Dosing System under maintenance
14-03-2019	9 PM	NA	0.0	352	Odour: Manual Dosing of chemical / Dosing System under maintenance
14-03-2019	10 PM	NA	5.8	296	Dust: Self calibration/ Auto purge data Odour: Manual Dosing of chemical / Dosing System under maintenance
14-03-2019	11 PM	NA	0.0	231	Odour: Manual Dosing of chemical / Dosing System under maintenance
15-03-2019	12 AM	NA	0.0	247	Odour: Manual Dosing of chemical / Dosing System under maintenance
15-03-2019	1 AM	NA	0.0	236	Odour: Manual Dosing of chemical / Dosing System under maintenance
15-03-2019	2 AM	NA	0.0	263	Odour: Manual Dosing of chemical / Dosing System under maintenance
15-03-2019	3 AM	NA	0.0	290	Odour: Manual Dosing of chemical / Dosing System under maintenance
15-03-2019	4 AM	NA	0.0	748	Odour: Manual Dosing of chemical / Dosing System under maintenance
15-03-2019	5 AM	NA	0.0	1816	Odour: Manual Dosing of chemical / Dosing System under maintenance
15-03-2019	6 AM	NA	2.6	2106	Dust: Self calibration/ Auto purge data Odour: Manual Dosing of chemical / Dosing System under maintenance

15-03-2019	7 AM	NA	0.0	1732	Odour: Manual Dosing of chemical / Dosing System under maintenance
15-03-2019	8 AM	NA	0.0	1395	Odour: Manual Dosing of chemical / Dosing System under maintenance
15-03-2019	9 AM	NA	0.0	1802	Odour: Manual Dosing of chemical / Dosing System under maintenance
15-03-2019	10 AM	NA	0.0	1422	Odour: Manual Dosing of chemical / Dosing System under maintenance
15-03-2019	11 AM	NA	0.0	1390	Odour: Manual Dosing of chemical / Dosing System under maintenance
15-03-2019	12 PM	NA	0.0	1203	Odour: Manual Dosing of chemical / Dosing System under maintenance
15-03-2019	1 PM	NA	0.0	668	Odour: Manual Dosing of chemical / Dosing System under maintenance
15-03-2019	2 PM	NA	5.8	257	Dust: Self calibration/ Auto purge data Odour: Manual Dosing of chemical / Dosing System under maintenance
15-03-2019	3 PM	NA	0.0	236	Odour: Manual Dosing of chemical / Dosing System under maintenance
15-03-2019	4 PM	NA	0.0	270	Odour: Manual Dosing of chemical / Dosing System under maintenance
15-03-2019	5 PM	NA	0.0	250	Odour: Manual Dosing of chemical / Dosing System under maintenance
15-03-2019	6 PM	NA	0.0	194	
15-03-2019	7 PM	NA	0.0	204	
15-03-2019	8 PM	NA	0.0	281	Odour: Manual Dosing of chemical / Dosing System under maintenance
15-03-2019	9 PM	NA	0.0	985	Odour: Manual Dosing of chemical / Dosing System under maintenance
15-03-2019	10 PM	NA	2.8	655	Dust: Self calibration/ Auto purge data Odour: Manual Dosing of chemical / Dosing System under maintenance

15-03-2019	11 PM	NA	0.0	488	Odour: Manual Dosing of chemical / Dosing System under maintenance
16-03-2019	12 AM	NA	0.0	360	Odour: Manual Dosing of chemical / Dosing System under maintenance
16-03-2019	1 AM	NA	0.0	416	Odour: Manual Dosing of chemical / Dosing System under maintenance
16-03-2019	2 AM	NA	0.0	447	Odour: Manual Dosing of chemical / Dosing System under maintenance
16-03-2019	3 AM	NA	0.0	500	Odour: Manual Dosing of chemical / Dosing System under maintenance
16-03-2019	4 AM	NA	0.0	485	Odour: Manual Dosing of chemical / Dosing System under maintenance
16-03-2019	5 AM	NA	0.0	317	Odour: Manual Dosing of chemical / Dosing System under maintenance
16-03-2019	6 AM	NA	2.9	272	Dust: Self calibration/ Auto purge data Odour: Manual Dosing of chemical / Dosing System under maintenance
16-03-2019	7 AM	NA	0.0	302	Odour: Manual Dosing of chemical / Dosing System under maintenance
16-03-2019	8 AM	NA	0.0	303	Odour: Manual Dosing of chemical / Dosing System under maintenance
16-03-2019	9 AM	NA	0.0	223	Odour: Manual Dosing of chemical / Dosing System under maintenance
16-03-2019	10 AM	NA	0.0	215	
16-03-2019	11 AM	NA	0.0	72	
16-03-2019	12 PM	NA	0.0	181	
16-03-2019	1 PM	NA	0.0	332	Odour: Manual Dosing of chemical / Dosing System under maintenance
16-03-2019	2 PM	NA	2.9	251	Dust: Self calibration/ Auto purge data Odour: Manual Dosing of chemical / Dosing System under maintenance

16-03-2019	3 PM	NA	0.0	258	Odour: Manual Dosing of chemical / Dosing System under maintenance
16-03-2019	4 PM	NA	0.0	434	Odour: Manual Dosing of chemical / Dosing System under maintenance
16-03-2019	5 PM	NA	0.0	355	Odour: Manual Dosing of chemical / Dosing System under maintenance
16-03-2019	6 PM	NA	0.0	319	Odour: Manual Dosing of chemical / Dosing System under maintenance
16-03-2019	7 PM	NA	0.0	329	Odour: Manual Dosing of chemical / Dosing System under maintenance
16-03-2019	8 PM	NA	0.0	751	Odour: Manual Dosing of chemical / Dosing System under maintenance
16-03-2019	9 PM	NA	0.0	708	Odour: Manual Dosing of chemical / Dosing System under maintenance
16-03-2019	10 PM	NA	2.6	699	Dust: Self calibration/ Auto purge data Odour: Manual Dosing of chemical / Dosing System under maintenance
16-03-2019	11 PM	NA	0.0	1276	Odour: Manual Dosing of chemical / Dosing System under maintenance
17-03-2019	12 AM	NA	0.0	1593	Odour: Manual Dosing of chemical / Dosing System under maintenance
17-03-2019	1 AM	NA	0.0	768	Odour: Manual Dosing of chemical / Dosing System under maintenance
17-03-2019	2 AM	NA	0.0	910	Odour: Manual Dosing of chemical / Dosing System under maintenance
17-03-2019	3 AM	NA	0.0	2417	Odour: Manual Dosing of chemical / Dosing System under maintenance
17-03-2019	4 AM	NA	0.0	2325	Odour: Manual Dosing of chemical / Dosing System under maintenance
17-03-2019	5 AM	NA	0.0	2828	Odour: Manual Dosing of chemical / Dosing System under maintenance
17-03-2019	6 AM	NA	2.9	2247	Dust: Self calibration/ Auto purge data

					Odour: Manual Dosing of chemical / Dosing System under maintenance
17-03-2019	7 AM	NA	0.0	2043	Odour: Manual Dosing of chemical / Dosing System under maintenance
17-03-2019	8 AM	NA	0.0	1720	Odour: Manual Dosing of chemical / Dosing System under maintenance
17-03-2019	9 AM	NA	0.0	2118	Odour: Manual Dosing of chemical / Dosing System under maintenance
17-03-2019	10 AM	NA	0.0	1780	Odour: Manual Dosing of chemical / Dosing System under maintenance
17-03-2019	11 AM	NA	0.0	1299	Odour: Manual Dosing of chemical / Dosing System under maintenance
17-03-2019	12 PM	NA	0.0	453	Odour: Manual Dosing of chemical / Dosing System under maintenance
17-03-2019	1 PM	NA	0.0	521	Odour: Manual Dosing of chemical / Dosing System under maintenance
17-03-2019	2 PM	NA	2.6	793	Dust: Self calibration/ Auto purge data Odour: Manual Dosing of chemical / Dosing System under maintenance
17-03-2019	3 PM	NA	0.0	1052	Odour: Manual Dosing of chemical / Dosing System under maintenance
17-03-2019	4 PM	NA	0.0	798	Odour: Manual Dosing of chemical / Dosing System under maintenance
17-03-2019	5 PM	NA	0.0	2655	Odour: Manual Dosing of chemical / Dosing System under maintenance
17-03-2019	6 PM	NA	0.0	2894	Odour: Manual Dosing of chemical / Dosing System under maintenance
17-03-2019	7 PM	NA	0.0	2850	Odour: Manual Dosing of chemical / Dosing System under maintenance
17-03-2019	8 PM	NA	0.0	3182	Odour: Manual Dosing of chemical / Dosing System under maintenance

17-03-2019	9 PM	NA	0.0	2475	Odour: Manual Dosing of chemical / Dosing System under maintenance
17-03-2019	10 PM	NA	2.9	2678	Dust: Self calibration/ Auto purge data Odour: Manual Dosing of chemical / Dosing System under maintenance
17-03-2019	11 PM	NA	0.0	2750	Odour: Manual Dosing of chemical / Dosing System under maintenance
18-03-2019	12 AM	NA	0.0	3229	Odour: Manual Dosing of chemical / Dosing System under maintenance
18-03-2019	1 AM	NA	0.0	2552	Odour: Manual Dosing of chemical / Dosing System under maintenance
18-03-2019	2 AM	NA	0.0	1526	Odour: Manual Dosing of chemical / Dosing System under maintenance
18-03-2019	3 AM	NA	0.0	746	Odour: Manual Dosing of chemical / Dosing System under maintenance
18-03-2019	4 AM	NA	0.0	499	Odour: Manual Dosing of chemical / Dosing System under maintenance
18-03-2019	5 AM	NA	0.0	552	Odour: Manual Dosing of chemical / Dosing System under maintenance
18-03-2019	6 AM	NA	2.6	454	Dust: Self calibration/ Auto purge data Odour: Manual Dosing of chemical / Dosing System under maintenance
18-03-2019	7 AM	NA	0.0	278	Odour: Manual Dosing of chemical / Dosing System under maintenance
18-03-2019	8 AM	NA	0.0	318	Odour: Manual Dosing of chemical / Dosing System under maintenance
18-03-2019	9 AM	NA	0.0	320	Odour: Manual Dosing of chemical / Dosing System under maintenance
18-03-2019	10 AM	NA	0.0	232	Odour: Manual Dosing of chemical / Dosing System under maintenance
18-03-2019	11 AM	NA	0.0	195	
18-03-2019	12 PM	NA	0.0	175	

18-03-2019	1 PM	NA	0.0	436	Odour: Manual Dosing of chemical / Dosing System under maintenance
18-03-2019	2 PM	NA	5.8	1237	Dust: Self calibration/ Auto purge data Odour: Manual Dosing of chemical / Dosing System under maintenance
18-03-2019	3 PM	NA	0.0	700	Odour: Manual Dosing of chemical / Dosing System under maintenance
18-03-2019	4 PM	NA	0.0	471	Odour: Manual Dosing of chemical / Dosing System under maintenance
18-03-2019	5 PM	NA	0.0	363	Odour: Manual Dosing of chemical / Dosing System under maintenance
18-03-2019	6 PM	NA	0.0	432	Odour: Manual Dosing of chemical / Dosing System under maintenance
18-03-2019	7 PM	NA	0.0	357	Odour: Manual Dosing of chemical / Dosing System under maintenance
18-03-2019	8 PM	NA	0.0	357	Odour: Manual Dosing of chemical / Dosing System under maintenance
18-03-2019	9 PM	NA	0.0	365	Odour: Manual Dosing of chemical / Dosing System under maintenance
18-03-2019	10 PM	NA	2.6	783	Dust: Self calibration/ Auto purge data Odour: Manual Dosing of chemical / Dosing System under maintenance
18-03-2019	11 PM	NA	0.0	2335	Odour: Manual Dosing of chemical / Dosing System under maintenance
19-03-2019	12 AM	NA	0.0	1661	Odour: Manual Dosing of chemical / Dosing System under maintenance
19-03-2019	1 AM	NA	0.0	257	Odour: Manual Dosing of chemical / Dosing System under maintenance
19-03-2019	2 AM	NA	0.0	1442	Odour: Manual Dosing of chemical / Dosing System under maintenance
19-03-2019	3 AM	NA	0.0	2021	Odour: Manual Dosing of chemical / Dosing System under maintenance

19-03-2019	4 AM	NA	0.0	1890	Odour: Manual Dosing of chemical / Dosing System under maintenance
19-03-2019	5 AM	NA	0.0	2154	Odour: Manual Dosing of chemical / Dosing System under maintenance
19-03-2019	6 AM	NA	5.8	1685	Dust: Self calibration/ Auto purge data Odour: Manual Dosing of chemical / Dosing System under maintenance
19-03-2019	7 AM	NA	0.0	1901	Odour: Manual Dosing of chemical / Dosing System under maintenance
19-03-2019	8 AM	NA	0.0	1646	Odour: Manual Dosing of chemical / Dosing System under maintenance
19-03-2019	9 AM	NA	0.0	969	Odour: Manual Dosing of chemical / Dosing System under maintenance
19-03-2019	10 AM	NA	0.0	1103	Odour: Manual Dosing of chemical / Dosing System under maintenance
19-03-2019	11 AM	NA	0.0	353	Odour: Manual Dosing of chemical / Dosing System under maintenance
19-03-2019	12 PM	NA	0.0	306	Odour: Manual Dosing of chemical / Dosing System under maintenance
19-03-2019	1 PM	NA	0.0	323	Odour: Manual Dosing of chemical / Dosing System under maintenance
19-03-2019	2 PM	NA	2.6	653	Dust: Self calibration/ Auto purge data Odour: Manual Dosing of chemical / Dosing System under maintenance
19-03-2019	3 PM	NA	0.0	518	Odour: Manual Dosing of chemical / Dosing System under maintenance
19-03-2019	4 PM	NA	0.0	437	Odour: Manual Dosing of chemical / Dosing System under maintenance
19-03-2019	5 PM	NA	0.0	404	Odour: Manual Dosing of chemical / Dosing System under maintenance
19-03-2019	6 PM	NA	0.0	441	Odour: Manual Dosing of chemical / Dosing System under maintenance

19-03-2019	7 PM	NA	0.0	351	Odour: Manual Dosing of chemical / Dosing System under maintenance
19-03-2019	8 PM	NA	0.0	391	Odour: Manual Dosing of chemical / Dosing System under maintenance
19-03-2019	9 PM	NA	0.0	271	Odour: Manual Dosing of chemical / Dosing System under maintenance
19-03-2019	10 PM	NA	5.8	280	Dust: Self calibration/ Auto purge data Odour: Manual Dosing of chemical / Dosing System under maintenance
19-03-2019	11 PM	NA	0.0	1048	Odour: Manual Dosing of chemical / Dosing System under maintenance
20-03-2019	12 AM	NA	0.0	693	Odour: Manual Dosing of chemical / Dosing System under maintenance
20-03-2019	1 AM	NA	0.0	274	Odour: Manual Dosing of chemical / Dosing System under maintenance
20-03-2019	2 AM	NA	0.0	220	Odour: Manual Dosing of chemical / Dosing System under maintenance
20-03-2019	3 AM	NA	0.0	697	Odour: Manual Dosing of chemical / Dosing System under maintenance
20-03-2019	4 AM	NA	0.0	1108	Odour: Manual Dosing of chemical / Dosing System under maintenance
20-03-2019	5 AM	NA	0.0	349	Odour: Manual Dosing of chemical / Dosing System under maintenance
20-03-2019	6 AM	NA	2.6	1550	Dust: Self calibration/ Auto purge data Odour: Manual Dosing of chemical / Dosing System under maintenance
20-03-2019	7 AM	NA	0.0	1804	Odour: Manual Dosing of chemical / Dosing System under maintenance
20-03-2019	8 AM	NA	0.0	1662	Odour: Manual Dosing of chemical / Dosing System under maintenance
20-03-2019	9 AM	NA	0.0	1629	Odour: Manual Dosing of chemical / Dosing System under maintenance

20-03-2019	10 AM	NA	0.0	2039	Odour: Manual Dosing of chemical / Dosing System under maintenance
20-03-2019	11 AM	NA	0.0	2005	Odour: Manual Dosing of chemical / Dosing System under maintenance
20-03-2019	12 PM	NA	0.0	585	Odour: Manual Dosing of chemical / Dosing System under maintenance
20-03-2019	1 PM	NA	0.0	16	
20-03-2019	2 PM	NA	5.8	174	Dust: Self calibration/ Auto purge data
20-03-2019	3 PM	NA	0.0	280	Odour: Manual Dosing of chemical / Dosing System under maintenance
20-03-2019	4 PM	NA	0.0	151	
20-03-2019	5 PM	NA	0.0	123	
20-03-2019	6 PM	NA	0.0	270	Odour: Manual Dosing of chemical / Dosing System under maintenance
20-03-2019	7 PM	NA	0.0	395	Odour: Manual Dosing of chemical / Dosing System under maintenance
20-03-2019	8 PM	NA	0.0	225	Odour: Manual Dosing of chemical / Dosing System under maintenance
20-03-2019	9 PM	NA	0.0	94	
20-03-2019	10 PM	NA	2.6	275	Dust: Self calibration/ Auto purge data Odour: Manual Dosing of chemical / Dosing System under maintenance
20-03-2019	11 PM	NA	0.0	217	
21-03-2019	12 AM	NA	0.0	157	
21-03-2019	1 AM	NA	0.0	5	
21-03-2019	2 AM	NA	0.0	70	
21-03-2019	3 AM	NA	0.0	107	
21-03-2019	4 AM	NA	0.0	406	Odour: Manual Dosing of chemical / Dosing System under maintenance
21-03-2019	5 AM	NA	0.0	194	
21-03-2019	6 AM	NA	5.8	1193	Dust: Self calibration/ Auto purge data

					Odour: Manual Dosing of chemical / Dosing System under maintenance
21-03-2019	7 AM	NA	0.0	1086	Odour: Manual Dosing of chemical / Dosing System under maintenance
21-03-2019	8 AM	NA	0.0	1217	Odour: Manual Dosing of chemical / Dosing System under maintenance
21-03-2019	9 AM	NA	0.0	1088	Odour: Manual Dosing of chemical / Dosing System under maintenance
21-03-2019	10 AM	NA	0.0	1197	Odour: Manual Dosing of chemical / Dosing System under maintenance
21-03-2019	11 AM	NA	0.0	1296	Odour: Manual Dosing of chemical / Dosing System under maintenance
21-03-2019	12 PM	NA	0.0	961	Odour: Manual Dosing of chemical / Dosing System under maintenance
21-03-2019	1 PM	NA	0.0	1201	Odour: Manual Dosing of chemical / Dosing System under maintenance
21-03-2019	2 PM	NA	2.6	536	Dust: Self calibration/ Auto purge data Odour: Manual Dosing of chemical / Dosing System under maintenance
21-03-2019	3 PM	NA	0.0	691	Odour: Manual Dosing of chemical / Dosing System under maintenance
21-03-2019	4 PM	NA	0.0	1138	Odour: Manual Dosing of chemical / Dosing System under maintenance
21-03-2019	5 PM	NA	0.0	386	Odour: Manual Dosing of chemical / Dosing System under maintenance
21-03-2019	6 PM	NA	0.0	347	Odour: Manual Dosing of chemical / Dosing System under maintenance
21-03-2019	7 PM	NA	0.0	698	Odour: Manual Dosing of chemical / Dosing System under maintenance
21-03-2019	8 PM	NA	0.0	803	Odour: Manual Dosing of chemical / Dosing System under maintenance

21-03-2019	9 PM	NA	0.0	1019	Odour: Manual Dosing of chemical / Dosing System under maintenance
21-03-2019	10 PM	NA	2.9	1387	Dust: Self calibration/ Auto purge data Odour: Manual Dosing of chemical / Dosing System under maintenance
21-03-2019	11 PM	NA	0.0	1950	Odour: Manual Dosing of chemical / Dosing System under maintenance
22-03-2019	12 AM	NA	0.0	1240	Odour: Manual Dosing of chemical / Dosing System under maintenance
22-03-2019	1 AM	NA	0.0	1086	Odour: Manual Dosing of chemical / Dosing System under maintenance
22-03-2019	2 AM	NA	0.0	1633	Odour: Manual Dosing of chemical / Dosing System under maintenance
22-03-2019	3 AM	NA	0.0	2587	Odour: Manual Dosing of chemical / Dosing System under maintenance
22-03-2019	4 AM	NA	0.0	2659	Odour: Manual Dosing of chemical / Dosing System under maintenance
22-03-2019	5 AM	NA	0.0	2502	Odour: Manual Dosing of chemical / Dosing System under maintenance
22-03-2019	6 AM	NA	2.6	1680	Dust: Self calibration/ Auto purge data Odour: Manual Dosing of chemical / Dosing System under maintenance
22-03-2019	7 AM	NA	0.0	461	Odour: Manual Dosing of chemical / Dosing System under maintenance
22-03-2019	8 AM	NA	0.0	279	Odour: Manual Dosing of chemical / Dosing System under maintenance
22-03-2019	9 AM	NA	0.0	262	Odour: Manual Dosing of chemical / Dosing System under maintenance
22-03-2019	10 AM	NA	0.0	263	Odour: Manual Dosing of chemical / Dosing System under maintenance
22-03-2019	11 AM	NA	0.0	318	Odour: Manual Dosing of chemical / Dosing System under maintenance

22-03-2019	12 PM	NA	0.0	0	
22-03-2019	1 PM	NA	0.0	0	
22-03-2019	2 PM	NA	2.9	0	Dust: Self calibration/ Auto purge data
22-03-2019	3 PM	NA	0.0	0	
22-03-2019	4 PM	NA	0.0	0	
22-03-2019	5 PM	NA	0.0	0	
22-03-2019	6 PM	NA	0.0	0	
22-03-2019	7 PM	NA	0.0	0	
22-03-2019	8 PM	NA	0.0	0	
22-03-2019	9 PM	NA	0.0	0	
22-03-2019	10 PM	NA	2.8	0	Dust: Self calibration/ Auto purge data
22-03-2019	11 PM	NA	0.0	0	
23-03-2019	12 AM	NA	0.0	0	
23-03-2019	1 AM	NA	0.0	0	
23-03-2019	2 AM	NA	0.0	0	
23-03-2019	3 AM	NA	0.0	0	
23-03-2019	4 AM	NA	0.0	0	
23-03-2019	5 AM	NA	0.0	0	
23-03-2019	6 AM	NA	2.9	0	Dust: Self calibration/ Auto purge data
23-03-2019	7 AM	NA	0.0	0	
23-03-2019	8 AM	NA	0.0	0	
23-03-2019	9 AM	NA	0.0	0	
23-03-2019	10 AM	NA	0.0	0	
23-03-2019	11 AM	NA	0.0	0	
23-03-2019	12 PM	NA	0.0	0	
23-03-2019	1 PM	NA	0.0	0	
23-03-2019	2 PM	NA	2.9	0	Dust: Self calibration/ Auto purge data
23-03-2019	3 PM	NA	0.0	0	
23-03-2019	4 PM	NA	0.0	0	
23-03-2019	5 PM	NA	0.0	0	
23-03-2019	6 PM	NA	0.0	0	
23-03-2019	7 PM	NA	0.0	0	

23-03-2019	8 PM	NA	0.0	0	
23-03-2019	9 PM	NA	0.0	0	
23-03-2019	10 PM	NA	2.8	0	Dust: Self calibration/ Auto purge data
23-03-2019	11 PM	NA	0.0	0	
24-03-2019	12 AM	NA	0.0	0	
24-03-2019	1 AM	NA	0.0	0	
24-03-2019	2 AM	NA	0.0	0	
24-03-2019	3 AM	NA	0.0	0	
24-03-2019	4 AM	NA	0.0	0	
24-03-2019	5 AM	NA	0.0	0	
24-03-2019	6 AM	NA	5.8	0	Dust: Self calibration/ Auto purge data
24-03-2019	7 AM	NA	0.0	0	
24-03-2019	8 AM	NA	0.0	0	
24-03-2019	9 AM	NA	0.0	0	
24-03-2019	10 AM	NA	0.0	0	
24-03-2019	11 AM	NA	0.0	0	
24-03-2019	12 PM	NA	0.0	0	
24-03-2019	1 PM	NA	0.0	0	
24-03-2019	2 PM	NA	2.6	0	Dust: Self calibration/ Auto purge data
24-03-2019	3 PM	NA	0.0	0	
24-03-2019	4 PM	NA	0.0	0	
24-03-2019	5 PM	NA	0.0	0	
24-03-2019	6 PM	NA	0.0	0	
24-03-2019	7 PM	NA	0.0	0	
24-03-2019	8 PM	NA	0.0	0	
24-03-2019	9 PM	NA	0.0	0	
24-03-2019	10 PM	NA	5.8	0	Dust: Self calibration/ Auto purge data
24-03-2019	11 PM	NA	0.0	0	
25-03-2019	12 AM	NA	0.0	0	
25-03-2019	1 AM	NA	0.0	0	
25-03-2019	2 AM	NA	0.0	0	
25-03-2019	3 AM	NA	0.0	0	

25-03-2019	4 AM	NA	0.0	0	
25-03-2019	5 AM	NA	0.0	0	
25-03-2019	6 AM	NA	2.6	0	Dust: Self calibration/ Auto purge data
25-03-2019	7 AM	NA	0.0	0	
25-03-2019	8 AM	NA	0.0	0	
25-03-2019	9 AM	NA	0.0	0	
25-03-2019	10 AM	NA	0.0	0	
25-03-2019	11 AM	NA	0.0	0	
25-03-2019	12 PM	NA	0.0	86	
25-03-2019	1 PM	NA	0.0	423	Odour: Manual Dosing of chemical / Dosing System under maintenance
25-03-2019	2 PM	NA	2.9	438	Dust: Self calibration/ Auto purge data Odour: Manual Dosing of chemical / Dosing System under maintenance
25-03-2019	3 PM	NA	0.0	611	Odour: Manual Dosing of chemical / Dosing System under maintenance
25-03-2019	4 PM	NA	0.0	416	Odour: Manual Dosing of chemical / Dosing System under maintenance
25-03-2019	5 PM	NA	0.0	313	Odour: Manual Dosing of chemical / Dosing System under maintenance
25-03-2019	6 PM	NA	0.0	164	
25-03-2019	7 PM	NA	0.0	2	
25-03-2019	8 PM	NA	0.0	0	
25-03-2019	9 PM	NA	0.0	0	
25-03-2019	10 PM	NA	2.6	0	Dust: Self calibration/ Auto purge data
25-03-2019	11 PM	NA	0.0	0	
26-03-2019	12 AM	NA	0.0	0	
26-03-2019	1 AM	NA	0.0	0	
26-03-2019	2 AM	NA	0.0	0	
26-03-2019	3 AM	NA	0.0	0	
26-03-2019	4 AM	NA	0.0	0	
26-03-2019	5 AM	NA	0.0	0	

26-03-2019	6 AM	NA	2.9	0	Dust: Self calibration/ Auto purge data
26-03-2019	7 AM	NA	0.0	0	
26-03-2019	8 AM	NA	0.0	0	
26-03-2019	9 AM	NA	0.0	0	
26-03-2019	10 AM	NA	0.0	0	
26-03-2019	11 AM	NA	0.0	0	
26-03-2019	12 PM	NA	0.0	0	
26-03-2019	1 PM	NA	0.0	0	
26-03-2019	2 PM	NA	2.6	0	Dust: Self calibration/ Auto purge data
26-03-2019	3 PM	NA	0.0	0	
26-03-2019	4 PM	NA	0.0	0	
26-03-2019	5 PM	NA	0.0	0	
26-03-2019	6 PM	NA	0.0	0	
26-03-2019	7 PM	NA	0.0	0	
26-03-2019	8 PM	NA	0.0	0	
26-03-2019	9 PM	NA	0.0	0	
26-03-2019	10 PM	NA	2.9	0	Dust: Self calibration/ Auto purge data
26-03-2019	11 PM	NA	0.0	0	
27-03-2019	12 AM	NA	0.0	0	
27-03-2019	1 AM	NA	0.0	0	
27-03-2019	2 AM	NA	0.0	0	
27-03-2019	3 AM	NA	0.0	0	
27-03-2019	4 AM	NA	0.0	0	
27-03-2019	5 AM	NA	0.0	0	
27-03-2019	6 AM	NA	2.6	0	Dust: Self calibration/ Auto purge data
27-03-2019	7 AM	NA	0.0	0	
27-03-2019	8 AM	NA	0.0	0	
27-03-2019	9 AM	NA	0.0	0	
27-03-2019	10 AM	NA	0.0	0	
27-03-2019	11 AM	NA	0.0	0	
27-03-2019	12 PM	NA	0.0	39	
27-03-2019	1 PM	NA	0.0	60	

27-03-2019	2 PM	NA	2.9	94	Dust: Self calibration/ Auto purge data
27-03-2019	3 PM	NA	0.0	110	
27-03-2019	4 PM	NA	0.0	384	Odour: Manual Dosing of chemical / Dosing System under maintenance
27-03-2019	5 PM	NA	0.0	709	Odour: Manual Dosing of chemical / Dosing System under maintenance
27-03-2019	6 PM	NA	0.0	135	
27-03-2019	7 PM	NA	0.0	0	
27-03-2019	8 PM	NA	0.0	0	
27-03-2019	9 PM	NA	0.0	0	
27-03-2019	10 PM	NA	5.2	0	Dust: Self calibration/ Auto purge data
27-03-2019	11 PM	NA	0.0	0	
28-03-2019	12 AM	NA	0.0	404	Odour: Manual Dosing of chemical / Dosing System under maintenance
28-03-2019	1 AM	NA	0.0	199	
28-03-2019	2 AM	NA	0.0	0	
28-03-2019	3 AM	NA	0.0	0	
28-03-2019	4 AM	NA	0.0	0	
28-03-2019	5 AM	NA	0.0	0	
28-03-2019	6 AM	NA	2.9	0	Dust: Self calibration/ Auto purge data
28-03-2019	7 AM	NA	0.0	0	
28-03-2019	8 AM	NA	0.0	0	
28-03-2019	9 AM	NA	0.0	0	
28-03-2019	10 AM	NA	0.0	0	
28-03-2019	11 AM	NA	0.0	0	
28-03-2019	12 PM	NA	0.0	0	
28-03-2019	1 PM	NA	0.0	0	
28-03-2019	2 PM	NA	5.2	0	Dust: Self calibration/ Auto purge data
28-03-2019	3 PM	NA	0.0	0	
28-03-2019	4 PM	NA	0.0	0	
28-03-2019	5 PM	NA	0.0	0	
28-03-2019	6 PM	NA	0.0	0	

28-03-2019	7 PM	NA	0.0	0	
28-03-2019	8 PM	NA	0.0	0	
28-03-2019	9 PM	NA	0.0	0	
28-03-2019	10 PM	NA	2.9	3	Dust: Self calibration/ Auto purge data
28-03-2019	11 PM	NA	0.0	0	
29-03-2019	12 AM	NA	0.0	0	
29-03-2019	1 AM	NA	0.0	13	
29-03-2019	2 AM	NA	0.0	10	
29-03-2019	3 AM	NA	0.0	72	
29-03-2019	4 AM	NA	0.0	621	Odour: Manual Dosing of chemical / Dosing System under maintenance
29-03-2019	5 AM	NA	0.0	629	Odour: Manual Dosing of chemical / Dosing System under maintenance
29-03-2019	6 AM	NA	5.2	709	Dust: Self calibration/ Auto purge data Odour: Manual Dosing of chemical / Dosing System under maintenance
29-03-2019	7 AM	NA	0.0	769	Odour: Manual Dosing of chemical / Dosing System under maintenance
29-03-2019	8 AM	NA	0.0	629	Odour: Manual Dosing of chemical / Dosing System under maintenance
29-03-2019	9 AM	NA	0.0	1000	Odour: Manual Dosing of chemical / Dosing System under maintenance
29-03-2019	10 AM	NA	0.0	567	Odour: Manual Dosing of chemical / Dosing System under maintenance
29-03-2019	11 AM	NA	0.0	21	
29-03-2019	12 PM	NA	0.0	202	
29-03-2019	1 PM	NA	0.0	13	
29-03-2019	2 PM	NA	2.9	179	Dust: Self calibration/ Auto purge data
29-03-2019	3 PM	NA	0.0	232	Odour: Manual Dosing of chemical / Dosing System under maintenance
29-03-2019	4 PM	NA	0.0	230	Odour: Manual Dosing of chemical / Dosing System under maintenance

29-03-2019	5 PM	NA	0.0	288	Odour: Manual Dosing of chemical / Dosing System under maintenance
29-03-2019	6 PM	NA	0.0	132	
29-03-2019	7 PM	NA	0.0	10	
29-03-2019	8 PM	NA	0.0	86	
29-03-2019	9 PM	NA	0.0	183	
29-03-2019	10 PM	NA	2.8	49	Dust: Self calibration/ Auto purge data
29-03-2019	11 PM	NA	0.0	0	
30-03-2019	12 AM	NA	0.0	0	
30-03-2019	1 AM	NA	0.0	0	
30-03-2019	2 AM	NA	0.0	0	
30-03-2019	3 AM	NA	0.0	0	
30-03-2019	4 AM	NA	0.0	0	
30-03-2019	5 AM	NA	0.0	0	
30-03-2019	6 AM	NA	2.9	0	Dust: Self calibration/ Auto purge data
30-03-2019	7 AM	NA	0.0	0	
30-03-2019	8 AM	NA	0.0	0	
30-03-2019	9 AM	NA	0.0	12	
30-03-2019	10 AM	NA	0.0	45	
30-03-2019	11 AM	NA	0.0	172	
30-03-2019	12 PM	NA	0.0	279	Odour: Manual Dosing of chemical / Dosing System under maintenance
30-03-2019	1 PM	NA	0.0	93	
30-03-2019	2 PM	NA	2.9	213	Dust: Self calibration/ Auto purge data
30-03-2019	3 PM	NA	0.0	242	Odour: Manual Dosing of chemical / Dosing System under maintenance
30-03-2019	4 PM	NA	0.0	83	
30-03-2019	5 PM	NA	0.0	89	
30-03-2019	6 PM	NA	0.0	429	Odour: Manual Dosing of chemical / Dosing System under maintenance
30-03-2019	7 PM	NA	0.0	249	Odour: Manual Dosing of chemical / Dosing System under maintenance

30-03-2019	8 PM	NA	0.0	74	
30-03-2019	9 PM	NA	0.0	81	
30-03-2019	10 PM	NA	2.8	97	Dust: Self calibration/ Auto purge data
30-03-2019	11 PM	NA	0.0	88	
31-03-2019	12 AM	NA	0.0	157	
31-03-2019	1 AM	NA	0.0	648	Odour: Manual Dosing of chemical / Dosing System under maintenance
31-03-2019	2 AM	NA	0.0	902	Odour: Manual Dosing of chemical / Dosing System under maintenance
31-03-2019	3 AM	NA	0.0	9	
31-03-2019	4 AM	NA	0.0	0	
31-03-2019	5 AM	NA	0.0	0	
31-03-2019	6 AM	NA	2.9	0	Dust: Self calibration/ Auto purge data
31-03-2019	7 AM	NA	0.0	0	
31-03-2019	8 AM	NA	0.0	0	
31-03-2019	9 AM	NA	0.0	0	
31-03-2019	10 AM	NA	0.0	0	
31-03-2019	11 AM	NA	0.0	0	
31-03-2019	12 PM	NA	0.0	0	
31-03-2019	1 PM	NA	0.0	0	
31-03-2019	2 PM	NA	2.6	0	Dust: Self calibration/ Auto purge data
31-03-2019	3 PM	NA	0.0	0	
31-03-2019	4 PM	NA	0.0	0	
31-03-2019	5 PM	NA	0.0	0	
31-03-2019	6 PM	NA	0.0	0	
31-03-2019	7 PM	NA	0.0	0	
31-03-2019	8 PM	NA	0.0	0	
31-03-2019	9 PM	NA	0.0	0	
31-03-2019	10 PM	NA	2.9	0	Dust: Self calibration/ Auto purge data
31-03-2019	11 PM	NA	0.0	0	

Annex G2

Hourly Average of Parameters Measured in CHP 1

Date	Hour	CHP 1 Hourly Average (mg/Nm ³)								Remarks	
		Dust	CO	NOx	SO ₂	NMVOCs	VOC (including methane)	HCl	HF		
Note: "-" represents non-operating hour											
01-03-2019	12 AM	-	-	-	-	-	-	-	-	-	
01-03-2019	1 AM	-	-	-	-	-	-	-	-	-	
01-03-2019	2 AM	-	-	-	-	-	-	-	-	-	
01-03-2019	3 AM	-	-	-	-	-	-	-	-	-	
01-03-2019	4 AM	-	-	-	-	-	-	-	-	-	
01-03-2019	5 AM	0	357	251	34	NA	NA	0	0		
01-03-2019	6 AM	-	-	-	-	-	-	-	-	-	
01-03-2019	7 AM	-	-	-	-	-	-	-	-	-	
01-03-2019	8 AM	0	334	351	25	NA	NA	0	0.5	Start up	
01-03-2019	9 AM	-	-	-	-	-	-	-	-	-	
01-03-2019	10 AM	-	-	-	-	-	-	-	-	-	
01-03-2019	11 AM	-	-	-	-	-	-	-	-	-	
01-03-2019	12 PM	-	-	-	-	-	-	-	-	-	
01-03-2019	1 PM	-	-	-	-	-	-	-	-	-	
01-03-2019	2 PM	-	-	-	-	-	-	-	-	-	
01-03-2019	3 PM	-	-	-	-	-	-	-	-	-	
01-03-2019	4 PM	-	-	-	-	-	-	-	-	-	
01-03-2019	5 PM	-	-	-	-	-	-	-	-	-	
01-03-2019	6 PM	-	-	-	-	-	-	-	-	-	
01-03-2019	7 PM	-	-	-	-	-	-	-	-	-	
01-03-2019	8 PM	-	-	-	-	-	-	-	-	-	
01-03-2019	9 PM	-	-	-	-	-	-	-	-	-	
01-03-2019	10 PM	-	-	-	-	-	-	-	-	-	
01-03-2019	11 PM	-	-	-	-	-	-	-	-	-	
02-03-2019	12 AM	-	-	-	-	-	-	-	-	-	

02-03-2019	1 AM	-	-	-	-	-	-	-	-	-
02-03-2019	2 AM	-	-	-	-	-	-	-	-	-
02-03-2019	3 AM	-	-	-	-	-	-	-	-	-
02-03-2019	4 AM	-	-	-	-	-	-	-	-	-
02-03-2019	5 AM	-	-	-	-	-	-	-	-	-
02-03-2019	6 AM	-	-	-	-	-	-	-	-	-
02-03-2019	7 AM	-	-	-	-	-	-	-	-	-
02-03-2019	8 AM	-	-	-	-	-	-	-	-	-
02-03-2019	9 AM	-	-	-	-	-	-	-	-	-
02-03-2019	10 AM	-	-	-	-	-	-	-	-	-
02-03-2019	11 AM	-	-	-	-	-	-	-	-	-
02-03-2019	12 PM	-	-	-	-	-	-	-	-	-
02-03-2019	1 PM	-	-	-	-	-	-	-	-	-
02-03-2019	2 PM	-	-	-	-	-	-	-	-	-
02-03-2019	3 PM	-	-	-	-	-	-	-	-	-
02-03-2019	4 PM	-	-	-	-	-	-	-	-	-
02-03-2019	5 PM	-	-	-	-	-	-	-	-	-
02-03-2019	6 PM	-	-	-	-	-	-	-	-	-
02-03-2019	7 PM	-	-	-	-	-	-	-	-	-
02-03-2019	8 PM	-	-	-	-	-	-	-	-	-
02-03-2019	9 PM	-	-	-	-	-	-	-	-	-
02-03-2019	10 PM	-	-	-	-	-	-	-	-	-
02-03-2019	11 PM	-	-	-	-	-	-	-	-	-
03-03-2019	12 AM	-	-	-	-	-	-	-	-	-
03-03-2019	1 AM	-	-	-	-	-	-	-	-	-
03-03-2019	2 AM	-	-	-	-	-	-	-	-	-
03-03-2019	3 AM	-	-	-	-	-	-	-	-	-
03-03-2019	4 AM	-	-	-	-	-	-	-	-	-
03-03-2019	5 AM	-	-	-	-	-	-	-	-	-

03-03-2019	6 AM	-	-	-	-	-	-	-	-	
03-03-2019	7 AM	-	-	-	-	-	-	-	-	
03-03-2019	8 AM	-	-	-	-	-	-	-	-	
03-03-2019	9 AM	-	-	-	-	-	-	-	-	
03-03-2019	10 AM	-	-	-	-	-	-	-	-	
03-03-2019	11 AM	-	-	-	-	-	-	-	-	
03-03-2019	12 PM	-	-	-	-	-	-	-	-	
03-03-2019	1 PM	-	-	-	-	-	-	-	-	
03-03-2019	2 PM	-	-	-	-	-	-	-	-	
03-03-2019	3 PM	-	-	-	-	-	-	-	-	
03-03-2019	4 PM	-	-	-	-	-	-	-	-	
03-03-2019	5 PM	-	-	-	-	-	-	-	-	
03-03-2019	6 PM	-	-	-	-	-	-	-	-	
03-03-2019	7 PM	-	-	-	-	-	-	-	-	
03-03-2019	8 PM	-	-	-	-	-	-	-	-	
03-03-2019	9 PM	-	-	-	-	-	-	-	-	
03-03-2019	10 PM	-	-	-	-	-	-	-	-	
03-03-2019	11 PM	-	-	-	-	-	-	-	-	
04-03-2019	12 AM	-	-	-	-	-	-	-	-	
04-03-2019	1 AM	-	-	-	-	-	-	-	-	
04-03-2019	2 AM	-	-	-	-	-	-	-	-	
04-03-2019	3 AM	-	-	-	-	-	-	-	-	
04-03-2019	4 AM	-	-	-	-	-	-	-	-	
04-03-2019	5 AM	-	-	-	-	-	-	-	-	
04-03-2019	6 AM	-	-	-	-	-	-	-	-	
04-03-2019	7 AM	-	-	-	-	-	-	-	-	
04-03-2019	8 AM	-	-	-	-	-	-	-	-	
04-03-2019	9 AM	0	172	413	7	NA	NA	0	0.5	Start up
04-03-2019	10 AM	0	184	120	6	NA	NA	0	0	Start up

04-03-2019	11 AM	-	-	-	-	-	-	-	-	-
04-03-2019	12 PM	-	-	-	-	-	-	-	-	-
04-03-2019	1 PM	-	-	-	-	-	-	-	-	-
04-03-2019	2 PM	-	-	-	-	-	-	-	-	-
04-03-2019	3 PM	-	-	-	-	-	-	-	-	-
04-03-2019	4 PM	-	-	-	-	-	-	-	-	-
04-03-2019	5 PM	-	-	-	-	-	-	-	-	-
04-03-2019	6 PM	-	-	-	-	-	-	-	-	-
04-03-2019	7 PM	-	-	-	-	-	-	-	-	-
04-03-2019	8 PM	-	-	-	-	-	-	-	-	-
04-03-2019	9 PM	-	-	-	-	-	-	-	-	-
04-03-2019	10 PM	-	-	-	-	-	-	-	-	-
04-03-2019	11 PM	-	-	-	-	-	-	-	-	-
05-03-2019	12 AM	-	-	-	-	-	-	-	-	-
05-03-2019	1 AM	-	-	-	-	-	-	-	-	-
05-03-2019	2 AM	-	-	-	-	-	-	-	-	-
05-03-2019	3 AM	-	-	-	-	-	-	-	-	-
05-03-2019	4 AM	-	-	-	-	-	-	-	-	-
05-03-2019	5 AM	-	-	-	-	-	-	-	-	-
05-03-2019	6 AM	-	-	-	-	-	-	-	-	-
05-03-2019	7 AM	-	-	-	-	-	-	-	-	-
05-03-2019	8 AM	-	-	-	-	-	-	-	-	-
05-03-2019	9 AM	-	-	-	-	-	-	-	-	-
05-03-2019	10 AM	-	-	-	-	-	-	-	-	-
05-03-2019	11 AM	-	-	-	-	-	-	-	-	-
05-03-2019	12 PM	-	-	-	-	-	-	-	-	-
05-03-2019	1 PM	-	-	-	-	-	-	-	-	-
05-03-2019	2 PM	-	-	-	-	-	-	-	-	-
05-03-2019	3 PM	-	-	-	-	-	-	-	-	-

05-03-2019	4 PM	-	-	-	-	-	-	-	-	
05-03-2019	5 PM	-	-	-	-	-	-	-	-	
05-03-2019	6 PM	-	-	-	-	-	-	-	-	
05-03-2019	7 PM	-	-	-	-	-	-	-	-	
05-03-2019	8 PM	-	-	-	-	-	-	-	-	
05-03-2019	9 PM	-	-	-	-	-	-	-	-	
05-03-2019	10 PM	-	-	-	-	-	-	-	-	
05-03-2019	11 PM	-	-	-	-	-	-	-	-	
06-03-2019	12 AM	-	-	-	-	-	-	-	-	
06-03-2019	1 AM	-	-	-	-	-	-	-	-	
06-03-2019	2 AM	-	-	-	-	-	-	-	-	
06-03-2019	3 AM	-	-	-	-	-	-	-	-	
06-03-2019	4 AM	-	-	-	-	-	-	-	-	
06-03-2019	5 AM	-	-	-	-	-	-	-	-	
06-03-2019	6 AM	-	-	-	-	-	-	-	-	
06-03-2019	7 AM	-	-	-	-	-	-	-	-	
06-03-2019	8 AM	-	-	-	-	-	-	-	-	
06-03-2019	9 AM	-	-	-	-	-	-	-	-	
06-03-2019	10 AM	-	-	-	-	-	-	-	-	
06-03-2019	11 AM	-	-	-	-	-	-	-	-	
06-03-2019	12 PM	-	-	-	-	-	-	-	-	
06-03-2019	1 PM	-	-	-	-	-	-	-	-	
06-03-2019	2 PM	-	-	-	-	-	-	-	-	
06-03-2019	3 PM	-	-	-	-	-	-	-	-	
06-03-2019	4 PM	-	-	-	-	-	-	-	-	
06-03-2019	5 PM	0	148	190	9	NA	NA	0	0	
06-03-2019	6 PM	0	332	167	19	NA	NA	0	0	
06-03-2019	7 PM	0	356	175	17	NA	NA	0	0	
06-03-2019	8 PM	0	176	88	9	NA	NA	0	0	

06-03-2019	9 PM	-	-	-	-	-	-	-	-	
06-03-2019	10 PM	-	-	-	-	-	-	-	-	
06-03-2019	11 PM	-	-	-	-	-	-	-	-	
07-03-2019	12 AM	-	-	-	-	-	-	-	-	
07-03-2019	1 AM	-	-	-	-	-	-	-	-	
07-03-2019	2 AM	-	-	-	-	-	-	-	-	
07-03-2019	3 AM	-	-	-	-	-	-	-	-	
07-03-2019	4 AM	-	-	-	-	-	-	-	-	
07-03-2019	5 AM	-	-	-	-	-	-	-	-	
07-03-2019	6 AM	-	-	-	-	-	-	-	-	
07-03-2019	7 AM	-	-	-	-	-	-	-	-	
07-03-2019	8 AM	-	-	-	-	-	-	-	-	
07-03-2019	9 AM	-	-	-	-	-	-	-	-	
07-03-2019	10 AM	-	-	-	-	-	-	-	-	
07-03-2019	11 AM	-	-	-	-	-	-	-	-	
07-03-2019	12 PM	-	-	-	-	-	-	-	-	
07-03-2019	1 PM	-	-	-	-	-	-	-	-	
07-03-2019	2 PM	-	-	-	-	-	-	-	-	
07-03-2019	3 PM	-	-	-	-	-	-	-	-	
07-03-2019	4 PM	-	-	-	-	-	-	-	-	
07-03-2019	5 PM	-	-	-	-	-	-	-	-	
07-03-2019	6 PM	-	-	-	-	-	-	-	-	
07-03-2019	7 PM	0	304	962	16	NA	NA	0	0.5	Start up
07-03-2019	8 PM	0	185	103	10	NA	NA	0	0	
07-03-2019	9 PM	-	-	-	-	-	-	-	-	
07-03-2019	10 PM	-	-	-	-	-	-	-	-	
07-03-2019	11 PM	-	-	-	-	-	-	-	-	
08-03-2019	12 AM	-	-	-	-	-	-	-	-	
08-03-2019	1 AM	-	-	-	-	-	-	-	-	

08-03-2019	2 AM	-	-	-	-	-	-	-	-	
08-03-2019	3 AM	-	-	-	-	-	-	-	-	
08-03-2019	4 AM	-	-	-	-	-	-	-	-	
08-03-2019	5 AM	0	318	580	16	NA	NA	0	0.5	Start up
08-03-2019	6 AM	-	-	-	-	-	-	-	-	
08-03-2019	7 AM	-	-	-	-	-	-	-	-	
08-03-2019	8 AM	-	-	-	-	-	-	-	-	
08-03-2019	9 AM	0	329	548	17	NA	NA	0	0.5	Start up
08-03-2019	10 AM	-	-	-	-	-	-	-	-	
08-03-2019	11 AM	0	342	341	20	NA	NA	0	0	Start up
08-03-2019	12 PM	0	348	206	20	NA	NA	0	0	
08-03-2019	1 PM	0	356	205	20	NA	NA	0	0	
08-03-2019	2 PM	0	361	198	22	NA	NA	0	0	
08-03-2019	3 PM	0	362	198	21	NA	NA	0	0	
08-03-2019	4 PM	0	365	205	19	NA	NA	0	0	
08-03-2019	5 PM	0	357	204	19	NA	NA	0	0	
08-03-2019	6 PM	0	361	201	19	NA	NA	0	0	
08-03-2019	7 PM	0	367	201	19	NA	NA	0	0	
08-03-2019	8 PM	0	367	198	20	NA	NA	0	0	
08-03-2019	9 PM	0	368	197	19	NA	NA	0	0	
08-03-2019	10 PM	0	362	202	19	NA	NA	0	0	
08-03-2019	11 PM	0	361	194	20	NA	NA	0	0	
09-03-2019	12 AM	-	-	-	-	-	-	-	-	
09-03-2019	1 AM	-	-	-	-	-	-	-	-	
09-03-2019	2 AM	-	-	-	-	-	-	-	-	
09-03-2019	3 AM	-	-	-	-	-	-	-	-	
09-03-2019	4 AM	-	-	-	-	-	-	-	-	
09-03-2019	5 AM	-	-	-	-	-	-	-	-	
09-03-2019	6 AM	-	-	-	-	-	-	-	-	

09-03-2019	7 AM	-	-	-	-	-	-	-	-	-
09-03-2019	8 AM	-	-	-	-	-	-	-	-	-
09-03-2019	9 AM	-	-	-	-	-	-	-	-	-
09-03-2019	10 AM	-	-	-	-	-	-	-	-	-
09-03-2019	11 AM	-	-	-	-	-	-	-	-	-
09-03-2019	12 PM	-	-	-	-	-	-	-	-	-
09-03-2019	1 PM	-	-	-	-	-	-	-	-	-
09-03-2019	2 PM	-	-	-	-	-	-	-	-	-
09-03-2019	3 PM	-	-	-	-	-	-	-	-	-
09-03-2019	4 PM	-	-	-	-	-	-	-	-	-
09-03-2019	5 PM	-	-	-	-	-	-	-	-	-
09-03-2019	6 PM	-	-	-	-	-	-	-	-	-
09-03-2019	7 PM	-	-	-	-	-	-	-	-	-
09-03-2019	8 PM	-	-	-	-	-	-	-	-	-
09-03-2019	9 PM	-	-	-	-	-	-	-	-	-
09-03-2019	10 PM	-	-	-	-	-	-	-	-	-
09-03-2019	11 PM	-	-	-	-	-	-	-	-	-
10-03-2019	12 AM	-	-	-	-	-	-	-	-	-
10-03-2019	1 AM	-	-	-	-	-	-	-	-	-
10-03-2019	2 AM	-	-	-	-	-	-	-	-	-
10-03-2019	3 AM	-	-	-	-	-	-	-	-	-
10-03-2019	4 AM	-	-	-	-	-	-	-	-	-
10-03-2019	5 AM	-	-	-	-	-	-	-	-	-
10-03-2019	6 AM	-	-	-	-	-	-	-	-	-
10-03-2019	7 AM	-	-	-	-	-	-	-	-	-
10-03-2019	8 AM	-	-	-	-	-	-	-	-	-
10-03-2019	9 AM	-	-	-	-	-	-	-	-	-
10-03-2019	10 AM	-	-	-	-	-	-	-	-	-
10-03-2019	11 AM	-	-	-	-	-	-	-	-	-

10-03-2019	12 PM	-	-	-	-	-	-	-	-	
10-03-2019	1 PM	-	-	-	-	-	-	-	-	
10-03-2019	2 PM	0	176	119	11	NA	NA	0	0	
10-03-2019	3 PM	0	367	190	23	NA	NA	0	0	
10-03-2019	4 PM	0	372	189	22	NA	NA	0	0	
10-03-2019	5 PM	0	373	188	23	NA	NA	0	0	
10-03-2019	6 PM	0	382	197	22	NA	NA	0	0	
10-03-2019	7 PM	0	382	208	27	NA	NA	0	0	
10-03-2019	8 PM	0	385	207	26	NA	NA	0	0	
10-03-2019	9 PM	0	386	208	22	NA	NA	0	0	
10-03-2019	10 PM	0	399	216	21	NA	NA	0	0	
10-03-2019	11 PM	0	388	211	22	NA	NA	0	0	
11-03-2019	12 AM	0	368	263	20	NA	NA	0	0	
11-03-2019	1 AM	0	383	212	21	NA	NA	0	0	
11-03-2019	2 AM	0	384	209	22	NA	NA	0	0	
11-03-2019	3 AM	0	385	205	23	NA	NA	0	0	
11-03-2019	4 AM	0	386	209	21	NA	NA	0	0	
11-03-2019	5 AM	0	386	211	21	NA	NA	0	0	
11-03-2019	6 AM	0	386	212	21	NA	NA	0	0	
11-03-2019	7 AM	0	393	218	20	NA	NA	0	0	
11-03-2019	8 AM	0	390	216	20	NA	NA	0	0	
11-03-2019	9 AM	0	387	212	20	NA	NA	0	0	
11-03-2019	10 AM	0	396	216	20	NA	NA	0	0	
11-03-2019	11 AM	0	391	210	20	NA	NA	0	0	
11-03-2019	12 PM	0	399	215	20	NA	NA	0	0	
11-03-2019	1 PM	0	403	217	20	NA	NA	0	0	
11-03-2019	2 PM	0	392	210	21	NA	NA	0	0	
11-03-2019	3 PM	0	400	207	52	NA	NA	0	0	
11-03-2019	4 PM	0	411	217	114	NA	NA	0	0	

11-03-2019	5 PM	0	418	221	58	NA	NA	0	0	
11-03-2019	6 PM	0	408	219	30	NA	NA	0	0	
11-03-2019	7 PM	0	398	216	22	NA	NA	0	0	
11-03-2019	8 PM	0	431	230	19	NA	NA	0	0	
11-03-2019	9 PM	0	397	220	18	NA	NA	0	0	
11-03-2019	10 PM	0	400	216	19	NA	NA	0	0	
11-03-2019	11 PM	0	392	208	19	NA	NA	0	0	
12-03-2019	12 AM	0	387	178	21	NA	NA	0	0	
12-03-2019	1 AM	0	393	191	28	NA	NA	0	0	
12-03-2019	2 AM	0	404	212	28	NA	NA	0	0	
12-03-2019	3 AM	0	397	213	21	NA	NA	0	0	
12-03-2019	4 AM	0	160	92	8	NA	NA	0	0	
12-03-2019	5 AM	-	-	-	-	-	-	-	-	
12-03-2019	6 AM	-	-	-	-	-	-	-	-	
12-03-2019	7 AM	-	-	-	-	-	-	-	-	
12-03-2019	8 AM	-	-	-	-	-	-	-	-	
12-03-2019	9 AM	-	-	-	-	-	-	-	-	
12-03-2019	10 AM	-	-	-	-	-	-	-	-	
12-03-2019	11 AM	-	-	-	-	-	-	-	-	
12-03-2019	12 PM	-	-	-	-	-	-	-	-	
12-03-2019	1 PM	-	-	-	-	-	-	-	-	
12-03-2019	2 PM	-	-	-	-	-	-	-	-	
12-03-2019	3 PM	-	-	-	-	-	-	-	-	
12-03-2019	4 PM	-	-	-	-	-	-	-	-	
12-03-2019	5 PM	-	-	-	-	-	-	-	-	
12-03-2019	6 PM	-	-	-	-	-	-	-	-	
12-03-2019	7 PM	-	-	-	-	-	-	-	-	
12-03-2019	8 PM	-	-	-	-	-	-	-	-	
12-03-2019	9 PM	-	-	-	-	-	-	-	-	

12-03-2019	10 PM	-	-	-	-	-	-	-	-	-
12-03-2019	11 PM	-	-	-	-	-	-	-	-	-
13-03-2019	12 AM	-	-	-	-	-	-	-	-	-
13-03-2019	1 AM	-	-	-	-	-	-	-	-	-
13-03-2019	2 AM	-	-	-	-	-	-	-	-	-
13-03-2019	3 AM	-	-	-	-	-	-	-	-	-
13-03-2019	4 AM	-	-	-	-	-	-	-	-	-
13-03-2019	5 AM	-	-	-	-	-	-	-	-	-
13-03-2019	6 AM	-	-	-	-	-	-	-	-	-
13-03-2019	7 AM	-	-	-	-	-	-	-	-	-
13-03-2019	8 AM	-	-	-	-	-	-	-	-	-
13-03-2019	9 AM	-	-	-	-	-	-	-	-	-
13-03-2019	10 AM	-	-	-	-	-	-	-	-	-
13-03-2019	11 AM	-	-	-	-	-	-	-	-	-
13-03-2019	12 PM	-	-	-	-	-	-	-	-	-
13-03-2019	1 PM	-	-	-	-	-	-	-	-	-
13-03-2019	2 PM	-	-	-	-	-	-	-	-	-
13-03-2019	3 PM	-	-	-	-	-	-	-	-	-
13-03-2019	4 PM	-	-	-	-	-	-	-	-	-
13-03-2019	5 PM	-	-	-	-	-	-	-	-	-
13-03-2019	6 PM	-	-	-	-	-	-	-	-	-
13-03-2019	7 PM	-	-	-	-	-	-	-	-	-
13-03-2019	8 PM	-	-	-	-	-	-	-	-	-
13-03-2019	9 PM	-	-	-	-	-	-	-	-	-
13-03-2019	10 PM	-	-	-	-	-	-	-	-	-
13-03-2019	11 PM	-	-	-	-	-	-	-	-	-
14-03-2019	12 AM	-	-	-	-	-	-	-	-	-
14-03-2019	1 AM	-	-	-	-	-	-	-	-	-
14-03-2019	2 AM	-	-	-	-	-	-	-	-	-

14-03-2019	3 AM	-	-	-	-	-	-	-	-	
14-03-2019	4 AM	-	-	-	-	-	-	-	-	
14-03-2019	5 AM	-	-	-	-	-	-	-	-	
14-03-2019	6 AM	-	-	-	-	-	-	-	-	
14-03-2019	7 AM	-	-	-	-	-	-	-	-	
14-03-2019	8 AM	-	-	-	-	-	-	-	-	
14-03-2019	9 AM	-	-	-	-	-	-	-	-	
14-03-2019	10 AM	0	0	0	0	NA	NA	0	0	
14-03-2019	11 AM	-	-	-	-	-	-	-	-	
14-03-2019	12 PM	-	-	-	-	-	-	-	-	
14-03-2019	1 PM	-	-	-	-	-	-	-	-	
14-03-2019	2 PM	-	-	-	-	-	-	-	-	
14-03-2019	3 PM	-	-	-	-	-	-	-	-	
14-03-2019	4 PM	-	-	-	-	-	-	-	-	
14-03-2019	5 PM	-	-	-	-	-	-	-	-	
14-03-2019	6 PM	-	-	-	-	-	-	-	-	
14-03-2019	7 PM	-	-	-	-	-	-	-	-	
14-03-2019	8 PM	-	-	-	-	-	-	-	-	
14-03-2019	9 PM	0	280	99	60	NA	NA	0	0	Start up
14-03-2019	10 PM	0	381	141	39	NA	NA	0	0	Start up
14-03-2019	11 PM	0	384	178	57	NA	NA	0	0	Start up
15-03-2019	12 AM	0	371	164	35	NA	NA	0	0	
15-03-2019	1 AM	0	396	179	20	NA	NA	0	0	
15-03-2019	2 AM	0	413	189	18	NA	NA	0	0	
15-03-2019	3 AM	0	170	76	9	NA	NA	0	0	
15-03-2019	4 AM	-	-	-	-	-	-	-	-	
15-03-2019	5 AM	-	-	-	-	-	-	-	-	
15-03-2019	6 AM	-	-	-	-	-	-	-	-	
15-03-2019	7 AM	-	-	-	-	-	-	-	-	

15-03-2019	8 AM	-	-	-	-	-	-	-	-	
15-03-2019	9 AM	0	360	238	17	NA	NA	0	0	
15-03-2019	10 AM	0	372	169	28	NA	NA	0	0	
15-03-2019	11 AM	0	375	171	24	NA	NA	0	0	
15-03-2019	12 PM	0	373	166	19	NA	NA	0	0	
15-03-2019	1 PM	0	375	165	18	NA	NA	0	0	
15-03-2019	2 PM	0	376	173	18	NA	NA	0	0	
15-03-2019	3 PM	0	379	179	18	NA	NA	0	0	
15-03-2019	4 PM	0	381	183	17	NA	NA	0	0	
15-03-2019	5 PM	0	378	181	39	NA	NA	0	0	
15-03-2019	6 PM	0	391	188	77	NA	NA	0	0	
15-03-2019	7 PM	0	405	201	33	NA	NA	0	0	
15-03-2019	8 PM	0	395	202	20	NA	NA	0	0	
15-03-2019	9 PM	0	399	206	17	NA	NA	0	0	
15-03-2019	10 PM	0	399	207	16	NA	NA	0	0	
15-03-2019	11 PM	0	391	197	17	NA	NA	0	0	
16-03-2019	12 AM	0	375	172	18	NA	NA	0	0	
16-03-2019	1 AM	0	383	185	17	NA	NA	0	0	
16-03-2019	2 AM	0	391	197	16	NA	NA	0	0	
16-03-2019	3 AM	0	388	196	43	NA	NA	0	0	
16-03-2019	4 AM	0	410	212	48	NA	NA	0	0	
16-03-2019	5 AM	0	413	216	26	NA	NA	0	0	
16-03-2019	6 AM	0	409	220	19	NA	NA	0	0	
16-03-2019	7 AM	0	428	235	17	NA	NA	0	0	
16-03-2019	8 AM	0	441	243	18	NA	NA	0	0	
16-03-2019	9 AM	0	447	247	17	NA	NA	0	0	
16-03-2019	10 AM	0	451	248	16	NA	NA	0	0	
16-03-2019	11 AM	0	438	247	20	NA	NA	0	0	
16-03-2019	12 PM	0	429	244	94	NA	NA	0	0	

16-03-2019	1 PM	0	228	122	55	NA	NA	0	0	
16-03-2019	2 PM	-	-	-	-	-	-	-	-	
16-03-2019	3 PM	-	-	-	-	-	-	-	-	
16-03-2019	4 PM	-	-	-	-	-	-	-	-	
16-03-2019	5 PM	-	-	-	-	-	-	-	-	
16-03-2019	6 PM	-	-	-	-	-	-	-	-	
16-03-2019	7 PM	-	-	-	-	-	-	-	-	
16-03-2019	8 PM	-	-	-	-	-	-	-	-	
16-03-2019	9 PM	-	-	-	-	-	-	-	-	
16-03-2019	10 PM	-	-	-	-	-	-	-	-	
16-03-2019	11 PM	-	-	-	-	-	-	-	-	
17-03-2019	12 AM	-	-	-	-	-	-	-	-	
17-03-2019	1 AM	-	-	-	-	-	-	-	-	
17-03-2019	2 AM	-	-	-	-	-	-	-	-	
17-03-2019	3 AM	-	-	-	-	-	-	-	-	
17-03-2019	4 AM	-	-	-	-	-	-	-	-	
17-03-2019	5 AM	-	-	-	-	-	-	-	-	
17-03-2019	6 AM	-	-	-	-	-	-	-	-	
17-03-2019	7 AM	-	-	-	-	-	-	-	-	
17-03-2019	8 AM	-	-	-	-	-	-	-	-	
17-03-2019	9 AM	-	-	-	-	-	-	-	-	
17-03-2019	10 AM	-	-	-	-	-	-	-	-	
17-03-2019	11 AM	-	-	-	-	-	-	-	-	
17-03-2019	12 PM	-	-	-	-	-	-	-	-	
17-03-2019	1 PM	-	-	-	-	-	-	-	-	
17-03-2019	2 PM	-	-	-	-	-	-	-	-	
17-03-2019	3 PM	-	-	-	-	-	-	-	-	
17-03-2019	4 PM	-	-	-	-	-	-	-	-	
17-03-2019	5 PM	-	-	-	-	-	-	-	-	

17-03-2019	6 PM	-	-	-	-	-	-	-	-	-
17-03-2019	7 PM	-	-	-	-	-	-	-	-	-
17-03-2019	8 PM	-	-	-	-	-	-	-	-	-
17-03-2019	9 PM	-	-	-	-	-	-	-	-	-
17-03-2019	10 PM	-	-	-	-	-	-	-	-	-
17-03-2019	11 PM	-	-	-	-	-	-	-	-	-
18-03-2019	12 AM	-	-	-	-	-	-	-	-	-
18-03-2019	1 AM	-	-	-	-	-	-	-	-	-
18-03-2019	2 AM	-	-	-	-	-	-	-	-	-
18-03-2019	3 AM	-	-	-	-	-	-	-	-	-
18-03-2019	4 AM	-	-	-	-	-	-	-	-	-
18-03-2019	5 AM	-	-	-	-	-	-	-	-	-
18-03-2019	6 AM	-	-	-	-	-	-	-	-	-
18-03-2019	7 AM	-	-	-	-	-	-	-	-	-
18-03-2019	8 AM	-	-	-	-	-	-	-	-	-
18-03-2019	9 AM	-	-	-	-	-	-	-	-	-
18-03-2019	10 AM	-	-	-	-	-	-	-	-	-
18-03-2019	11 AM	-	-	-	-	-	-	-	-	-
18-03-2019	12 PM	-	-	-	-	-	-	-	-	-
18-03-2019	1 PM	-	-	-	-	-	-	-	-	-
18-03-2019	2 PM	-	-	-	-	-	-	-	-	-
18-03-2019	3 PM	-	-	-	-	-	-	-	-	-
18-03-2019	4 PM	-	-	-	-	-	-	-	-	-
18-03-2019	5 PM	-	-	-	-	-	-	-	-	-
18-03-2019	6 PM	-	-	-	-	-	-	-	-	-
18-03-2019	7 PM	-	-	-	-	-	-	-	-	-
18-03-2019	8 PM	-	-	-	-	-	-	-	-	-
18-03-2019	9 PM	-	-	-	-	-	-	-	-	-
18-03-2019	10 PM	-	-	-	-	-	-	-	-	-

18-03-2019	11 PM	-	-	-	-	-	-	-	-	-
19-03-2019	12 AM	-	-	-	-	-	-	-	-	-
19-03-2019	1 AM	-	-	-	-	-	-	-	-	-
19-03-2019	2 AM	-	-	-	-	-	-	-	-	-
19-03-2019	3 AM	-	-	-	-	-	-	-	-	-
19-03-2019	4 AM	-	-	-	-	-	-	-	-	-
19-03-2019	5 AM	-	-	-	-	-	-	-	-	-
19-03-2019	6 AM	-	-	-	-	-	-	-	-	-
19-03-2019	7 AM	-	-	-	-	-	-	-	-	-
19-03-2019	8 AM	-	-	-	-	-	-	-	-	-
19-03-2019	9 AM	-	-	-	-	-	-	-	-	-
19-03-2019	10 AM	-	-	-	-	-	-	-	-	-
19-03-2019	11 AM	-	-	-	-	-	-	-	-	-
19-03-2019	12 PM	-	-	-	-	-	-	-	-	-
19-03-2019	1 PM	-	-	-	-	-	-	-	-	-
19-03-2019	2 PM	-	-	-	-	-	-	-	-	-
19-03-2019	3 PM	-	-	-	-	-	-	-	-	-
19-03-2019	4 PM	-	-	-	-	-	-	-	-	-
19-03-2019	5 PM	-	-	-	-	-	-	-	-	-
19-03-2019	6 PM	-	-	-	-	-	-	-	-	-
19-03-2019	7 PM	-	-	-	-	-	-	-	-	-
19-03-2019	8 PM	-	-	-	-	-	-	-	-	-
19-03-2019	9 PM	-	-	-	-	-	-	-	-	-
19-03-2019	10 PM	-	-	-	-	-	-	-	-	-
19-03-2019	11 PM	-	-	-	-	-	-	-	-	-
20-03-2019	12 AM	-	-	-	-	-	-	-	-	-
20-03-2019	1 AM	-	-	-	-	-	-	-	-	-
20-03-2019	2 AM	-	-	-	-	-	-	-	-	-
20-03-2019	3 AM	-	-	-	-	-	-	-	-	-

20-03-2019	4 AM	-	-	-	-	-	-	-	-	-
20-03-2019	5 AM	-	-	-	-	-	-	-	-	-
20-03-2019	6 AM	-	-	-	-	-	-	-	-	-
20-03-2019	7 AM	-	-	-	-	-	-	-	-	-
20-03-2019	8 AM	-	-	-	-	-	-	-	-	-
20-03-2019	9 AM	-	-	-	-	-	-	-	-	-
20-03-2019	10 AM	-	-	-	-	-	-	-	-	-
20-03-2019	11 AM	-	-	-	-	-	-	-	-	-
20-03-2019	12 PM	-	-	-	-	-	-	-	-	-
20-03-2019	1 PM	-	-	-	-	-	-	-	-	-
20-03-2019	2 PM	-	-	-	-	-	-	-	-	-
20-03-2019	3 PM	-	-	-	-	-	-	-	-	-
20-03-2019	4 PM	-	-	-	-	-	-	-	-	-
20-03-2019	5 PM	-	-	-	-	-	-	-	-	-
20-03-2019	6 PM	-	-	-	-	-	-	-	-	-
20-03-2019	7 PM	-	-	-	-	-	-	-	-	-
20-03-2019	8 PM	-	-	-	-	-	-	-	-	-
20-03-2019	9 PM	-	-	-	-	-	-	-	-	-
20-03-2019	10 PM	-	-	-	-	-	-	-	-	-
20-03-2019	11 PM	-	-	-	-	-	-	-	-	-
21-03-2019	12 AM	-	-	-	-	-	-	-	-	-
21-03-2019	1 AM	-	-	-	-	-	-	-	-	-
21-03-2019	2 AM	-	-	-	-	-	-	-	-	-
21-03-2019	3 AM	-	-	-	-	-	-	-	-	-
21-03-2019	4 AM	-	-	-	-	-	-	-	-	-
21-03-2019	5 AM	-	-	-	-	-	-	-	-	-
21-03-2019	6 AM	-	-	-	-	-	-	-	-	-
21-03-2019	7 AM	-	-	-	-	-	-	-	-	-
21-03-2019	8 AM	-	-	-	-	-	-	-	-	-

21-03-2019	9 AM	-	-	-	-	-	-	-	-	-
21-03-2019	10 AM	-	-	-	-	-	-	-	-	-
21-03-2019	11 AM	-	-	-	-	-	-	-	-	-
21-03-2019	12 PM	-	-	-	-	-	-	-	-	-
21-03-2019	1 PM	-	-	-	-	-	-	-	-	-
21-03-2019	2 PM	-	-	-	-	-	-	-	-	-
21-03-2019	3 PM	-	-	-	-	-	-	-	-	-
21-03-2019	4 PM	-	-	-	-	-	-	-	-	-
21-03-2019	5 PM	-	-	-	-	-	-	-	-	-
21-03-2019	6 PM	-	-	-	-	-	-	-	-	-
21-03-2019	7 PM	-	-	-	-	-	-	-	-	-
21-03-2019	8 PM	-	-	-	-	-	-	-	-	-
21-03-2019	9 PM	-	-	-	-	-	-	-	-	-
21-03-2019	10 PM	-	-	-	-	-	-	-	-	-
21-03-2019	11 PM	-	-	-	-	-	-	-	-	-
22-03-2019	12 AM	-	-	-	-	-	-	-	-	-
22-03-2019	1 AM	-	-	-	-	-	-	-	-	-
22-03-2019	2 AM	-	-	-	-	-	-	-	-	-
22-03-2019	3 AM	-	-	-	-	-	-	-	-	-
22-03-2019	4 AM	-	-	-	-	-	-	-	-	-
22-03-2019	5 AM	-	-	-	-	-	-	-	-	-
22-03-2019	6 AM	-	-	-	-	-	-	-	-	-
22-03-2019	7 AM	-	-	-	-	-	-	-	-	-
22-03-2019	8 AM	-	-	-	-	-	-	-	-	-
22-03-2019	9 AM	-	-	-	-	-	-	-	-	-
22-03-2019	10 AM	-	-	-	-	-	-	-	-	-
22-03-2019	11 AM	-	-	-	-	-	-	-	-	-
22-03-2019	12 PM	-	-	-	-	-	-	-	-	-
22-03-2019	1 PM	-	-	-	-	-	-	-	-	-

22-03-2019	2 PM	-	-	-	-	-	-	-	-	-
22-03-2019	3 PM	0	183	122	14	NA	NA	0	0	
22-03-2019	4 PM	-	-	-	-	-	-	-	-	
22-03-2019	5 PM	-	-	-	-	-	-	-	-	
22-03-2019	6 PM	-	-	-	-	-	-	-	-	
22-03-2019	7 PM	-	-	-	-	-	-	-	-	
22-03-2019	8 PM	-	-	-	-	-	-	-	-	
22-03-2019	9 PM	-	-	-	-	-	-	-	-	
22-03-2019	10 PM	-	-	-	-	-	-	-	-	
22-03-2019	11 PM	-	-	-	-	-	-	-	-	
23-03-2019	12 AM	-	-	-	-	-	-	-	-	
23-03-2019	1 AM	-	-	-	-	-	-	-	-	
23-03-2019	2 AM	-	-	-	-	-	-	-	-	
23-03-2019	3 AM	-	-	-	-	-	-	-	-	
23-03-2019	4 AM	-	-	-	-	-	-	-	-	
23-03-2019	5 AM	-	-	-	-	-	-	-	-	
23-03-2019	6 AM	-	-	-	-	-	-	-	-	
23-03-2019	7 AM	-	-	-	-	-	-	-	-	
23-03-2019	8 AM	-	-	-	-	-	-	-	-	
23-03-2019	9 AM	-	-	-	-	-	-	-	-	
23-03-2019	10 AM	-	-	-	-	-	-	-	-	
23-03-2019	11 AM	-	-	-	-	-	-	-	-	
23-03-2019	12 PM	-	-	-	-	-	-	-	-	
23-03-2019	1 PM	-	-	-	-	-	-	-	-	
23-03-2019	2 PM	-	-	-	-	-	-	-	-	
23-03-2019	3 PM	-	-	-	-	-	-	-	-	
23-03-2019	4 PM	-	-	-	-	-	-	-	-	
23-03-2019	5 PM	-	-	-	-	-	-	-	-	
23-03-2019	6 PM	-	-	-	-	-	-	-	-	

23-03-2019	7 PM	-	-	-	-	-	-	-	-	-
23-03-2019	8 PM	-	-	-	-	-	-	-	-	-
23-03-2019	9 PM	-	-	-	-	-	-	-	-	-
23-03-2019	10 PM	-	-	-	-	-	-	-	-	-
23-03-2019	11 PM	-	-	-	-	-	-	-	-	-
24-03-2019	12 AM	-	-	-	-	-	-	-	-	-
24-03-2019	1 AM	-	-	-	-	-	-	-	-	-
24-03-2019	2 AM	-	-	-	-	-	-	-	-	-
24-03-2019	3 AM	-	-	-	-	-	-	-	-	-
24-03-2019	4 AM	-	-	-	-	-	-	-	-	-
24-03-2019	5 AM	-	-	-	-	-	-	-	-	-
24-03-2019	6 AM	-	-	-	-	-	-	-	-	-
24-03-2019	7 AM	-	-	-	-	-	-	-	-	-
24-03-2019	8 AM	-	-	-	-	-	-	-	-	-
24-03-2019	9 AM	-	-	-	-	-	-	-	-	-
24-03-2019	10 AM	-	-	-	-	-	-	-	-	-
24-03-2019	11 AM	-	-	-	-	-	-	-	-	-
24-03-2019	12 PM	-	-	-	-	-	-	-	-	-
24-03-2019	1 PM	-	-	-	-	-	-	-	-	-
24-03-2019	2 PM	-	-	-	-	-	-	-	-	-
24-03-2019	3 PM	-	-	-	-	-	-	-	-	-
24-03-2019	4 PM	-	-	-	-	-	-	-	-	-
24-03-2019	5 PM	-	-	-	-	-	-	-	-	-
24-03-2019	6 PM	-	-	-	-	-	-	-	-	-
24-03-2019	7 PM	-	-	-	-	-	-	-	-	-
24-03-2019	8 PM	-	-	-	-	-	-	-	-	-
24-03-2019	9 PM	-	-	-	-	-	-	-	-	-
24-03-2019	10 PM	-	-	-	-	-	-	-	-	-
24-03-2019	11 PM	-	-	-	-	-	-	-	-	-

25-03-2019	12 AM	-	-	-	-	-	-	-	-	-
25-03-2019	1 AM	-	-	-	-	-	-	-	-	-
25-03-2019	2 AM	-	-	-	-	-	-	-	-	-
25-03-2019	3 AM	-	-	-	-	-	-	-	-	-
25-03-2019	4 AM	-	-	-	-	-	-	-	-	-
25-03-2019	5 AM	-	-	-	-	-	-	-	-	-
25-03-2019	6 AM	-	-	-	-	-	-	-	-	-
25-03-2019	7 AM	-	-	-	-	-	-	-	-	-
25-03-2019	8 AM	-	-	-	-	-	-	-	-	-
25-03-2019	9 AM	-	-	-	-	-	-	-	-	-
25-03-2019	10 AM	-	-	-	-	-	-	-	-	-
25-03-2019	11 AM	-	-	-	-	-	-	-	-	-
25-03-2019	12 PM	-	-	-	-	-	-	-	-	-
25-03-2019	1 PM	-	-	-	-	-	-	-	-	-
25-03-2019	2 PM	-	-	-	-	-	-	-	-	-
25-03-2019	3 PM	-	-	-	-	-	-	-	-	-
25-03-2019	4 PM	-	-	-	-	-	-	-	-	-
25-03-2019	5 PM	-	-	-	-	-	-	-	-	-
25-03-2019	6 PM	-	-	-	-	-	-	-	-	-
25-03-2019	7 PM	-	-	-	-	-	-	-	-	-
25-03-2019	8 PM	-	-	-	-	-	-	-	-	-
25-03-2019	9 PM	-	-	-	-	-	-	-	-	-
25-03-2019	10 PM	-	-	-	-	-	-	-	-	-
25-03-2019	11 PM	-	-	-	-	-	-	-	-	-
26-03-2019	12 AM	-	-	-	-	-	-	-	-	-
26-03-2019	1 AM	-	-	-	-	-	-	-	-	-
26-03-2019	2 AM	-	-	-	-	-	-	-	-	-
26-03-2019	3 AM	-	-	-	-	-	-	-	-	-
26-03-2019	4 AM	-	-	-	-	-	-	-	-	-

26-03-2019	5 AM	-	-	-	-	-	-	-	-	
26-03-2019	6 AM	-	-	-	-	-	-	-	-	
26-03-2019	7 AM	-	-	-	-	-	-	-	-	
26-03-2019	8 AM	-	-	-	-	-	-	-	-	
26-03-2019	9 AM	-	-	-	-	-	-	-	-	
26-03-2019	10 AM	-	-	-	-	-	-	-	-	
26-03-2019	11 AM	-	-	-	-	-	-	-	-	
26-03-2019	12 PM	-	-	-	-	-	-	-	-	
26-03-2019	1 PM	-	-	-	-	-	-	-	-	
26-03-2019	2 PM	-	-	-	-	-	-	-	-	
26-03-2019	3 PM	-	-	-	-	-	-	-	-	
26-03-2019	4 PM	-	-	-	-	-	-	-	-	
26-03-2019	5 PM	-	-	-	-	-	-	-	-	
26-03-2019	6 PM	-	-	-	-	-	-	-	-	
26-03-2019	7 PM	-	-	-	-	-	-	-	-	
26-03-2019	8 PM	-	-	-	-	-	-	-	-	
26-03-2019	9 PM	-	-	-	-	-	-	-	-	
26-03-2019	10 PM	-	-	-	-	-	-	-	-	
26-03-2019	11 PM	-	-	-	-	-	-	-	-	
27-03-2019	12 AM	2	0	0	0	NA	NA	0	0	
27-03-2019	1 AM	-	-	-	-	-	-	-	-	
27-03-2019	2 AM	-	-	-	-	-	-	-	-	
27-03-2019	3 AM	-	-	-	-	-	-	-	-	
27-03-2019	4 AM	-	-	-	-	-	-	-	-	
27-03-2019	5 AM	-	-	-	-	-	-	-	-	
27-03-2019	6 AM	-	-	-	-	-	-	-	-	
27-03-2019	7 AM	-	-	-	-	-	-	-	-	
27-03-2019	8 AM	-	-	-	-	-	-	-	-	
27-03-2019	9 AM	-	-	-	-	-	-	-	-	

27-03-2019	10 AM	-	-	-	-	-	-	-	-	
27-03-2019	11 AM	-	-	-	-	-	-	-	-	
27-03-2019	12 PM	-	-	-	-	-	-	-	-	
27-03-2019	1 PM	-	-	-	-	-	-	-	-	
27-03-2019	2 PM	-	-	-	-	-	-	-	-	
27-03-2019	3 PM	-	-	-	-	-	-	-	-	
27-03-2019	4 PM	-	-	-	-	-	-	-	-	
27-03-2019	5 PM	-	-	-	-	-	-	-	-	
27-03-2019	6 PM	-	-	-	-	-	-	-	-	
27-03-2019	7 PM	-	-	-	-	-	-	-	-	
27-03-2019	8 PM	-	-	-	-	-	-	-	-	
27-03-2019	9 PM	-	-	-	-	-	-	-	-	
27-03-2019	10 PM	-	-	-	-	-	-	-	-	
27-03-2019	11 PM	-	-	-	-	-	-	-	-	
28-03-2019	12 AM	0.5	166	136	14	NA	NA	0	0	
28-03-2019	1 AM	0	329	222	29	NA	NA	0	0	
28-03-2019	2 AM	0.5	341	231	28	NA	NA	0	0	
28-03-2019	3 AM	0.5	360	246	28	NA	NA	0	0	
28-03-2019	4 AM	0	365	252	27	NA	NA	0	0	
28-03-2019	5 AM	0	361	248	27	NA	NA	0	0	
28-03-2019	6 AM	0	363	245	27	NA	NA	0	0	
28-03-2019	7 AM	0	364	239	46	NA	NA	0	0	
28-03-2019	8 AM	0	379	239	130	NA	NA	0	0	
28-03-2019	9 AM	0	393	243	142	NA	NA	0	0	
28-03-2019	10 AM	0	402	247	76	NA	NA	0	0	
28-03-2019	11 AM	0	407	245	40	NA	NA	0	0	
28-03-2019	12 PM	0	384	223	35	NA	NA	0	0	
28-03-2019	1 PM	0	385	219	34	NA	NA	0	0	
28-03-2019	2 PM	0	398	224	34	NA	NA	0	0	

28-03-2019	3 PM	0	386	205	36	NA	NA	0	0	
28-03-2019	4 PM	0	403	207	36	NA	NA	0	0	
28-03-2019	5 PM	0	408	214	34	NA	NA	0	0	
28-03-2019	6 PM	0	376	204	32	NA	NA	0	0	
28-03-2019	7 PM	0	383	204	30	NA	NA	0	0	
28-03-2019	8 PM	0	381	208	31	NA	NA	0	0	
28-03-2019	9 PM	0	385	203	76	NA	NA	0	0	
28-03-2019	10 PM	0	390	218	69	NA	NA	0	0	
28-03-2019	11 PM	0	381	208	43	NA	NA	0	0	
29-03-2019	12 AM	0	388	176	39	NA	NA	0	0	
29-03-2019	1 AM	0	389	185	40	NA	NA	0	0	
29-03-2019	2 AM	0	381	189	39	NA	NA	0	0	
29-03-2019	3 AM	0	380	196	37	NA	NA	0	0	
29-03-2019	4 AM	0	382	199	41	NA	NA	0	0	
29-03-2019	5 AM	0	379	186	43	NA	NA	0	0	
29-03-2019	6 AM	0	385	176	40	NA	NA	0	0	
29-03-2019	7 AM	0	385	186	36	NA	NA	0	0	
29-03-2019	8 AM	0	388	193	36	NA	NA	0	0	
29-03-2019	9 AM	0	384	195	32	NA	NA	0	0	
29-03-2019	10 AM	2.5	0	0	0	NA	NA	0	0	
29-03-2019	11 AM	0	381	272	61	NA	NA	0	0	
29-03-2019	12 PM	-	-	-	-	-	-	-	-	
29-03-2019	1 PM	0	375	254	33	NA	NA	0	0	
29-03-2019	2 PM	-	-	-	-	-	-	-	-	
29-03-2019	3 PM	-	-	-	-	-	-	-	-	
29-03-2019	4 PM	-	-	-	-	-	-	-	-	
29-03-2019	5 PM	-	-	-	-	-	-	-	-	
29-03-2019	6 PM	0	0	0	0	NA	NA	0	0	
29-03-2019	7 PM	-	-	-	-	-	-	-	-	

29-03-2019	8 PM	-	-	-	-	-	-	-	-	
29-03-2019	9 PM	-	-	-	-	-	-	-	-	
29-03-2019	10 PM	-	-	-	-	-	-	-	-	
29-03-2019	11 PM	-	-	-	-	-	-	-	-	
30-03-2019	12 AM	-	-	-	-	-	-	-	-	
30-03-2019	1 AM	-	-	-	-	-	-	-	-	
30-03-2019	2 AM	-	-	-	-	-	-	-	-	
30-03-2019	3 AM	-	-	-	-	-	-	-	-	
30-03-2019	4 AM	-	-	-	-	-	-	-	-	
30-03-2019	5 AM	-	-	-	-	-	-	-	-	
30-03-2019	6 AM	-	-	-	-	-	-	-	-	
30-03-2019	7 AM	-	-	-	-	-	-	-	-	
30-03-2019	8 AM	-	-	-	-	-	-	-	-	
30-03-2019	9 AM	-	-	-	-	-	-	-	-	
30-03-2019	10 AM	-	-	-	-	-	-	-	-	
30-03-2019	11 AM	-	-	-	-	-	-	-	-	
30-03-2019	12 PM	-	-	-	-	-	-	-	-	
30-03-2019	1 PM	-	-	-	-	-	-	-	-	
30-03-2019	2 PM	-	-	-	-	-	-	-	-	
30-03-2019	3 PM	-	-	-	-	-	-	-	-	
30-03-2019	4 PM	-	-	-	-	-	-	-	-	
30-03-2019	5 PM	-	-	-	-	-	-	-	-	
30-03-2019	6 PM	-	-	-	-	-	-	-	-	
30-03-2019	7 PM	-	-	-	-	-	-	-	-	
30-03-2019	8 PM	-	-	-	-	-	-	-	-	
30-03-2019	9 PM	-	-	-	-	-	-	-	-	
30-03-2019	10 PM	0	134	96	5	NA	NA	0	0	
30-03-2019	11 PM	0	206	136	12	NA	NA	0	0	
31-03-2019	12 AM	0	418	263	33	NA	NA	0	0	

31-03-2019	1 AM	0	428	265	32	NA	NA	0	0	
31-03-2019	2 AM	0	446	269	33	NA	NA	0	0	
31-03-2019	3 AM	0	459	270	34	NA	NA	0	0	
31-03-2019	4 AM	0	417	257	33	NA	NA	0	0	
31-03-2019	5 AM	0	311	187	25	NA	NA	0	0	
31-03-2019	6 AM	0	172	117	11	NA	NA	0	0	
31-03-2019	7 AM	0	148	114	9	NA	NA	0	0	
31-03-2019	8 AM	0	150	199	10	NA	NA	0	0	
31-03-2019	9 AM	0	123	99	5	NA	NA	0	0	
31-03-2019	10 AM	0	69	41	4	NA	NA	0	0	
31-03-2019	11 AM	-	-	-	-	-	-	-	-	
31-03-2019	12 PM	0	55	50	3	NA	NA	0	0	
31-03-2019	1 PM	-	-	-	-	-	-	-	-	
31-03-2019	2 PM	0	77	94	4	NA	NA	0	0	
31-03-2019	3 PM	0	242	128	21	NA	NA	0	0	
31-03-2019	4 PM	0	420	212	70	NA	NA	0	0	
31-03-2019	5 PM	0	427	214	163	NA	NA	0	0	
31-03-2019	6 PM	0	436	215	202	NA	NA	0	0	
31-03-2019	7 PM	0	290	146	156	NA	NA	0	0	
31-03-2019	8 PM	0	185	130	76	NA	NA	0	0	
31-03-2019	9 PM	-	-	-	-	-	-	-	-	
31-03-2019	10 PM	-	-	-	-	-	-	-	-	
31-03-2019	11 PM	-	-	-	-	-	-	-	-	

Annex G3

Hourly Average of Parameters Measured in CHP 2

Date	Hour	CHP 2 Hourly Average (mg/Nm ³)								Remarks
		Dust	CO	NOx	SO ₂	NMVOCs	VOC (including methane)	HCl	HF	
		Note: "-" represents non-operating hour								
01-03-2019	12 AM	0	245	167	25	NA	NA	0	0	
01-03-2019	1 AM	0	265	172	24	NA	NA	0	0	
01-03-2019	2 AM	0	276	182	21	NA	NA	0	0	
01-03-2019	3 AM	0	275	181	41	NA	NA	0	0	
01-03-2019	4 AM	0	274	181	37	NA	NA	0	0	
01-03-2019	5 AM	0	102	52	4	NA	NA	0	0	
01-03-2019	6 AM	0	302	180	21	NA	NA	0	0	
01-03-2019	7 AM	0	308	185	21	NA	NA	0	0	
01-03-2019	8 AM	0	121	63	5	NA	NA	0	0	
01-03-2019	9 AM	0	281	180	20	NA	NA	0	0	
01-03-2019	10 AM	0	301	182	20	NA	NA	0	0	
01-03-2019	11 AM	0	243	174	81	NA	NA	0	0	
01-03-2019	12 PM	0	239	178	97	NA	NA	0	0	
01-03-2019	1 PM	0	221	180	39	NA	NA	0	0	
01-03-2019	2 PM	0	238	184	20	NA	NA	0	0	
01-03-2019	3 PM	0	239	134	16	NA	NA	0	0	
01-03-2019	4 PM	0	235	133	15	NA	NA	0	0	
01-03-2019	5 PM	0	214	126	16	NA	NA	0	0	
01-03-2019	6 PM	0	219	130	15	NA	NA	0	0	
01-03-2019	7 PM	0	267	146	14	NA	NA	0	0	
01-03-2019	8 PM	0	206	126	50	NA	NA	0	0	
01-03-2019	9 PM	0	241	140	100	NA	NA	0	0	
01-03-2019	10 PM	0	254	142	52	NA	NA	0	0	
01-03-2019	11 PM	0	229	134	23	NA	NA	0	0	
02-03-2019	12 AM	0	170	96.5	18.5	NA	NA	0	0	

02-03-2019	1 AM	0	144	74	21	NA	NA	0	0	
02-03-2019	2 AM	0	137	69	22	NA	NA	0	0	
02-03-2019	3 AM	0	175	95	19	NA	NA	0	0	
02-03-2019	4 AM	0	202	118	16	NA	NA	0	0	
02-03-2019	5 AM	0	246	143	20	NA	NA	0	0	
02-03-2019	6 AM	0	282	165	14	NA	NA	0	0	
02-03-2019	7 AM	0	262	163	13	NA	NA	0	0	
02-03-2019	8 AM	0	241	156	12	NA	NA	0	0	
02-03-2019	9 AM	0	186	127	15	NA	NA	0	0	
02-03-2019	10 AM	0	175	120	41	NA	NA	0	0	
02-03-2019	11 AM	0	171	116	72	NA	NA	0	0	
02-03-2019	12 PM	0	200	139	34	NA	NA	0	0	
02-03-2019	1 PM	0	184	134	20	NA	NA	0	0	
02-03-2019	2 PM	0	230	162	12	NA	NA	0	0	
02-03-2019	3 PM	0	248	174	10	NA	NA	0	0	
02-03-2019	4 PM	0	214	159	13	NA	NA	0	0	
02-03-2019	5 PM	0	219	153	14	NA	NA	0	0	
02-03-2019	6 PM	0	218	143	12	NA	NA	0	0	
02-03-2019	7 PM	0	201	136	14	NA	NA	0	0	
02-03-2019	8 PM	0	213	147	12	NA	NA	0	0	
02-03-2019	9 PM	0	234	149	11	NA	NA	0	0	
02-03-2019	10 PM	0	241	154	13	NA	NA	0	0	
02-03-2019	11 PM	0	220	143	13	NA	NA	0	0	
03-03-2019	12 AM	0	235	148.5	49	NA	NA	0	0	
03-03-2019	1 AM	0	261	159	33	NA	NA	0	0	
03-03-2019	2 AM	0	235	144	19	NA	NA	0	0	
03-03-2019	3 AM	0	224	143	15	NA	NA	0	0	
03-03-2019	4 AM	0	226	142	16	NA	NA	0	0	
03-03-2019	5 AM	0	223	137	68	NA	NA	0	0	

03-03-2019	6 AM	0	251	144	64	NA	NA	0	0	
03-03-2019	7 AM	0	224	131	29	NA	NA	0	0	
03-03-2019	8 AM	0	217	127	18	NA	NA	0	0	
03-03-2019	9 AM	0	224	131	15	NA	NA	0	0	
03-03-2019	10 AM	0	228	133	15	NA	NA	0	0	
03-03-2019	11 AM	0	222	131	14	NA	NA	0	0	
03-03-2019	12 PM	0	215	122	15	NA	NA	0	0	
03-03-2019	1 PM	0	213	123	15	NA	NA	0	0	
03-03-2019	2 PM	0	209	126	15	NA	NA	0	0	
03-03-2019	3 PM	0	223	133	31	NA	NA	0	0	
03-03-2019	4 PM	0	221	133	23	NA	NA	0	0	
03-03-2019	5 PM	0	214	132	17	NA	NA	0	0	
03-03-2019	6 PM	0	213	132	15	NA	NA	0	0	
03-03-2019	7 PM	0	211	140	14	NA	NA	0	0	
03-03-2019	8 PM	0	204	141	13	NA	NA	0	0	
03-03-2019	9 PM	0	182	132	27	NA	NA	0	0	
03-03-2019	10 PM	0	185	130	35	NA	NA	0	0	
03-03-2019	11 PM	1	273	180	15	NA	NA	0	0	
04-03-2019	12 AM	0	273.5	187	14.5	NA	NA	0	0	
04-03-2019	1 AM	0	261	184	71	NA	NA	0	0	
04-03-2019	2 AM	0	258	183	46	NA	NA	0	0	
04-03-2019	3 AM	0	247	178	18	NA	NA	0	0	
04-03-2019	4 AM	0	263	181	11	NA	NA	0	0	
04-03-2019	5 AM	0	226	168	11	NA	NA	0	0	
04-03-2019	6 AM	0	224	170	11	NA	NA	0	0	
04-03-2019	7 AM	0	241	181	29	NA	NA	0	0	
04-03-2019	8 AM	0	284	201	16	NA	NA	0	0	
04-03-2019	9 AM	0	230	158	8	NA	NA	0	0	
04-03-2019	10 AM	0	164	139	4	NA	NA	0	0	

04-03-2019	11 AM	0	246	249	12	NA	NA	0	0	
04-03-2019	12 PM	0	204	236	30	NA	NA	0	0	
04-03-2019	1 PM	0	240	246	37	NA	NA	0	0	
04-03-2019	2 PM	0	233	243	18	NA	NA	0	0	
04-03-2019	3 PM	0	280	268	11	NA	NA	0	0	
04-03-2019	4 PM	0	245	252	13	NA	NA	0	0	
04-03-2019	5 PM	0	259	247	19	NA	NA	0	0	
04-03-2019	6 PM	0	254	239	15	NA	NA	0	0	
04-03-2019	7 PM	0	205	216	15	NA	NA	0	0	
04-03-2019	8 PM	0	149	185	17	NA	NA	0	0	
04-03-2019	9 PM	0	149	191	18	NA	NA	0	0	
04-03-2019	10 PM	0	162	225	16	NA	NA	0	0	
04-03-2019	11 PM	0	141	175	19	NA	NA	0	0	
05-03-2019	12 AM	0	92	122.5	6.5	NA	NA	0	0	
05-03-2019	1 AM	0	195	204	15	NA	NA	0	0	
05-03-2019	2 AM	0	174	202	18	NA	NA	0	0	
05-03-2019	3 AM	0	171	197	61	NA	NA	0	0	
05-03-2019	4 AM	0	194	210	99	NA	NA	0	0	
05-03-2019	5 AM	0	190	209	120	NA	NA	0	0	
05-03-2019	6 AM	0	219	220	99	NA	NA	0	0	
05-03-2019	7 AM	0	217	219	48	NA	NA	0	0	
05-03-2019	8 AM	0	204	212	23	NA	NA	0	0	
05-03-2019	9 AM	0	203	208	17	NA	NA	0	0	
05-03-2019	10 AM	0	215	208	15	NA	NA	0	0	
05-03-2019	11 AM	0	189	197	17	NA	NA	0	0	
05-03-2019	12 PM	0	204	199	19	NA	NA	0	0	
05-03-2019	1 PM	0	220	202	15	NA	NA	0	0	
05-03-2019	2 PM	0	228	201	16	NA	NA	0	0	
05-03-2019	3 PM	0	185	182	17	NA	NA	0	0	

05-03-2019	4 PM	0	186	184	18	NA	NA	0	0	
05-03-2019	5 PM	0	168	176	18	NA	NA	0	0	
05-03-2019	6 PM	0	168	174	43	NA	NA	0	0	
05-03-2019	7 PM	0	225	196	104	NA	NA	0	0	
05-03-2019	8 PM	2	294	216	79	NA	NA	0	0	
05-03-2019	9 PM	0	241	205	38	NA	NA	0	0	
05-03-2019	10 PM	0	186	189	20	NA	NA	0	0	
05-03-2019	11 PM	0	183	187	16	NA	NA	0	0	
06-03-2019	12 AM	0	75.5	82	9.5	NA	NA	0	0	
06-03-2019	1 AM	0	168	184	40	NA	NA	0	0	
06-03-2019	2 AM	0	214	196	28	NA	NA	0	0	
06-03-2019	3 AM	0	185	185	19	NA	NA	0	0	
06-03-2019	4 AM	0	191	184	16	NA	NA	0	0	
06-03-2019	5 AM	0	184	182	18	NA	NA	0	0	
06-03-2019	6 AM	0	183	178	67	NA	NA	0	0	
06-03-2019	7 AM	0	219	185	58	NA	NA	0	0	
06-03-2019	8 AM	0	215	187	26	NA	NA	0	0	
06-03-2019	9 AM	0	237	194	17	NA	NA	0	0	
06-03-2019	10 AM	0	252	199	15	NA	NA	0	0	
06-03-2019	11 AM	0	280	203	13	NA	NA	0	0	
06-03-2019	12 PM	0	288	204	11	NA	NA	0	0	
06-03-2019	1 PM	0	293	208	11	NA	NA	0	0	
06-03-2019	2 PM	0	266	204	14	NA	NA	0	0	
06-03-2019	3 PM	0	283	203	13	NA	NA	0	0	
06-03-2019	4 PM	0	278	202	13	NA	NA	0	0	
06-03-2019	5 PM	0	150	118	8	NA	NA	0	0	
06-03-2019	6 PM	0	14	12	0	NA	NA	0	0	
06-03-2019	7 PM	0	12	2	0	NA	NA	0	0	
06-03-2019	8 PM	0	193	136	12	NA	NA	0	0	

06-03-2019	9 PM	0	312	199	47	NA	NA	0	0	
06-03-2019	10 PM	0	321	204	24	NA	NA	0	0	
06-03-2019	11 PM	0	307	208	15	NA	NA	0	0	
07-03-2019	12 AM	0	220	181	13.5	NA	NA	0	0	
07-03-2019	1 AM	0	261	196	13	NA	NA	0	0	
07-03-2019	2 AM	0	282	214	13	NA	NA	0	0	
07-03-2019	3 AM	0	300	213	12	NA	NA	0	0	
07-03-2019	4 AM	0	299	217	11	NA	NA	0	0	
07-03-2019	5 AM	0	245	209	14	NA	NA	0	0	
07-03-2019	6 AM	0	197	198	15	NA	NA	0	0	
07-03-2019	7 AM	0	174	183	15	NA	NA	0	0	
07-03-2019	8 AM	0	210	189	13	NA	NA	0	0	
07-03-2019	9 AM	0	158	166	17	NA	NA	0	0	
07-03-2019	10 AM	0	164	179	15	NA	NA	0	0	
07-03-2019	11 AM	0	139	152	18	NA	NA	0	0	
07-03-2019	12 PM	0	158	165	17	NA	NA	0	0	
07-03-2019	1 PM	1	235	218	10	NA	NA	0	0	
07-03-2019	2 PM	1	255	230	0	NA	NA	0	0	
07-03-2019	3 PM	1	249	224	1	NA	NA	0	0	
07-03-2019	4 PM	41	25	10	0	NA	NA	0	0	Fault Signal
07-03-2019	5 PM	0	1	0	0	NA	NA	0	0	
07-03-2019	6 PM	2	278	165	12	NA	NA	0	0	
07-03-2019	7 PM	1	148	88	6	NA	NA	0	0	
07-03-2019	8 PM	1	223	155	8	NA	NA	0	0	
07-03-2019	9 PM	1	324	231	15	NA	NA	0	0	
07-03-2019	10 PM	1	327	230	16	NA	NA	0	0	
07-03-2019	11 PM	1	321	230	17	NA	NA	0	0	
08-03-2019	12 AM	1	265	209.5	28.5	NA	NA	0	0	
08-03-2019	1 AM	1	319	221	23	NA	NA	0	0	

08-03-2019	2 AM	1	331	226	18	NA	NA	0	0	
08-03-2019	3 AM	1	334	229	17	NA	NA	0	0	
08-03-2019	4 AM	1	335	235	16	NA	NA	0	0	
08-03-2019	5 AM	1	240	167	10	NA	NA	0	0	
08-03-2019	6 AM	1	336	236	15	NA	NA	0	0	
08-03-2019	7 AM	1	338	235	16	NA	NA	0	0	
08-03-2019	8 AM	1	340	236	16	NA	NA	0	0	
08-03-2019	9 AM	1	217	146	8	NA	NA	0	0	
08-03-2019	10 AM	1	336	230	17	NA	NA	0	0	
08-03-2019	11 AM	0	97	68	4	NA	NA	0	0	
08-03-2019	12 PM	0	19	17	0	NA	NA	0	0	
08-03-2019	1 PM	0	30	25	0	NA	NA	0	0	
08-03-2019	2 PM	0	21	16	0	NA	NA	0	0	
08-03-2019	3 PM	0	18	16	0	NA	NA	0	0	
08-03-2019	4 PM	0	17	8	0	NA	NA	0	0	
08-03-2019	5 PM	0	19	17	0	NA	NA	0	0	
08-03-2019	6 PM	0	30	24	0	NA	NA	0	0	
08-03-2019	7 PM	0	24	17	0	NA	NA	0	0	
08-03-2019	8 PM	0	18	16	0	NA	NA	0	0	
08-03-2019	9 PM	0	16	6	0	NA	NA	0	0	
08-03-2019	10 PM	0	20	17	0	NA	NA	0	0	
08-03-2019	11 PM	0	45	26	0	NA	NA	0	0	
09-03-2019	12 AM	1	256	148.5	17.5	NA	NA	0	0	
09-03-2019	1 AM	1	297	169	18	NA	NA	0	0	
09-03-2019	2 AM	1	315	170	19	NA	NA	0	0	
09-03-2019	3 AM	1	238	143	20	NA	NA	0	0	
09-03-2019	4 AM	1	207	135	21	NA	NA	0	0	
09-03-2019	5 AM	1	200	140	21	NA	NA	0	0	
09-03-2019	6 AM	1	188	128	21	NA	NA	0	0	

09-03-2019	7 AM	1	205	140	19	NA	NA	0	0	
09-03-2019	8 AM	1	210	144	19	NA	NA	0	0	
09-03-2019	9 AM	1	250	154	18	NA	NA	0	0	
09-03-2019	10 AM	1	234	146	19	NA	NA	0	0	
09-03-2019	11 AM	1	211	141	36	NA	NA	0	0	
09-03-2019	12 PM	1	233	147	68	NA	NA	0	0	
09-03-2019	1 PM	1	258	152	36	NA	NA	0	0	
09-03-2019	2 PM	1	241	145	22	NA	NA	0	0	
09-03-2019	3 PM	1	246	144	18	NA	NA	0	0	
09-03-2019	4 PM	1	244	139	18	NA	NA	0	0	
09-03-2019	5 PM	1	229	135	19	NA	NA	0	0	
09-03-2019	6 PM	1	225	137	19	NA	NA	0	0	
09-03-2019	7 PM	1	214	139	26	NA	NA	0	0	
09-03-2019	8 PM	1	215	135	63	NA	NA	0	0	
09-03-2019	9 PM	1	213	136	89	NA	NA	0	0	
09-03-2019	10 PM	1	235	147	70	NA	NA	0	0	
09-03-2019	11 PM	1	116	75	18	NA	NA	0	0	
10-03-2019	12 AM	-	-	-	-	-	-	-	-	
10-03-2019	1 AM	-	-	-	-	-	-	-	-	
10-03-2019	2 AM	-	-	-	-	-	-	-	-	
10-03-2019	3 AM	-	-	-	-	-	-	-	-	
10-03-2019	4 AM	-	-	-	-	-	-	-	-	
10-03-2019	5 AM	-	-	-	-	-	-	-	-	
10-03-2019	6 AM	-	-	-	-	-	-	-	-	
10-03-2019	7 AM	-	-	-	-	-	-	-	-	
10-03-2019	8 AM	-	-	-	-	-	-	-	-	
10-03-2019	9 AM	-	-	-	-	-	-	-	-	
10-03-2019	10 AM	-	-	-	-	-	-	-	-	
10-03-2019	11 AM	-	-	-	-	-	-	-	-	

10-03-2019	12 PM	-	-	-	-	-	-	-	-	
10-03-2019	1 PM	-	-	-	-	-	-	-	-	
10-03-2019	2 PM	-	-	-	-	-	-	-	-	
10-03-2019	3 PM	-	-	-	-	-	-	-	-	
10-03-2019	4 PM	-	-	-	-	-	-	-	-	
10-03-2019	5 PM	-	-	-	-	-	-	-	-	
10-03-2019	6 PM	-	-	-	-	-	-	-	-	
10-03-2019	7 PM	-	-	-	-	-	-	-	-	
10-03-2019	8 PM	-	-	-	-	-	-	-	-	
10-03-2019	9 PM	-	-	-	-	-	-	-	-	
10-03-2019	10 PM	-	-	-	-	-	-	-	-	
10-03-2019	11 PM	-	-	-	-	-	-	-	-	
11-03-2019	12 AM	-	-	-	-	-	-	-	-	
11-03-2019	1 AM	-	-	-	-	-	-	-	-	
11-03-2019	2 AM	-	-	-	-	-	-	-	-	
11-03-2019	3 AM	-	-	-	-	-	-	-	-	
11-03-2019	4 AM	-	-	-	-	-	-	-	-	
11-03-2019	5 AM	-	-	-	-	-	-	-	-	
11-03-2019	6 AM	-	-	-	-	-	-	-	-	
11-03-2019	7 AM	-	-	-	-	-	-	-	-	
11-03-2019	8 AM	-	-	-	-	-	-	-	-	
11-03-2019	9 AM	-	-	-	-	-	-	-	-	
11-03-2019	10 AM	-	-	-	-	-	-	-	-	
11-03-2019	11 AM	-	-	-	-	-	-	-	-	
11-03-2019	12 PM	-	-	-	-	-	-	-	-	
11-03-2019	1 PM	-	-	-	-	-	-	-	-	
11-03-2019	2 PM	0	0	0	0	NA	NA	0	0	
11-03-2019	3 PM	-	-	-	-	-	-	-	-	
11-03-2019	4 PM	-	-	-	-	-	-	-	-	

11-03-2019	5 PM	-	-	-	-	-	-	-	-	
11-03-2019	6 PM	-	-	-	-	-	-	-	-	
11-03-2019	7 PM	-	-	-	-	-	-	-	-	
11-03-2019	8 PM	-	-	-	-	-	-	-	-	
11-03-2019	9 PM	-	-	-	-	-	-	-	-	
11-03-2019	10 PM	-	-	-	-	-	-	-	-	
11-03-2019	11 PM	-	-	-	-	-	-	-	-	
12-03-2019	12 AM	-	-	-	-	-	-	-	-	
12-03-2019	1 AM	-	-	-	-	-	-	-	-	
12-03-2019	2 AM	-	-	-	-	-	-	-	-	
12-03-2019	3 AM	-	-	-	-	-	-	-	-	
12-03-2019	4 AM	0	139	98	12	NA	NA	0	0	
12-03-2019	5 AM	0	196	141	20	NA	NA	0	0	
12-03-2019	6 AM	1	220	150	19	NA	NA	0	0	
12-03-2019	7 AM	0	203	146	19	NA	NA	0	0	
12-03-2019	8 AM	0	266	174	17	NA	NA	0	0	
12-03-2019	9 AM	0	259	168	30	NA	NA	0	0	
12-03-2019	10 AM	0	248	158	48	NA	NA	0	0	
12-03-2019	11 AM	0	206	139	28	NA	NA	0	0	
12-03-2019	12 PM	0	198	129	22	NA	NA	0	0	
12-03-2019	1 PM	0	225	145	19	NA	NA	0	0	
12-03-2019	2 PM	0	220	142	19	NA	NA	0	0	
12-03-2019	3 PM	0	206	138	21	NA	NA	0	0	
12-03-2019	4 PM	0	207	137	20	NA	NA	0	0	
12-03-2019	5 PM	0	204	135	49	NA	NA	0	0	
12-03-2019	6 PM	0	225	144	93	NA	NA	0	0	
12-03-2019	7 PM	0	261	163	58	NA	NA	0	0	
12-03-2019	8 PM	0	247	156	29	NA	NA	0	0	
12-03-2019	9 PM	0	240	155	20	NA	NA	0	0	

12-03-2019	10 PM	0	247	163	18	NA	NA	0	0	
12-03-2019	11 PM	0	84	63	5	NA	NA	0	0	
13-03-2019	12 AM	0	200	203	20	NA	NA	0	0	
13-03-2019	1 AM	0	230	215	17	NA	NA	0	0	
13-03-2019	2 AM	0	245	221	25	NA	NA	0	0	
13-03-2019	3 AM	0	256	227	24	NA	NA	0	0	
13-03-2019	4 AM	0	251	228	18	NA	NA	0	0	
13-03-2019	5 AM	0	255	231	18	NA	NA	0	0	
13-03-2019	6 AM	0	239	220	18	NA	NA	0	0	
13-03-2019	7 AM	0	240	217	17	NA	NA	0	0	
13-03-2019	8 AM	0	247	220	17	NA	NA	0	0	
13-03-2019	9 AM	0	248	218	16	NA	NA	0	0	
13-03-2019	10 AM	0	256	220	17	NA	NA	0	0	
13-03-2019	11 AM	0	240	210	18	NA	NA	0	0	
13-03-2019	12 PM	0	236	205	30	NA	NA	0	0	
13-03-2019	1 PM	0	253	212	23	NA	NA	0	0	
13-03-2019	2 PM	0	257	210	18	NA	NA	0	0	
13-03-2019	3 PM	0	238	198	17	NA	NA	0	0	
13-03-2019	4 PM	0	201	191	21	NA	NA	0	0	
13-03-2019	5 PM	0	201	193	20	NA	NA	0	0	
13-03-2019	6 PM	0	204	191	19	NA	NA	0	0	
13-03-2019	7 PM	0	201	185	19	NA	NA	0	0	
13-03-2019	8 PM	0	196	183	20	NA	NA	0	0	
13-03-2019	9 PM	0	191	178	49	NA	NA	0	0	
13-03-2019	10 PM	0	209	184	60	NA	NA	0	0	
13-03-2019	11 PM	0	193	181	28	NA	NA	0	0	
14-03-2019	12 AM	0	231.5	186	20.5	NA	NA	0	0	
14-03-2019	1 AM	0	191	182	20	NA	NA	0	0	
14-03-2019	2 AM	0	194	186	19	NA	NA	0	0	

14-03-2019	3 AM	0	198	185	19	NA	NA	0	0	
14-03-2019	4 AM	0	200	184	18	NA	NA	0	0	
14-03-2019	5 AM	0	253	203	16	NA	NA	0	0	
14-03-2019	6 AM	0	233	191	17	NA	NA	0	0	
14-03-2019	7 AM	0	230	190	17	NA	NA	0	0	
14-03-2019	8 AM	0	148	91	11	NA	NA	0	0	
14-03-2019	9 AM	0	227	124	64	NA	NA	0	0	
14-03-2019	10 AM	0	131	70	24	NA	NA	0	0	
14-03-2019	11 AM	-	-	-	-	-	-	-	-	
14-03-2019	12 PM	-	-	-	-	-	-	-	-	
14-03-2019	1 PM	-	-	-	-	-	-	-	-	
14-03-2019	2 PM	-	-	-	-	-	-	-	-	
14-03-2019	3 PM	-	-	-	-	-	-	-	-	
14-03-2019	4 PM	-	-	-	-	-	-	-	-	
14-03-2019	5 PM	-	-	-	-	-	-	-	-	
14-03-2019	6 PM	-	-	-	-	-	-	-	-	
14-03-2019	7 PM	-	-	-	-	-	-	-	-	
14-03-2019	8 PM	-	-	-	-	-	-	-	-	
14-03-2019	9 PM	8	52	41	14	NA	NA	0	0	
14-03-2019	10 PM	-	-	-	-	-	-	-	-	
14-03-2019	11 PM	-	-	-	-	-	-	-	-	
15-03-2019	12 AM	-	-	-	-	-	-	-	-	
15-03-2019	1 AM	-	-	-	-	-	-	-	-	
15-03-2019	2 AM	-	-	-	-	-	-	-	-	
15-03-2019	3 AM	-	-	-	-	-	-	-	-	
15-03-2019	4 AM	-	-	-	-	-	-	-	-	
15-03-2019	5 AM	-	-	-	-	-	-	-	-	
15-03-2019	6 AM	-	-	-	-	-	-	-	-	
15-03-2019	7 AM	-	-	-	-	-	-	-	-	

15-03-2019	8 AM	-	-	-	-	-	-	-	-	
15-03-2019	9 AM	1	41	45	9	NA	NA	0	0	
15-03-2019	10 AM	-	-	-	-	-	-	-	-	
15-03-2019	11 AM	-	-	-	-	-	-	-	-	
15-03-2019	12 PM	-	-	-	-	-	-	-	-	
15-03-2019	1 PM	-	-	-	-	-	-	-	-	
15-03-2019	2 PM	-	-	-	-	-	-	-	-	
15-03-2019	3 PM	-	-	-	-	-	-	-	-	
15-03-2019	4 PM	-	-	-	-	-	-	-	-	
15-03-2019	5 PM	-	-	-	-	-	-	-	-	
15-03-2019	6 PM	-	-	-	-	-	-	-	-	
15-03-2019	7 PM	-	-	-	-	-	-	-	-	
15-03-2019	8 PM	-	-	-	-	-	-	-	-	
15-03-2019	9 PM	-	-	-	-	-	-	-	-	
15-03-2019	10 PM	-	-	-	-	-	-	-	-	
15-03-2019	11 PM	-	-	-	-	-	-	-	-	
16-03-2019	12 AM	-	-	-	-	-	-	-	-	
16-03-2019	1 AM	-	-	-	-	-	-	-	-	
16-03-2019	2 AM	-	-	-	-	-	-	-	-	
16-03-2019	3 AM	-	-	-	-	-	-	-	-	
16-03-2019	4 AM	-	-	-	-	-	-	-	-	
16-03-2019	5 AM	-	-	-	-	-	-	-	-	
16-03-2019	6 AM	-	-	-	-	-	-	-	-	
16-03-2019	7 AM	-	-	-	-	-	-	-	-	
16-03-2019	8 AM	-	-	-	-	-	-	-	-	
16-03-2019	9 AM	-	-	-	-	-	-	-	-	
16-03-2019	10 AM	-	-	-	-	-	-	-	-	
16-03-2019	11 AM	-	-	-	-	-	-	-	-	
16-03-2019	12 PM	-	-	-	-	-	-	-	-	

16-03-2019	1 PM	0	96	101	22	NA	NA	0	0	
16-03-2019	2 PM	1	254	247	31	NA	NA	0	0	
16-03-2019	3 PM	0	238	238	57	NA	NA	0	0	
16-03-2019	4 PM	0	193	142	47	NA	NA	0	0	
16-03-2019	5 PM	0	273	173	29	NA	NA	0	0	
16-03-2019	6 PM	0	242	165	19	NA	NA	0	0	
16-03-2019	7 PM	0	236	171	16	NA	NA	0	0	
16-03-2019	8 PM	0	244	175	16	NA	NA	0	0	
16-03-2019	9 PM	0	240	173	17	NA	NA	0	0	
16-03-2019	10 PM	0	246	171	17	NA	NA	0	0	
16-03-2019	11 PM	0	224	158	17	NA	NA	0	0	
17-03-2019	12 AM	0	175.5	131	19.5	NA	NA	0	0	
17-03-2019	1 AM	0	205	148	18	NA	NA	0	0	
17-03-2019	2 AM	0	226	161	19	NA	NA	0	0	
17-03-2019	3 AM	0	240	166	25	NA	NA	0	0	
17-03-2019	4 AM	0	229	163	19	NA	NA	0	0	
17-03-2019	5 AM	0	240	168	17	NA	NA	0	0	
17-03-2019	6 AM	0	251	173	16	NA	NA	0	0	
17-03-2019	7 AM	0	257	180	17	NA	NA	0	0	
17-03-2019	8 AM	0	259	182	17	NA	NA	0	0	
17-03-2019	9 AM	0	257	183	17	NA	NA	0	0	
17-03-2019	10 AM	0	272	185	16	NA	NA	0	0	
17-03-2019	11 AM	0	175	114	9	NA	NA	0	0	
17-03-2019	12 PM	0	277	179	15	NA	NA	0	0	
17-03-2019	1 PM	0	112	64	13	NA	NA	0	0	
17-03-2019	2 PM	0	38	14	1	NA	NA	0	0	
17-03-2019	3 PM	0	36	13	0	NA	NA	0	0	
17-03-2019	4 PM	0	22	2	0	NA	NA	0	0	
17-03-2019	5 PM	0	33	12	0	NA	NA	0	0	

17-03-2019	6 PM	0	33	12	0	NA	NA	0	0	
17-03-2019	7 PM	0	21	2	0	NA	NA	0	0	
17-03-2019	8 PM	0	32	11	0	NA	NA	0	0	
17-03-2019	9 PM	0	33	11	0	NA	NA	0	0	
17-03-2019	10 PM	0	119	67	32	NA	NA	0	0	
17-03-2019	11 PM	0	179	99	80	NA	NA	0	0	
18-03-2019	12 AM	0	226	129	51	NA	NA	0	0	
18-03-2019	1 AM	0	216	130	26	NA	NA	0	0	
18-03-2019	2 AM	0	156	88	12	NA	NA	0	0	
18-03-2019	3 AM	0	145	87	13	NA	NA	0	0	
18-03-2019	4 AM	0	258	149	20	NA	NA	0	0	
18-03-2019	5 AM	0	256	148	20	NA	NA	0	0	
18-03-2019	6 AM	0	262	149	20	NA	NA	0	0	
18-03-2019	7 AM	0	268	152	21	NA	NA	0	0	
18-03-2019	8 AM	0	119	61	6	NA	NA	0	0	
18-03-2019	9 AM	0	267	152	20	NA	NA	0	0	
18-03-2019	10 AM	0	180	97	12	NA	NA	0	0	
18-03-2019	11 AM	0	272	152	21	NA	NA	0	0	
18-03-2019	12 PM	0	269	152	21	NA	NA	0	0	
18-03-2019	1 PM	0	271	152	28	NA	NA	0	0	
18-03-2019	2 PM	0	266	150	55	NA	NA	0	0	
18-03-2019	3 PM	0	125	62	12	NA	NA	0	0	
18-03-2019	4 PM	0	273	149	25	NA	NA	0	0	
18-03-2019	5 PM	0	117	53	7	NA	NA	0	0	
18-03-2019	6 PM	0	252	131	22	NA	NA	0	0	
18-03-2019	7 PM	0	263	137	22	NA	NA	0	0	
18-03-2019	8 PM	0	260	139	22	NA	NA	0	0	
18-03-2019	9 PM	0	265	136	23	NA	NA	0	0	
18-03-2019	10 PM	0	170	77	13	NA	NA	0	0	

18-03-2019	11 PM	0	210	94	23	NA	NA	0	0	
19-03-2019	12 AM	0	160.5	70	55.5	NA	NA	0	0	
19-03-2019	1 AM	0	230	106	70	NA	NA	0	0	
19-03-2019	2 AM	0	254	125	32	NA	NA	0	0	
19-03-2019	3 AM	0	235	128	25	NA	NA	0	0	
19-03-2019	4 AM	0	222	130	22	NA	NA	0	0	
19-03-2019	5 AM	0	216	133	22	NA	NA	0	0	
19-03-2019	6 AM	0	204	134	22	NA	NA	0	0	
19-03-2019	7 AM	0	206	140	22	NA	NA	0	0	
19-03-2019	8 AM	0	212	148	22	NA	NA	0	0	
19-03-2019	9 AM	0	214	153	22	NA	NA	0	0	
19-03-2019	10 AM	0	222	162	21	NA	NA	0	0	
19-03-2019	11 AM	0	221	164	22	NA	NA	0	0	
19-03-2019	12 PM	0	224	167	44	NA	NA	0	0	
19-03-2019	1 PM	0	259	181	47	NA	NA	0	0	
19-03-2019	2 PM	0	247	178	27	NA	NA	0	0	
19-03-2019	3 PM	0	250	172	22	NA	NA	0	0	
19-03-2019	4 PM	0	252	148	21	NA	NA	0	0	
19-03-2019	5 PM	0	233	143	23	NA	NA	0	0	
19-03-2019	6 PM	0	224	127	24	NA	NA	0	0	
19-03-2019	7 PM	0	203	118	25	NA	NA	0	0	
19-03-2019	8 PM	0	196	113	26	NA	NA	0	0	
19-03-2019	9 PM	0	172	95	39	NA	NA	0	0	
19-03-2019	10 PM	0	168	94	96	NA	NA	0	0	
19-03-2019	11 PM	0	187	111	108	NA	NA	0	0	
20-03-2019	12 AM	0	149.5	97	49	NA	NA	0	0	
20-03-2019	1 AM	0	148	97	29	NA	NA	0	0	
20-03-2019	2 AM	0	169	114	26	NA	NA	0	0	
20-03-2019	3 AM	0	187	131	24	NA	NA	0	0	

20-03-2019	4 AM	0	148	116	25	NA	NA	0	0	
20-03-2019	5 AM	0	143	118	26	NA	NA	0	0	
20-03-2019	6 AM	0	143	121	26	NA	NA	0	0	
20-03-2019	7 AM	0	158	135	25	NA	NA	0	0	
20-03-2019	8 AM	0	251	183	21	NA	NA	0	0	
20-03-2019	9 AM	0	267	189	40	NA	NA	0	0	
20-03-2019	10 AM	0	206	154	74	NA	NA	0	0	
20-03-2019	11 AM	0	209	155	34	NA	NA	0	0	
20-03-2019	12 PM	0	194	150	27	NA	NA	0	0	
20-03-2019	1 PM	0	156	135	26	NA	NA	0	0	
20-03-2019	2 PM	0	157	140	25	NA	NA	0	0	
20-03-2019	3 PM	0	165	147	23	NA	NA	0	0	
20-03-2019	4 PM	0	192	153	23	NA	NA	0	0	
20-03-2019	5 PM	0	211	133	25	NA	NA	0	0	
20-03-2019	6 PM	0	184	116	27	NA	NA	0	0	
20-03-2019	7 PM	0	169	103	26	NA	NA	0	0	
20-03-2019	8 PM	0	157	90	56	NA	NA	0	0	
20-03-2019	9 PM	0	200	96	79	NA	NA	0	0	
20-03-2019	10 PM	0	195	91	37	NA	NA	0	0	
20-03-2019	11 PM	0	169	77	29	NA	NA	0	0	
21-03-2019	12 AM	0	137.5	108.5	27	NA	NA	0	0	
21-03-2019	1 AM	0	122	129	28	NA	NA	0	0	
21-03-2019	2 AM	0	124	151	26	NA	NA	0	0	
21-03-2019	3 AM	0	146	164	27	NA	NA	0	0	
21-03-2019	4 AM	0	132	163	26	NA	NA	0	0	
21-03-2019	5 AM	0	133	172	26	NA	NA	0	0	
21-03-2019	6 AM	0	134	177	26	NA	NA	0	0	
21-03-2019	7 AM	0	121	177	25	NA	NA	0	0	
21-03-2019	8 AM	0	121	196	25	NA	NA	0	0	

21-03-2019	9 AM	0	126	207	33	NA	NA	0	0	
21-03-2019	10 AM	0	137	200	34	NA	NA	0	0	
21-03-2019	11 AM	0	119	195	27	NA	NA	0	0	
21-03-2019	12 PM	0	112	196	25	NA	NA	0	0	
21-03-2019	1 PM	0	111	201	25	NA	NA	0	0	
21-03-2019	2 PM	0	135	220	26	NA	NA	0	0	
21-03-2019	3 PM	0	168	234	25	NA	NA	0	0	
21-03-2019	4 PM	0	163	226	25	NA	NA	0	0	
21-03-2019	5 PM	0	180	232	24	NA	NA	0	0	
21-03-2019	6 PM	0	197	243	23	NA	NA	0	0	
21-03-2019	7 PM	0	149	219	26	NA	NA	0	0	
21-03-2019	8 PM	0	173	229	28	NA	NA	0	0	
21-03-2019	9 PM	0	171	227	26	NA	NA	0	0	
21-03-2019	10 PM	0	138	213	26	NA	NA	0	0	
21-03-2019	11 PM	0	157	208	25	NA	NA	0	0	
22-03-2019	12 AM	0	145.5	219	25.5	NA	NA	0	0	
22-03-2019	1 AM	0	178	127	28	NA	NA	0	0	
22-03-2019	2 AM	0	161	113	27	NA	NA	0	0	
22-03-2019	3 AM	0	151	88	28	NA	NA	0	0	
22-03-2019	4 AM	0	146	77	30	NA	NA	0	0	
22-03-2019	5 AM	0	117	60	30	NA	NA	0	0	
22-03-2019	6 AM	0	125	63	30	NA	NA	0	0	
22-03-2019	7 AM	0	122	63	46	NA	NA	0	0	
22-03-2019	8 AM	0	155	93	31	NA	NA	0	0	
22-03-2019	9 AM	0	210	128	28	NA	NA	0	0	
22-03-2019	10 AM	0	204	136	26	NA	NA	0	0	
22-03-2019	11 AM	0	238	159	25	NA	NA	0	0	
22-03-2019	12 PM	0	236	160	26	NA	NA	0	0	
22-03-2019	1 PM	0	196	123	25	NA	NA	0	0	

22-03-2019	2 PM	1	264	138	27	NA	NA	0	0	
22-03-2019	3 PM	1	275	140	29	NA	NA	0	0	
22-03-2019	4 PM	2	246	195	17	NA	NA	0	0	
22-03-2019	5 PM	1	229	210	15	NA	NA	0	0	
22-03-2019	6 PM	1	235	229	19	NA	NA	0	0	
22-03-2019	7 PM	1	263	226	46	NA	NA	0	0	
22-03-2019	8 PM	1	205	198	35	NA	NA	0	0	
22-03-2019	9 PM	1	236	235	26	NA	NA	0	0	
22-03-2019	10 PM	1	248	252	22	NA	NA	0	0	
22-03-2019	11 PM	1	243	254	23	NA	NA	0	0	
23-03-2019	12 AM	1	199.5	236.5	22.5	NA	NA	0	0	
23-03-2019	1 AM	1	223	247	22	NA	NA	0	0	
23-03-2019	2 AM	1	244	257	22	NA	NA	0	0	
23-03-2019	3 AM	1	250	261	24	NA	NA	0	0	
23-03-2019	4 AM	1	256	263	24	NA	NA	0	0	
23-03-2019	5 AM	1	255	267	24	NA	NA	0	0	
23-03-2019	6 AM	1	243	261	24	NA	NA	0	0	
23-03-2019	7 AM	1	243	263	24	NA	NA	0	0	
23-03-2019	8 AM	1	238	261	24	NA	NA	0	0	
23-03-2019	9 AM	1	241	263	23	NA	NA	0	0	
23-03-2019	10 AM	1	248	268	24	NA	NA	0	0	
23-03-2019	11 AM	1	259	268	48	NA	NA	0	0	
23-03-2019	12 PM	1	275	271	100	NA	NA	0	0	
23-03-2019	1 PM	1	285	271	129	NA	NA	0	0	
23-03-2019	2 PM	1	292	270	149	NA	NA	0	0	
23-03-2019	3 PM	1	296	264	89	NA	NA	0	0	
23-03-2019	4 PM	1	269	246	36	NA	NA	0	0	
23-03-2019	5 PM	1	248	248	52	NA	NA	0	0	
23-03-2019	6 PM	1	264	261	42	NA	NA	0	0	

23-03-2019	7 PM	1	264	261	28	NA	NA	0	0	
23-03-2019	8 PM	1	261	266	24	NA	NA	0	0	
23-03-2019	9 PM	1	253	262	20	NA	NA	0	0	
23-03-2019	10 PM	1	257	261	21	NA	NA	0	0	
23-03-2019	11 PM	1	229	241	24	NA	NA	0	0	
24-03-2019	12 AM	0.5	171	259.5	24.5	NA	NA	0	0	
24-03-2019	1 AM	0	180	202	28	NA	NA	0	0	
24-03-2019	2 AM	0	142	179	27	NA	NA	0	0	
24-03-2019	3 AM	0	171	230	26	NA	NA	0	0	
24-03-2019	4 AM	0	148	206	25	NA	NA	0	0	
24-03-2019	5 AM	0	151	210	26	NA	NA	0	0	
24-03-2019	6 AM	0	139	206	25	NA	NA	0	0	
24-03-2019	7 AM	0	137	205	33	NA	NA	0	0	
24-03-2019	8 AM	0	153	215	37	NA	NA	0	0	
24-03-2019	9 AM	0	137	212	28	NA	NA	0	0	
24-03-2019	10 AM	0	133	213	25	NA	NA	0	0	
24-03-2019	11 AM	0	141	219	26	NA	NA	0	0	
24-03-2019	12 PM	0	141	220	26	NA	NA	0	0	
24-03-2019	1 PM	0	141	220	25	NA	NA	0	0	
24-03-2019	2 PM	0	144	222	25	NA	NA	0	0	
24-03-2019	3 PM	0	149	225	24	NA	NA	0	0	
24-03-2019	4 PM	0	166	234	24	NA	NA	0	0	
24-03-2019	5 PM	0	173	235	25	NA	NA	0	0	
24-03-2019	6 PM	0	162	230	26	NA	NA	0	0	
24-03-2019	7 PM	0	168	230	25	NA	NA	0	0	
24-03-2019	8 PM	0	165	231	26	NA	NA	0	0	
24-03-2019	9 PM	0	151	219	25	NA	NA	0	0	
24-03-2019	10 PM	0	175	236	25	NA	NA	0	0	
24-03-2019	11 PM	0	186	240	24	NA	NA	0	0	

25-03-2019	12 AM	0	131.5	207	24	NA	NA	0	0	
25-03-2019	1 AM	0	172	232	25	NA	NA	0	0	
25-03-2019	2 AM	0	200	245	23	NA	NA	0	0	
25-03-2019	3 AM	0	202	248	22	NA	NA	0	0	
25-03-2019	4 AM	0	238	256	22	NA	NA	0	0	
25-03-2019	5 AM	0	235	247	25	NA	NA	0	0	
25-03-2019	6 AM	0	215	238	25	NA	NA	0	0	
25-03-2019	7 AM	0	218	237	25	NA	NA	0	0	
25-03-2019	8 AM	0	196	230	26	NA	NA	0	0	
25-03-2019	9 AM	0	202	229	57	NA	NA	0	0	
25-03-2019	10 AM	0	213	232	49	NA	NA	0	0	
25-03-2019	11 AM	0	204	234	29	NA	NA	0	0	
25-03-2019	12 PM	0	216	242	25	NA	NA	0	0	
25-03-2019	1 PM	0	189	232	25	NA	NA	0	0	
25-03-2019	2 PM	0	168	218	26	NA	NA	0	0	
25-03-2019	3 PM	0	180	226	24	NA	NA	0	0	
25-03-2019	4 PM	0	179	229	26	NA	NA	0	0	
25-03-2019	5 PM	0	232	251	24	NA	NA	0	0	
25-03-2019	6 PM	0	213	238	65	NA	NA	0	0	
25-03-2019	7 PM	0	264	249	70	NA	NA	0	0	
25-03-2019	8 PM	0	252	245	42	NA	NA	0	0	
25-03-2019	9 PM	0	228	234	31	NA	NA	0	0	
25-03-2019	10 PM	0	221	227	26	NA	NA	0	0	
25-03-2019	11 PM	0	220	223	26	NA	NA	0	0	
26-03-2019	12 AM	0	170.5	190	28.5	NA	NA	0	0	
26-03-2019	1 AM	0	196	197	31	NA	NA	0	0	
26-03-2019	2 AM	0	212	202	30	NA	NA	0	0	
26-03-2019	3 AM	0	187	190	31	NA	NA	0	0	
26-03-2019	4 AM	0	188	201	31	NA	NA	0	0	

26-03-2019	5 AM	0	207	208	80	NA	NA	0	0	
26-03-2019	6 AM	0	222	215	142	NA	NA	0	0	
26-03-2019	7 AM	0	240	226	156	NA	NA	0	0	
26-03-2019	8 AM	0	247	238	78	NA	NA	0	0	
26-03-2019	9 AM	0	214	235	35	NA	NA	0	0	
26-03-2019	10 AM	0	202	238	26	NA	NA	0	0	
26-03-2019	11 AM	0	185	235	23	NA	NA	0	0	
26-03-2019	12 PM	0	178	232	23	NA	NA	0	0	
26-03-2019	1 PM	0	176	225	22	NA	NA	0	0	
26-03-2019	2 PM	0	173	224	23	NA	NA	0	0	
26-03-2019	3 PM	0	168	222	23	NA	NA	0	0	
26-03-2019	4 PM	0	161	221	23	NA	NA	0	0	
26-03-2019	5 PM	0	160	223	23	NA	NA	0	0	
26-03-2019	6 PM	0	144	219	23	NA	NA	0	0	
26-03-2019	7 PM	0	146	222	21	NA	NA	0	0	
26-03-2019	8 PM	0	142	223	21	NA	NA	0	0	
26-03-2019	9 PM	0	141	224	21	NA	NA	0	0	
26-03-2019	10 PM	0	145	227	21	NA	NA	0	0	
26-03-2019	11 PM	0	145	225	21	NA	NA	0	0	
27-03-2019	12 AM	0	0	0	0	NA	NA	0	0	
27-03-2019	1 AM	0	168	246	43	NA	NA	0	0	
27-03-2019	2 AM	0	151	225	32	NA	NA	0	0	
27-03-2019	3 AM	-	-	-	-	-	-	-	-	
27-03-2019	4 AM	-	-	-	-	-	-	-	-	
27-03-2019	5 AM	-	-	-	-	-	-	-	-	
27-03-2019	6 AM	-	-	-	-	-	-	-	-	
27-03-2019	7 AM	-	-	-	-	-	-	-	-	
27-03-2019	8 AM	-	-	-	-	-	-	-	-	
27-03-2019	9 AM	-	-	-	-	-	-	-	-	

27-03-2019	10 AM	-	-	-	-	-	-	-	-	
27-03-2019	11 AM	-	-	-	-	-	-	-	-	
27-03-2019	12 PM	-	-	-	-	-	-	-	-	
27-03-2019	1 PM	-	-	-	-	-	-	-	-	
27-03-2019	2 PM	-	-	-	-	-	-	-	-	
27-03-2019	3 PM	-	-	-	-	-	-	-	-	
27-03-2019	4 PM	-	-	-	-	-	-	-	-	
27-03-2019	5 PM	-	-	-	-	-	-	-	-	
27-03-2019	6 PM	-	-	-	-	-	-	-	-	
27-03-2019	7 PM	-	-	-	-	-	-	-	-	
27-03-2019	8 PM	-	-	-	-	-	-	-	-	
27-03-2019	9 PM	-	-	-	-	-	-	-	-	
27-03-2019	10 PM	-	-	-	-	-	-	-	-	
27-03-2019	11 PM	-	-	-	-	-	-	-	-	
28-03-2019	12 AM	-	-	-	-	-	-	-	-	
28-03-2019	1 AM	-	-	-	-	-	-	-	-	
28-03-2019	2 AM	-	-	-	-	-	-	-	-	
28-03-2019	3 AM	-	-	-	-	-	-	-	-	
28-03-2019	4 AM	-	-	-	-	-	-	-	-	
28-03-2019	5 AM	-	-	-	-	-	-	-	-	
28-03-2019	6 AM	-	-	-	-	-	-	-	-	
28-03-2019	7 AM	-	-	-	-	-	-	-	-	
28-03-2019	8 AM	-	-	-	-	-	-	-	-	
28-03-2019	9 AM	-	-	-	-	-	-	-	-	
28-03-2019	10 AM	-	-	-	-	-	-	-	-	
28-03-2019	11 AM	-	-	-	-	-	-	-	-	
28-03-2019	12 PM	-	-	-	-	-	-	-	-	
28-03-2019	1 PM	-	-	-	-	-	-	-	-	
28-03-2019	2 PM	-	-	-	-	-	-	-	-	

28-03-2019	3 PM	-	-	-	-	-	-	-	-	
28-03-2019	4 PM	-	-	-	-	-	-	-	-	
28-03-2019	5 PM	-	-	-	-	-	-	-	-	
28-03-2019	6 PM	-	-	-	-	-	-	-	-	
28-03-2019	7 PM	-	-	-	-	-	-	-	-	
28-03-2019	8 PM	-	-	-	-	-	-	-	-	
28-03-2019	9 PM	-	-	-	-	-	-	-	-	
28-03-2019	10 PM	-	-	-	-	-	-	-	-	
28-03-2019	11 PM	-	-	-	-	-	-	-	-	
29-03-2019	12 AM	-	-	-	-	-	-	-	-	
29-03-2019	1 AM	-	-	-	-	-	-	-	-	
29-03-2019	2 AM	-	-	-	-	-	-	-	-	
29-03-2019	3 AM	-	-	-	-	-	-	-	-	
29-03-2019	4 AM	-	-	-	-	-	-	-	-	
29-03-2019	5 AM	-	-	-	-	-	-	-	-	
29-03-2019	6 AM	-	-	-	-	-	-	-	-	
29-03-2019	7 AM	-	-	-	-	-	-	-	-	
29-03-2019	8 AM	-	-	-	-	-	-	-	-	
29-03-2019	9 AM	-	-	-	-	-	-	-	-	
29-03-2019	10 AM	3	101	152	44	NA	NA	0	0	
29-03-2019	11 AM	-	-	-	-	-	-	-	-	
29-03-2019	12 PM	-	-	-	-	-	-	-	-	
29-03-2019	1 PM	-	-	-	-	-	-	-	-	
29-03-2019	2 PM	-	-	-	-	-	-	-	-	
29-03-2019	3 PM	-	-	-	-	-	-	-	-	
29-03-2019	4 PM	-	-	-	-	-	-	-	-	
29-03-2019	5 PM	-	-	-	-	-	-	-	-	
29-03-2019	6 PM	0	0	0	0	NA	NA	0	0	
29-03-2019	7 PM	0	71	141	44	NA	NA	0	0	

29-03-2019	8 PM	-	-	-	-	-	-	-	-	-
29-03-2019	9 PM	-	-	-	-	-	-	-	-	-
29-03-2019	10 PM	-	-	-	-	-	-	-	-	-
29-03-2019	11 PM	-	-	-	-	-	-	-	-	-
30-03-2019	12 AM	-	-	-	-	-	-	-	-	-
30-03-2019	1 AM	-	-	-	-	-	-	-	-	-
30-03-2019	2 AM	-	-	-	-	-	-	-	-	-
30-03-2019	3 AM	-	-	-	-	-	-	-	-	-
30-03-2019	4 AM	-	-	-	-	-	-	-	-	-
30-03-2019	5 AM	-	-	-	-	-	-	-	-	-
30-03-2019	6 AM	-	-	-	-	-	-	-	-	-
30-03-2019	7 AM	-	-	-	-	-	-	-	-	-
30-03-2019	8 AM	-	-	-	-	-	-	-	-	-
30-03-2019	9 AM	-	-	-	-	-	-	-	-	-
30-03-2019	10 AM	-	-	-	-	-	-	-	-	-
30-03-2019	11 AM	-	-	-	-	-	-	-	-	-
30-03-2019	12 PM	-	-	-	-	-	-	-	-	-
30-03-2019	1 PM	-	-	-	-	-	-	-	-	-
30-03-2019	2 PM	-	-	-	-	-	-	-	-	-
30-03-2019	3 PM	-	-	-	-	-	-	-	-	-
30-03-2019	4 PM	-	-	-	-	-	-	-	-	-
30-03-2019	5 PM	-	-	-	-	-	-	-	-	-
30-03-2019	6 PM	-	-	-	-	-	-	-	-	-
30-03-2019	7 PM	-	-	-	-	-	-	-	-	-
30-03-2019	8 PM	-	-	-	-	-	-	-	-	-
30-03-2019	9 PM	-	-	-	-	-	-	-	-	-
30-03-2019	10 PM	-	-	-	-	-	-	-	-	-
30-03-2019	11 PM	-	-	-	-	-	-	-	-	-
31-03-2019	12 AM	-	-	-	-	-	-	-	-	-

31-03-2019	1 AM	-	-	-	-	-	-	-	-	
31-03-2019	2 AM	-	-	-	-	-	-	-	-	
31-03-2019	3 AM	-	-	-	-	-	-	-	-	
31-03-2019	4 AM	0	13	17	0	NA	NA	0	0	
31-03-2019	5 AM	0	20	39	2	NA	NA	0	0	
31-03-2019	6 AM	0	25	41	1	NA	NA	0	0	
31-03-2019	7 AM	1	75	79	8	NA	NA	0	0	
31-03-2019	8 AM	0	48	57	4	NA	NA	0	0	
31-03-2019	9 AM	0	86	84	10	NA	NA	0	0	
31-03-2019	10 AM	0	155	135	22	NA	NA	0	0	
31-03-2019	11 AM	0	253	188	35	NA	NA	0	0	
31-03-2019	12 PM	0	149	114	21	NA	NA	0	0	
31-03-2019	1 PM	0	259	178	36	NA	NA	0	0	
31-03-2019	2 PM	0	238	156	32	NA	NA	0	0	
31-03-2019	3 PM	0	17	15	1	NA	NA	0	0	
31-03-2019	4 PM	-	-	-	-	-	-	-	-	
31-03-2019	5 PM	-	-	-	-	-	-	-	-	
31-03-2019	6 PM	-	-	-	-	-	-	-	-	
31-03-2019	7 PM	1	21	20	17	NA	NA	0	0	
31-03-2019	8 PM	0	130	88	44	NA	NA	0	0	
31-03-2019	9 PM	0	219	143	43	NA	NA	0	0	
31-03-2019	10 PM	0	216	147	34	NA	NA	0	0	
31-03-2019	11 PM	0	215	138	33	NA	NA	0	0	

Annex G4

Hourly Average of Parameters Measured in CHP 3

Date	Hour	CHP 3 Hourly Average (mg/Nm ³)								Remarks
		Dust	CO	NOx	SO2	NMVOCs	VOC (including methane)	HCL	HF	
01-03-2019	12 AM	-	-	-	-	-	-	-	-	
01-03-2019	1 AM	-	-	-	-	-	-	-	-	
01-03-2019	2 AM	-	-	-	-	-	-	-	-	
01-03-2019	3 AM	-	-	-	-	-	-	-	-	
01-03-2019	4 AM	-	-	-	-	-	-	-	-	
01-03-2019	5 AM	-	-	-	-	-	-	-	-	
01-03-2019	6 AM	-	-	-	-	-	-	-	-	
01-03-2019	7 AM	-	-	-	-	-	-	-	-	
01-03-2019	8 AM	-	-	-	-	-	-	-	-	
01-03-2019	9 AM	-	-	-	-	-	-	-	-	
01-03-2019	10 AM	-	-	-	-	-	-	-	-	
01-03-2019	11 AM	-	-	-	-	-	-	-	-	
01-03-2019	12 PM	-	-	-	-	-	-	-	-	
01-03-2019	1 PM	-	-	-	-	-	-	-	-	
01-03-2019	2 PM	-	-	-	-	-	-	-	-	
01-03-2019	3 PM	-	-	-	-	-	-	-	-	
01-03-2019	4 PM	-	-	-	-	-	-	-	-	
01-03-2019	5 PM	-	-	-	-	-	-	-	-	
01-03-2019	6 PM	-	-	-	-	-	-	-	-	
01-03-2019	7 PM	-	-	-	-	-	-	-	-	
01-03-2019	8 PM	-	-	-	-	-	-	-	-	
01-03-2019	9 PM	-	-	-	-	-	-	-	-	
01-03-2019	10 PM	-	-	-	-	-	-	-	-	
01-03-2019	11 PM	-	-	-	-	-	-	-	-	
02-03-2019	12 AM	-	-	-	-	-	-	-	-	

02-03-2019	1 AM	-	-	-	-	-	-	-	-	-
02-03-2019	2 AM	-	-	-	-	-	-	-	-	-
02-03-2019	3 AM	-	-	-	-	-	-	-	-	-
02-03-2019	4 AM	-	-	-	-	-	-	-	-	-
02-03-2019	5 AM	-	-	-	-	-	-	-	-	-
02-03-2019	6 AM	-	-	-	-	-	-	-	-	-
02-03-2019	7 AM	-	-	-	-	-	-	-	-	-
02-03-2019	8 AM	-	-	-	-	-	-	-	-	-
02-03-2019	9 AM	-	-	-	-	-	-	-	-	-
02-03-2019	10 AM	-	-	-	-	-	-	-	-	-
02-03-2019	11 AM	-	-	-	-	-	-	-	-	-
02-03-2019	12 PM	-	-	-	-	-	-	-	-	-
02-03-2019	1 PM	-	-	-	-	-	-	-	-	-
02-03-2019	2 PM	-	-	-	-	-	-	-	-	-
02-03-2019	3 PM	-	-	-	-	-	-	-	-	-
02-03-2019	4 PM	-	-	-	-	-	-	-	-	-
02-03-2019	5 PM	-	-	-	-	-	-	-	-	-
02-03-2019	6 PM	-	-	-	-	-	-	-	-	-
02-03-2019	7 PM	-	-	-	-	-	-	-	-	-
02-03-2019	8 PM	-	-	-	-	-	-	-	-	-
02-03-2019	9 PM	-	-	-	-	-	-	-	-	-
02-03-2019	10 PM	-	-	-	-	-	-	-	-	-
02-03-2019	11 PM	-	-	-	-	-	-	-	-	-
03-03-2019	12 AM	-	-	-	-	-	-	-	-	-
03-03-2019	1 AM	-	-	-	-	-	-	-	-	-
03-03-2019	2 AM	-	-	-	-	-	-	-	-	-
03-03-2019	3 AM	-	-	-	-	-	-	-	-	-
03-03-2019	4 AM	-	-	-	-	-	-	-	-	-
03-03-2019	5 AM	-	-	-	-	-	-	-	-	-

03-03-2019	6 AM	-	-	-	-	-	-	-	-	-
03-03-2019	7 AM	-	-	-	-	-	-	-	-	-
03-03-2019	8 AM	-	-	-	-	-	-	-	-	-
03-03-2019	9 AM	-	-	-	-	-	-	-	-	-
03-03-2019	10 AM	-	-	-	-	-	-	-	-	-
03-03-2019	11 AM	-	-	-	-	-	-	-	-	-
03-03-2019	12 PM	-	-	-	-	-	-	-	-	-
03-03-2019	1 PM	-	-	-	-	-	-	-	-	-
03-03-2019	2 PM	-	-	-	-	-	-	-	-	-
03-03-2019	3 PM	-	-	-	-	-	-	-	-	-
03-03-2019	4 PM	-	-	-	-	-	-	-	-	-
03-03-2019	5 PM	-	-	-	-	-	-	-	-	-
03-03-2019	6 PM	-	-	-	-	-	-	-	-	-
03-03-2019	7 PM	-	-	-	-	-	-	-	-	-
03-03-2019	8 PM	-	-	-	-	-	-	-	-	-
03-03-2019	9 PM	-	-	-	-	-	-	-	-	-
03-03-2019	10 PM	-	-	-	-	-	-	-	-	-
03-03-2019	11 PM	-	-	-	-	-	-	-	-	-
04-03-2019	12 AM	-	-	-	-	-	-	-	-	-
04-03-2019	1 AM	-	-	-	-	-	-	-	-	-
04-03-2019	2 AM	-	-	-	-	-	-	-	-	-
04-03-2019	3 AM	-	-	-	-	-	-	-	-	-
04-03-2019	4 AM	-	-	-	-	-	-	-	-	-
04-03-2019	5 AM	-	-	-	-	-	-	-	-	-
04-03-2019	6 AM	-	-	-	-	-	-	-	-	-
04-03-2019	7 AM	-	-	-	-	-	-	-	-	-
04-03-2019	8 AM	-	-	-	-	-	-	-	-	-
04-03-2019	9 AM	-	-	-	-	-	-	-	-	-
04-03-2019	10 AM	-	-	-	-	-	-	-	-	-

04-03-2019	11 AM	-	-	-	-	-	-	-	-	-
04-03-2019	12 PM	-	-	-	-	-	-	-	-	-
04-03-2019	1 PM	-	-	-	-	-	-	-	-	-
04-03-2019	2 PM	-	-	-	-	-	-	-	-	-
04-03-2019	3 PM	-	-	-	-	-	-	-	-	-
04-03-2019	4 PM	-	-	-	-	-	-	-	-	-
04-03-2019	5 PM	-	-	-	-	-	-	-	-	-
04-03-2019	6 PM	-	-	-	-	-	-	-	-	-
04-03-2019	7 PM	-	-	-	-	-	-	-	-	-
04-03-2019	8 PM	-	-	-	-	-	-	-	-	-
04-03-2019	9 PM	-	-	-	-	-	-	-	-	-
04-03-2019	10 PM	-	-	-	-	-	-	-	-	-
04-03-2019	11 PM	-	-	-	-	-	-	-	-	-
05-03-2019	12 AM	-	-	-	-	-	-	-	-	-
05-03-2019	1 AM	-	-	-	-	-	-	-	-	-
05-03-2019	2 AM	-	-	-	-	-	-	-	-	-
05-03-2019	3 AM	-	-	-	-	-	-	-	-	-
05-03-2019	4 AM	-	-	-	-	-	-	-	-	-
05-03-2019	5 AM	-	-	-	-	-	-	-	-	-
05-03-2019	6 AM	-	-	-	-	-	-	-	-	-
05-03-2019	7 AM	-	-	-	-	-	-	-	-	-
05-03-2019	8 AM	-	-	-	-	-	-	-	-	-
05-03-2019	9 AM	-	-	-	-	-	-	-	-	-
05-03-2019	10 AM	-	-	-	-	-	-	-	-	-
05-03-2019	11 AM	-	-	-	-	-	-	-	-	-
05-03-2019	12 PM	-	-	-	-	-	-	-	-	-
05-03-2019	1 PM	-	-	-	-	-	-	-	-	-
05-03-2019	2 PM	-	-	-	-	-	-	-	-	-
05-03-2019	3 PM	-	-	-	-	-	-	-	-	-

05-03-2019	4 PM	-	-	-	-	-	-	-	-	-
05-03-2019	5 PM	-	-	-	-	-	-	-	-	-
05-03-2019	6 PM	-	-	-	-	-	-	-	-	-
05-03-2019	7 PM	-	-	-	-	-	-	-	-	-
05-03-2019	8 PM	-	-	-	-	-	-	-	-	-
05-03-2019	9 PM	-	-	-	-	-	-	-	-	-
05-03-2019	10 PM	-	-	-	-	-	-	-	-	-
05-03-2019	11 PM	-	-	-	-	-	-	-	-	-
06-03-2019	12 AM	-	-	-	-	-	-	-	-	-
06-03-2019	1 AM	-	-	-	-	-	-	-	-	-
06-03-2019	2 AM	-	-	-	-	-	-	-	-	-
06-03-2019	3 AM	-	-	-	-	-	-	-	-	-
06-03-2019	4 AM	-	-	-	-	-	-	-	-	-
06-03-2019	5 AM	-	-	-	-	-	-	-	-	-
06-03-2019	6 AM	-	-	-	-	-	-	-	-	-
06-03-2019	7 AM	-	-	-	-	-	-	-	-	-
06-03-2019	8 AM	-	-	-	-	-	-	-	-	-
06-03-2019	9 AM	-	-	-	-	-	-	-	-	-
06-03-2019	10 AM	-	-	-	-	-	-	-	-	-
06-03-2019	11 AM	-	-	-	-	-	-	-	-	-
06-03-2019	12 PM	-	-	-	-	-	-	-	-	-
06-03-2019	1 PM	-	-	-	-	-	-	-	-	-
06-03-2019	2 PM	-	-	-	-	-	-	-	-	-
06-03-2019	3 PM	-	-	-	-	-	-	-	-	-
06-03-2019	4 PM	-	-	-	-	-	-	-	-	-
06-03-2019	5 PM	-	-	-	-	-	-	-	-	-
06-03-2019	6 PM	-	-	-	-	-	-	-	-	-
06-03-2019	7 PM	-	-	-	-	-	-	-	-	-
06-03-2019	8 PM	-	-	-	-	-	-	-	-	-

06-03-2019	9 PM	-	-	-	-	-	-	-	-	-
06-03-2019	10 PM	-	-	-	-	-	-	-	-	-
06-03-2019	11 PM	-	-	-	-	-	-	-	-	-
07-03-2019	12 AM	-	-	-	-	-	-	-	-	-
07-03-2019	1 AM	-	-	-	-	-	-	-	-	-
07-03-2019	2 AM	-	-	-	-	-	-	-	-	-
07-03-2019	3 AM	-	-	-	-	-	-	-	-	-
07-03-2019	4 AM	-	-	-	-	-	-	-	-	-
07-03-2019	5 AM	-	-	-	-	-	-	-	-	-
07-03-2019	6 AM	-	-	-	-	-	-	-	-	-
07-03-2019	7 AM	-	-	-	-	-	-	-	-	-
07-03-2019	8 AM	-	-	-	-	-	-	-	-	-
07-03-2019	9 AM	-	-	-	-	-	-	-	-	-
07-03-2019	10 AM	-	-	-	-	-	-	-	-	-
07-03-2019	11 AM	-	-	-	-	-	-	-	-	-
07-03-2019	12 PM	-	-	-	-	-	-	-	-	-
07-03-2019	1 PM	-	-	-	-	-	-	-	-	-
07-03-2019	2 PM	-	-	-	-	-	-	-	-	-
07-03-2019	3 PM	-	-	-	-	-	-	-	-	-
07-03-2019	4 PM	-	-	-	-	-	-	-	-	-
07-03-2019	5 PM	-	-	-	-	-	-	-	-	-
07-03-2019	6 PM	-	-	-	-	-	-	-	-	-
07-03-2019	7 PM	-	-	-	-	-	-	-	-	-
07-03-2019	8 PM	-	-	-	-	-	-	-	-	-
07-03-2019	9 PM	-	-	-	-	-	-	-	-	-
07-03-2019	10 PM	-	-	-	-	-	-	-	-	-
07-03-2019	11 PM	-	-	-	-	-	-	-	-	-
08-03-2019	12 AM	-	-	-	-	-	-	-	-	-
08-03-2019	1 AM	-	-	-	-	-	-	-	-	-

08-03-2019	2 AM	-	-	-	-	-	-	-	-	-
08-03-2019	3 AM	-	-	-	-	-	-	-	-	-
08-03-2019	4 AM	-	-	-	-	-	-	-	-	-
08-03-2019	5 AM	-	-	-	-	-	-	-	-	-
08-03-2019	6 AM	-	-	-	-	-	-	-	-	-
08-03-2019	7 AM	-	-	-	-	-	-	-	-	-
08-03-2019	8 AM	-	-	-	-	-	-	-	-	-
08-03-2019	9 AM	-	-	-	-	-	-	-	-	-
08-03-2019	10 AM	-	-	-	-	-	-	-	-	-
08-03-2019	11 AM	-	-	-	-	-	-	-	-	-
08-03-2019	12 PM	-	-	-	-	-	-	-	-	-
08-03-2019	1 PM	-	-	-	-	-	-	-	-	-
08-03-2019	2 PM	-	-	-	-	-	-	-	-	-
08-03-2019	3 PM	-	-	-	-	-	-	-	-	-
08-03-2019	4 PM	-	-	-	-	-	-	-	-	-
08-03-2019	5 PM	-	-	-	-	-	-	-	-	-
08-03-2019	6 PM	-	-	-	-	-	-	-	-	-
08-03-2019	7 PM	-	-	-	-	-	-	-	-	-
08-03-2019	8 PM	-	-	-	-	-	-	-	-	-
08-03-2019	9 PM	-	-	-	-	-	-	-	-	-
08-03-2019	10 PM	-	-	-	-	-	-	-	-	-
08-03-2019	11 PM	-	-	-	-	-	-	-	-	-
09-03-2019	12 AM	-	-	-	-	-	-	-	-	-
09-03-2019	1 AM	-	-	-	-	-	-	-	-	-
09-03-2019	2 AM	-	-	-	-	-	-	-	-	-
09-03-2019	3 AM	1	121	447	19	NA	NA	0	1	-
09-03-2019	4 AM	-	-	-	-	-	-	-	-	-
09-03-2019	5 AM	-	-	-	-	-	-	-	-	-
09-03-2019	6 AM	-	-	-	-	-	-	-	-	-

09-03-2019	7 AM	-	-	-	-	-	-	-	-	
09-03-2019	8 AM	-	-	-	-	-	-	-	-	
09-03-2019	9 AM	-	-	-	-	-	-	-	-	
09-03-2019	10 AM	-	-	-	-	-	-	-	-	
09-03-2019	11 AM	-	-	-	-	-	-	-	-	
09-03-2019	12 PM	-	-	-	-	-	-	-	-	
09-03-2019	1 PM	-	-	-	-	-	-	-	-	
09-03-2019	2 PM	-	-	-	-	-	-	-	-	
09-03-2019	3 PM	-	-	-	-	-	-	-	-	
09-03-2019	4 PM	-	-	-	-	-	-	-	-	
09-03-2019	5 PM	-	-	-	-	-	-	-	-	
09-03-2019	6 PM	-	-	-	-	-	-	-	-	
09-03-2019	7 PM	-	-	-	-	-	-	-	-	
09-03-2019	8 PM	-	-	-	-	-	-	-	-	
09-03-2019	9 PM	-	-	-	-	-	-	-	-	
09-03-2019	10 PM	-	-	-	-	-	-	-	-	
09-03-2019	11 PM	1	219	320	35	NA	NA	0	1	
10-03-2019	12 AM	3	163	246	25	NA	NA	0	0	
10-03-2019	1 AM	3	206	208	20	NA	NA	0	0	
10-03-2019	2 AM	3	233	215	17	NA	NA	0	0	
10-03-2019	3 AM	2	215	206	18	NA	NA	0	0	
10-03-2019	4 AM	2	209	205	19	NA	NA	0	0	
10-03-2019	5 AM	2	209	202	19	NA	NA	0	0	
10-03-2019	6 AM	2	227	203	19	NA	NA	0	0	
10-03-2019	7 AM	2	243	206	18	NA	NA	0	0	
10-03-2019	8 AM	2	234	204	19	NA	NA	0	0	
10-03-2019	9 AM	2	215	198	30	NA	NA	0	0	
10-03-2019	10 AM	2	224	195	85	NA	NA	0	0	
10-03-2019	11 AM	2	249	198	83	NA	NA	0	0	

10-03-2019	12 PM	2	232	198	38	NA	NA	0	0	
10-03-2019	1 PM	3	283	216	25	NA	NA	0	0	
10-03-2019	2 PM	3	278	185	20	NA	NA	0	0.5	
10-03-2019	3 PM	1	191	145	18	NA	NA	0	0	
10-03-2019	4 PM	1	191	145	18	NA	NA	0	0	
10-03-2019	5 PM	1	187	162	17	NA	NA	0	0	
10-03-2019	6 PM	1	187	206	16	NA	NA	0	0	
10-03-2019	7 PM	-	-	-	-	-	-	-	-	
10-03-2019	8 PM	-	-	-	-	-	-	-	-	
10-03-2019	9 PM	-	-	-	-	-	-	-	-	
10-03-2019	10 PM	-	-	-	-	-	-	-	-	
10-03-2019	11 PM	-	-	-	-	-	-	-	-	
11-03-2019	12 AM	-	-	-	-	-	-	-	-	
11-03-2019	1 AM	-	-	-	-	-	-	-	-	
11-03-2019	2 AM	-	-	-	-	-	-	-	-	
11-03-2019	3 AM	-	-	-	-	-	-	-	-	
11-03-2019	4 AM	-	-	-	-	-	-	-	-	
11-03-2019	5 AM	-	-	-	-	-	-	-	-	
11-03-2019	6 AM	-	-	-	-	-	-	-	-	
11-03-2019	7 AM	-	-	-	-	-	-	-	-	
11-03-2019	8 AM	-	-	-	-	-	-	-	-	
11-03-2019	9 AM	-	-	-	-	-	-	-	-	
11-03-2019	10 AM	-	-	-	-	-	-	-	-	
11-03-2019	11 AM	-	-	-	-	-	-	-	-	
11-03-2019	12 PM	-	-	-	-	-	-	-	-	
11-03-2019	1 PM	-	-	-	-	-	-	-	-	
11-03-2019	2 PM	-	-	-	-	-	-	-	-	
11-03-2019	3 PM	-	-	-	-	-	-	-	-	
11-03-2019	4 PM	-	-	-	-	-	-	-	-	

11-03-2019	5 PM	-	-	-	-	-	-	-	-	
11-03-2019	6 PM	-	-	-	-	-	-	-	-	
11-03-2019	7 PM	-	-	-	-	-	-	-	-	
11-03-2019	8 PM	-	-	-	-	-	-	-	-	
11-03-2019	9 PM	-	-	-	-	-	-	-	-	
11-03-2019	10 PM	-	-	-	-	-	-	-	-	
11-03-2019	11 PM	-	-	-	-	-	-	-	-	
12-03-2019	12 AM	-	-	-	-	-	-	-	-	
12-03-2019	1 AM	-	-	-	-	-	-	-	-	
12-03-2019	2 AM	-	-	-	-	-	-	-	-	
12-03-2019	3 AM	-	-	-	-	-	-	-	-	
12-03-2019	4 AM	-	-	-	-	-	-	-	-	
12-03-2019	5 AM	-	-	-	-	-	-	-	-	
12-03-2019	6 AM	1	168	586	17	NA	NA	0	1	
12-03-2019	7 AM	-	-	-	-	-	-	-	-	
12-03-2019	8 AM	-	-	-	-	-	-	-	-	
12-03-2019	9 AM	-	-	-	-	-	-	-	-	
12-03-2019	10 AM	-	-	-	-	-	-	-	-	
12-03-2019	11 AM	-	-	-	-	-	-	-	-	
12-03-2019	12 PM	-	-	-	-	-	-	-	-	
12-03-2019	1 PM	-	-	-	-	-	-	-	-	
12-03-2019	2 PM	-	-	-	-	-	-	-	-	
12-03-2019	3 PM	-	-	-	-	-	-	-	-	
12-03-2019	4 PM	-	-	-	-	-	-	-	-	
12-03-2019	5 PM	-	-	-	-	-	-	-	-	
12-03-2019	6 PM	-	-	-	-	-	-	-	-	
12-03-2019	7 PM	-	-	-	-	-	-	-	-	
12-03-2019	8 PM	-	-	-	-	-	-	-	-	
12-03-2019	9 PM	-	-	-	-	-	-	-	-	

12-03-2019	10 PM	0	39	441	1	NA	NA	0	0	
12-03-2019	11 PM	0	43	27	0	NA	NA	0	0	
13-03-2019	12 AM	-	-	-	-	-	-	-	-	
13-03-2019	1 AM	-	-	-	-	-	-	-	-	
13-03-2019	2 AM	-	-	-	-	-	-	-	-	
13-03-2019	3 AM	-	-	-	-	-	-	-	-	
13-03-2019	4 AM	-	-	-	-	-	-	-	-	
13-03-2019	5 AM	-	-	-	-	-	-	-	-	
13-03-2019	6 AM	-	-	-	-	-	-	-	-	
13-03-2019	7 AM	-	-	-	-	-	-	-	-	
13-03-2019	8 AM	-	-	-	-	-	-	-	-	
13-03-2019	9 AM	-	-	-	-	-	-	-	-	
13-03-2019	10 AM	-	-	-	-	-	-	-	-	
13-03-2019	11 AM	-	-	-	-	-	-	-	-	
13-03-2019	12 PM	-	-	-	-	-	-	-	-	
13-03-2019	1 PM	-	-	-	-	-	-	-	-	
13-03-2019	2 PM	-	-	-	-	-	-	-	-	
13-03-2019	3 PM	-	-	-	-	-	-	-	-	
13-03-2019	4 PM	2	181	323	15	NA	NA	0	0.5	
13-03-2019	5 PM	2	191	213	15	NA	NA	0	0	
13-03-2019	6 PM	2	195	209	15	NA	NA	0	0	
13-03-2019	7 PM	1	194	204	14	NA	NA	0	0	
13-03-2019	8 PM	1	189	205	15	NA	NA	0	0	
13-03-2019	9 PM	1	186	202	53	NA	NA	0	0	
13-03-2019	10 PM	2	201	203	68	NA	NA	0	0	
13-03-2019	11 PM	1	189	200	27	NA	NA	0	0	
14-03-2019	12 AM	1	181	893	18	NA	NA	0	0.5	
14-03-2019	1 AM	1	184	202	16	NA	NA	0	0	
14-03-2019	2 AM	1	189	206	15	NA	NA	0	0	

14-03-2019	3 AM	1	192	205	15	NA	NA	0	0	
14-03-2019	4 AM	1	189	201	15	NA	NA	0	0	
14-03-2019	5 AM	-	-	-	-	-	-	-	-	
14-03-2019	6 AM	-	-	-	-	-	-	-	-	
14-03-2019	7 AM	-	-	-	-	-	-	-	-	
14-03-2019	8 AM	0	61	201	4	NA	NA	0	0	
14-03-2019	9 AM	-	-	-	-	-	-	-	-	
14-03-2019	10 AM	1	111	56	12	NA	NA	0	0	
14-03-2019	11 AM	2	278	144	21	NA	NA	0	0	
14-03-2019	12 PM	2	266	134	16	NA	NA	0	0	
14-03-2019	1 PM	2	267	136	14	NA	NA	0	0	
14-03-2019	2 PM	2	285	143	15	NA	NA	0	0	
14-03-2019	3 PM	2	297	141	15	NA	NA	0	0	
14-03-2019	4 PM	2	294	138	16	NA	NA	0	0	
14-03-2019	5 PM	2	294	137	16	NA	NA	0	0	
14-03-2019	6 PM	2	291	133	16	NA	NA	0	0	
14-03-2019	7 PM	2	272	123	36	NA	NA	0	0	
14-03-2019	8 PM	2	286	125	111	NA	NA	0	0	
14-03-2019	9 PM	1	76	33	34	NA	NA	0	0	
14-03-2019	10 PM	-	-	-	-	-	-	-	-	
14-03-2019	11 PM	-	-	-	-	-	-	-	-	
15-03-2019	12 AM	-	-	-	-	-	-	-	-	
15-03-2019	1 AM	-	-	-	-	-	-	-	-	
15-03-2019	2 AM	1	109	935	5	NA	NA	0	1	
15-03-2019	3 AM	1	193	120	13	NA	NA	0	0.5	
15-03-2019	4 AM	2	272	121	15	NA	NA	0	0	
15-03-2019	5 AM	2	280	125	15	NA	NA	0	0	
15-03-2019	6 AM	2	266	118	15	NA	NA	0	0	
15-03-2019	7 AM	2	276	123	15	NA	NA	0	0	

15-03-2019	8 AM	2	272	124	15	NA	NA	0	0	
15-03-2019	9 AM	2	226	130	17	NA	NA	0	0.5	
15-03-2019	10 AM	1	191	122	24	NA	NA	0	0	
15-03-2019	11 AM	1	194	124	19	NA	NA	0	0	
15-03-2019	12 PM	1	189	120	15	NA	NA	0	0	
15-03-2019	1 PM	1	189	121	14	NA	NA	0	0	
15-03-2019	2 PM	1	194	126	13	NA	NA	0	0	
15-03-2019	3 PM	1	197	132	14	NA	NA	0	0	
15-03-2019	4 PM	2	198	135	14	NA	NA	0	0	
15-03-2019	5 PM	1	194	135	37	NA	NA	0	0	
15-03-2019	6 PM	2	193	125	83	NA	NA	0	0	
15-03-2019	7 PM	-	-	-	-	-	-	-	-	
15-03-2019	8 PM	-	-	-	-	-	-	-	-	
15-03-2019	9 PM	-	-	-	-	-	-	-	-	
15-03-2019	10 PM	-	-	-	-	-	-	-	-	
15-03-2019	11 PM	-	-	-	-	-	-	-	-	
16-03-2019	12 AM	-	-	-	-	-	-	-	-	
16-03-2019	1 AM	-	-	-	-	-	-	-	-	
16-03-2019	2 AM	-	-	-	-	-	-	-	-	
16-03-2019	3 AM	-	-	-	-	-	-	-	-	
16-03-2019	4 AM	-	-	-	-	-	-	-	-	
16-03-2019	5 AM	-	-	-	-	-	-	-	-	
16-03-2019	6 AM	-	-	-	-	-	-	-	-	
16-03-2019	7 AM	-	-	-	-	-	-	-	-	
16-03-2019	8 AM	-	-	-	-	-	-	-	-	
16-03-2019	9 AM	-	-	-	-	-	-	-	-	
16-03-2019	10 AM	-	-	-	-	-	-	-	-	
16-03-2019	11 AM	-	-	-	-	-	-	-	-	
16-03-2019	12 PM	-	-	-	-	-	-	-	-	

16-03-2019	1 PM	-	-	-	-	-	-	-	-	
16-03-2019	2 PM	-	-	-	-	-	-	-	-	
16-03-2019	3 PM	-	-	-	-	-	-	-	-	
16-03-2019	4 PM	1	71	230	16	NA	NA	0	0	
16-03-2019	5 PM	-	-	-	-	-	-	-	-	
16-03-2019	6 PM	-	-	-	-	-	-	-	-	
16-03-2019	7 PM	-	-	-	-	-	-	-	-	
16-03-2019	8 PM	-	-	-	-	-	-	-	-	
16-03-2019	9 PM	-	-	-	-	-	-	-	-	
16-03-2019	10 PM	-	-	-	-	-	-	-	-	
16-03-2019	11 PM	-	-	-	-	-	-	-	-	
17-03-2019	12 AM	-	-	-	-	-	-	-	-	
17-03-2019	1 AM	-	-	-	-	-	-	-	-	
17-03-2019	2 AM	-	-	-	-	-	-	-	-	
17-03-2019	3 AM	-	-	-	-	-	-	-	-	
17-03-2019	4 AM	-	-	-	-	-	-	-	-	
17-03-2019	5 AM	-	-	-	-	-	-	-	-	
17-03-2019	6 AM	-	-	-	-	-	-	-	-	
17-03-2019	7 AM	-	-	-	-	-	-	-	-	
17-03-2019	8 AM	-	-	-	-	-	-	-	-	
17-03-2019	9 AM	-	-	-	-	-	-	-	-	
17-03-2019	10 AM	-	-	-	-	-	-	-	-	
17-03-2019	11 AM	0	34	200	0	NA	NA	0	0	
17-03-2019	12 PM	-	-	-	-	-	-	-	-	
17-03-2019	1 PM	0	67	242	15	NA	NA	0	0	
17-03-2019	2 PM	0	68	51	3	NA	NA	0	0	
17-03-2019	3 PM	0	54	46	0	NA	NA	0	0	
17-03-2019	4 PM	0	55	45	0	NA	NA	0	0	
17-03-2019	5 PM	0	65	60	0	NA	NA	0	0	

17-03-2019	6 PM	0	52	46	0	NA	NA	0	0	
17-03-2019	7 PM	0	54	45	0	NA	NA	0	0	
17-03-2019	8 PM	0	64	58	0	NA	NA	0	0	
17-03-2019	9 PM	0	51	43	0	NA	NA	0	0	
17-03-2019	10 PM	0	25	19	0	NA	NA	0	0	
17-03-2019	11 PM	0	25	86	16	NA	NA	0	0	
18-03-2019	12 AM	-	-	-	-	-	-	-	-	
18-03-2019	1 AM	-	-	-	-	-	-	-	-	
18-03-2019	2 AM	0	34	86	1	NA	NA	0	0	
18-03-2019	3 AM	1	70	67	6	NA	NA	0	0	
18-03-2019	4 AM	-	-	-	-	-	-	-	-	
18-03-2019	5 AM	-	-	-	-	-	-	-	-	
18-03-2019	6 AM	-	-	-	-	-	-	-	-	
18-03-2019	7 AM	-	-	-	-	-	-	-	-	
18-03-2019	8 AM	0	74	128	5	NA	NA	0	0	
18-03-2019	9 AM	-	-	-	-	-	-	-	-	
18-03-2019	10 AM	0	75	226	3	NA	NA	0	0	
18-03-2019	11 AM	-	-	-	-	-	-	-	-	
18-03-2019	12 PM	-	-	-	-	-	-	-	-	
18-03-2019	1 PM	-	-	-	-	-	-	-	-	
18-03-2019	2 PM	0	33	444	10	NA	NA	0	0	
18-03-2019	3 PM	0	26	16	4	NA	NA	0	0	
18-03-2019	4 PM	0	0	0	0	NA	NA	0	0	
18-03-2019	5 PM	0	34	91	0	NA	NA	0	0	
18-03-2019	6 PM	-	-	-	-	-	-	-	-	
18-03-2019	7 PM	-	-	-	-	-	-	-	-	
18-03-2019	8 PM	-	-	-	-	-	-	-	-	
18-03-2019	9 PM	-	-	-	-	-	-	-	-	
18-03-2019	10 PM	0	29	142	1	NA	NA	0	0	

18-03-2019	11 PM	-	-	-	-	-	-	-	-	-
19-03-2019	12 AM	-	-	-	-	-	-	-	-	-
19-03-2019	1 AM	-	-	-	-	-	-	-	-	-
19-03-2019	2 AM	-	-	-	-	-	-	-	-	-
19-03-2019	3 AM	-	-	-	-	-	-	-	-	-
19-03-2019	4 AM	-	-	-	-	-	-	-	-	-
19-03-2019	5 AM	-	-	-	-	-	-	-	-	-
19-03-2019	6 AM	-	-	-	-	-	-	-	-	-
19-03-2019	7 AM	-	-	-	-	-	-	-	-	-
19-03-2019	8 AM	-	-	-	-	-	-	-	-	-
19-03-2019	9 AM	-	-	-	-	-	-	-	-	-
19-03-2019	10 AM	-	-	-	-	-	-	-	-	-
19-03-2019	11 AM	-	-	-	-	-	-	-	-	-
19-03-2019	12 PM	-	-	-	-	-	-	-	-	-
19-03-2019	1 PM	-	-	-	-	-	-	-	-	-
19-03-2019	2 PM	-	-	-	-	-	-	-	-	-
19-03-2019	3 PM	-	-	-	-	-	-	-	-	-
19-03-2019	4 PM	-	-	-	-	-	-	-	-	-
19-03-2019	5 PM	-	-	-	-	-	-	-	-	-
19-03-2019	6 PM	-	-	-	-	-	-	-	-	-
19-03-2019	7 PM	-	-	-	-	-	-	-	-	-
19-03-2019	8 PM	-	-	-	-	-	-	-	-	-
19-03-2019	9 PM	-	-	-	-	-	-	-	-	-
19-03-2019	10 PM	-	-	-	-	-	-	-	-	-
19-03-2019	11 PM	-	-	-	-	-	-	-	-	-
20-03-2019	12 AM	-	-	-	-	-	-	-	-	-
20-03-2019	1 AM	-	-	-	-	-	-	-	-	-
20-03-2019	2 AM	-	-	-	-	-	-	-	-	-
20-03-2019	3 AM	-	-	-	-	-	-	-	-	-

20-03-2019	4 AM	-	-	-	-	-	-	-	-	
20-03-2019	5 AM	-	-	-	-	-	-	-	-	
20-03-2019	6 AM	-	-	-	-	-	-	-	-	
20-03-2019	7 AM	-	-	-	-	-	-	-	-	
20-03-2019	8 AM	-	-	-	-	-	-	-	-	
20-03-2019	9 AM	-	-	-	-	-	-	-	-	
20-03-2019	10 AM	1	233	495	89	NA	NA	0	1	
20-03-2019	11 AM	1	171	235	33	NA	NA	0	0	
20-03-2019	12 PM	-	-	-	-	-	-	-	-	
20-03-2019	1 PM	-	-	-	-	-	-	-	-	
20-03-2019	2 PM	-	-	-	-	-	-	-	-	
20-03-2019	3 PM	-	-	-	-	-	-	-	-	
20-03-2019	4 PM	-	-	-	-	-	-	-	-	
20-03-2019	5 PM	-	-	-	-	-	-	-	-	
20-03-2019	6 PM	-	-	-	-	-	-	-	-	
20-03-2019	7 PM	-	-	-	-	-	-	-	-	
20-03-2019	8 PM	-	-	-	-	-	-	-	-	
20-03-2019	9 PM	-	-	-	-	-	-	-	-	
20-03-2019	10 PM	-	-	-	-	-	-	-	-	
20-03-2019	11 PM	-	-	-	-	-	-	-	-	
21-03-2019	12 AM	-	-	-	-	-	-	-	-	
21-03-2019	1 AM	-	-	-	-	-	-	-	-	
21-03-2019	2 AM	-	-	-	-	-	-	-	-	
21-03-2019	3 AM	-	-	-	-	-	-	-	-	
21-03-2019	4 AM	-	-	-	-	-	-	-	-	
21-03-2019	5 AM	-	-	-	-	-	-	-	-	
21-03-2019	6 AM	-	-	-	-	-	-	-	-	
21-03-2019	7 AM	-	-	-	-	-	-	-	-	
21-03-2019	8 AM	-	-	-	-	-	-	-	-	

21-03-2019	9 AM	-	-	-	-	-	-	-	-	-
21-03-2019	10 AM	-	-	-	-	-	-	-	-	-
21-03-2019	11 AM	-	-	-	-	-	-	-	-	-
21-03-2019	12 PM	-	-	-	-	-	-	-	-	-
21-03-2019	1 PM	-	-	-	-	-	-	-	-	-
21-03-2019	2 PM	-	-	-	-	-	-	-	-	-
21-03-2019	3 PM	-	-	-	-	-	-	-	-	-
21-03-2019	4 PM	-	-	-	-	-	-	-	-	-
21-03-2019	5 PM	-	-	-	-	-	-	-	-	-
21-03-2019	6 PM	-	-	-	-	-	-	-	-	-
21-03-2019	7 PM	-	-	-	-	-	-	-	-	-
21-03-2019	8 PM	-	-	-	-	-	-	-	-	-
21-03-2019	9 PM	-	-	-	-	-	-	-	-	-
21-03-2019	10 PM	-	-	-	-	-	-	-	-	-
21-03-2019	11 PM	-	-	-	-	-	-	-	-	-
22-03-2019	12 AM	-	-	-	-	-	-	-	-	-
22-03-2019	1 AM	-	-	-	-	-	-	-	-	-
22-03-2019	2 AM	-	-	-	-	-	-	-	-	-
22-03-2019	3 AM	-	-	-	-	-	-	-	-	-
22-03-2019	4 AM	-	-	-	-	-	-	-	-	-
22-03-2019	5 AM	-	-	-	-	-	-	-	-	-
22-03-2019	6 AM	-	-	-	-	-	-	-	-	-
22-03-2019	7 AM	-	-	-	-	-	-	-	-	-
22-03-2019	8 AM	-	-	-	-	-	-	-	-	-
22-03-2019	9 AM	-	-	-	-	-	-	-	-	-
22-03-2019	10 AM	-	-	-	-	-	-	-	-	-
22-03-2019	11 AM	-	-	-	-	-	-	-	-	-
22-03-2019	12 PM	-	-	-	-	-	-	-	-	-
22-03-2019	1 PM	-	-	-	-	-	-	-	-	-

22-03-2019	2 PM	-	-	-	-	-	-	-	-	-
22-03-2019	3 PM	0	0	0	0	NA	NA	0	0	
22-03-2019	4 PM	-	-	-	-	-	-	-	-	
22-03-2019	5 PM	-	-	-	-	-	-	-	-	
22-03-2019	6 PM	-	-	-	-	-	-	-	-	
22-03-2019	7 PM	1	82	535	36	NA	NA	0	1	
22-03-2019	8 PM	1	72	70	25	NA	NA	0	0.5	
22-03-2019	9 PM	-	-	-	-	-	-	-	-	
22-03-2019	10 PM	-	-	-	-	-	-	-	-	
22-03-2019	11 PM	-	-	-	-	-	-	-	-	
23-03-2019	12 AM	-	-	-	-	-	-	-	-	
23-03-2019	1 AM	-	-	-	-	-	-	-	-	
23-03-2019	2 AM	-	-	-	-	-	-	-	-	
23-03-2019	3 AM	-	-	-	-	-	-	-	-	
23-03-2019	4 AM	-	-	-	-	-	-	-	-	
23-03-2019	5 AM	-	-	-	-	-	-	-	-	
23-03-2019	6 AM	-	-	-	-	-	-	-	-	
23-03-2019	7 AM	-	-	-	-	-	-	-	-	
23-03-2019	8 AM	-	-	-	-	-	-	-	-	
23-03-2019	9 AM	-	-	-	-	-	-	-	-	
23-03-2019	10 AM	-	-	-	-	-	-	-	-	
23-03-2019	11 AM	-	-	-	-	-	-	-	-	
23-03-2019	12 PM	-	-	-	-	-	-	-	-	
23-03-2019	1 PM	-	-	-	-	-	-	-	-	
23-03-2019	2 PM	-	-	-	-	-	-	-	-	
23-03-2019	3 PM	-	-	-	-	-	-	-	-	
23-03-2019	4 PM	-	-	-	-	-	-	-	-	
23-03-2019	5 PM	-	-	-	-	-	-	-	-	
23-03-2019	6 PM	-	-	-	-	-	-	-	-	

23-03-2019	7 PM	-	-	-	-	-	-	-	-	-
23-03-2019	8 PM	-	-	-	-	-	-	-	-	-
23-03-2019	9 PM	-	-	-	-	-	-	-	-	-
23-03-2019	10 PM	-	-	-	-	-	-	-	-	-
23-03-2019	11 PM	-	-	-	-	-	-	-	-	-
24-03-2019	12 AM	-	-	-	-	-	-	-	-	-
24-03-2019	1 AM	-	-	-	-	-	-	-	-	-
24-03-2019	2 AM	-	-	-	-	-	-	-	-	-
24-03-2019	3 AM	-	-	-	-	-	-	-	-	-
24-03-2019	4 AM	-	-	-	-	-	-	-	-	-
24-03-2019	5 AM	-	-	-	-	-	-	-	-	-
24-03-2019	6 AM	-	-	-	-	-	-	-	-	-
24-03-2019	7 AM	-	-	-	-	-	-	-	-	-
24-03-2019	8 AM	-	-	-	-	-	-	-	-	-
24-03-2019	9 AM	-	-	-	-	-	-	-	-	-
24-03-2019	10 AM	-	-	-	-	-	-	-	-	-
24-03-2019	11 AM	-	-	-	-	-	-	-	-	-
24-03-2019	12 PM	-	-	-	-	-	-	-	-	-
24-03-2019	1 PM	-	-	-	-	-	-	-	-	-
24-03-2019	2 PM	-	-	-	-	-	-	-	-	-
24-03-2019	3 PM	-	-	-	-	-	-	-	-	-
24-03-2019	4 PM	-	-	-	-	-	-	-	-	-
24-03-2019	5 PM	-	-	-	-	-	-	-	-	-
24-03-2019	6 PM	-	-	-	-	-	-	-	-	-
24-03-2019	7 PM	-	-	-	-	-	-	-	-	-
24-03-2019	8 PM	-	-	-	-	-	-	-	-	-
24-03-2019	9 PM	-	-	-	-	-	-	-	-	-
24-03-2019	10 PM	-	-	-	-	-	-	-	-	-
24-03-2019	11 PM	-	-	-	-	-	-	-	-	-

25-03-2019	12 AM	-	-	-	-	-	-	-	-	-
25-03-2019	1 AM	-	-	-	-	-	-	-	-	-
25-03-2019	2 AM	-	-	-	-	-	-	-	-	-
25-03-2019	3 AM	-	-	-	-	-	-	-	-	-
25-03-2019	4 AM	-	-	-	-	-	-	-	-	-
25-03-2019	5 AM	-	-	-	-	-	-	-	-	-
25-03-2019	6 AM	-	-	-	-	-	-	-	-	-
25-03-2019	7 AM	-	-	-	-	-	-	-	-	-
25-03-2019	8 AM	-	-	-	-	-	-	-	-	-
25-03-2019	9 AM	-	-	-	-	-	-	-	-	-
25-03-2019	10 AM	-	-	-	-	-	-	-	-	-
25-03-2019	11 AM	-	-	-	-	-	-	-	-	-
25-03-2019	12 PM	-	-	-	-	-	-	-	-	-
25-03-2019	1 PM	-	-	-	-	-	-	-	-	-
25-03-2019	2 PM	-	-	-	-	-	-	-	-	-
25-03-2019	3 PM	-	-	-	-	-	-	-	-	-
25-03-2019	4 PM	-	-	-	-	-	-	-	-	-
25-03-2019	5 PM	-	-	-	-	-	-	-	-	-
25-03-2019	6 PM	-	-	-	-	-	-	-	-	-
25-03-2019	7 PM	-	-	-	-	-	-	-	-	-
25-03-2019	8 PM	-	-	-	-	-	-	-	-	-
25-03-2019	9 PM	-	-	-	-	-	-	-	-	-
25-03-2019	10 PM	-	-	-	-	-	-	-	-	-
25-03-2019	11 PM	-	-	-	-	-	-	-	-	-
26-03-2019	12 AM	-	-	-	-	-	-	-	-	-
26-03-2019	1 AM	-	-	-	-	-	-	-	-	-
26-03-2019	2 AM	-	-	-	-	-	-	-	-	-
26-03-2019	3 AM	-	-	-	-	-	-	-	-	-
26-03-2019	4 AM	-	-	-	-	-	-	-	-	-

26-03-2019	5 AM	-	-	-	-	-	-	-	-	
26-03-2019	6 AM	-	-	-	-	-	-	-	-	
26-03-2019	7 AM	-	-	-	-	-	-	-	-	
26-03-2019	8 AM	-	-	-	-	-	-	-	-	
26-03-2019	9 AM	-	-	-	-	-	-	-	-	
26-03-2019	10 AM	-	-	-	-	-	-	-	-	
26-03-2019	11 AM	-	-	-	-	-	-	-	-	
26-03-2019	12 PM	-	-	-	-	-	-	-	-	
26-03-2019	1 PM	-	-	-	-	-	-	-	-	
26-03-2019	2 PM	-	-	-	-	-	-	-	-	
26-03-2019	3 PM	-	-	-	-	-	-	-	-	
26-03-2019	4 PM	-	-	-	-	-	-	-	-	
26-03-2019	5 PM	-	-	-	-	-	-	-	-	
26-03-2019	6 PM	-	-	-	-	-	-	-	-	
26-03-2019	7 PM	-	-	-	-	-	-	-	-	
26-03-2019	8 PM	-	-	-	-	-	-	-	-	
26-03-2019	9 PM	-	-	-	-	-	-	-	-	
26-03-2019	10 PM	-	-	-	-	-	-	-	-	
26-03-2019	11 PM	-	-	-	-	-	-	-	-	
27-03-2019	12 AM	1	151	229	20	NA	NA	0	0.5	
27-03-2019	1 AM	2	165	196	45	NA	NA	0	0.5	
27-03-2019	2 AM	2	154	203	28	NA	NA	0	0	
27-03-2019	3 AM	2	211	243	28	NA	NA	0	0	
27-03-2019	4 AM	1	161	228	28	NA	NA	0	0	
27-03-2019	5 AM	1	152	224	25	NA	NA	0	0	
27-03-2019	6 AM	1	151	227	23	NA	NA	0	0	
27-03-2019	7 AM	1	146	225	23	NA	NA	0	0	
27-03-2019	8 AM	1	150	229	23	NA	NA	0	0	
27-03-2019	9 AM	1	152	230	22	NA	NA	0	0	

27-03-2019	10 AM	1	158	233	24	NA	NA	0	0	
27-03-2019	11 AM	1	162	228	25	NA	NA	0	0	
27-03-2019	12 PM	1	168	229	28	NA	NA	0	0	
27-03-2019	1 PM	1	167	222	28	NA	NA	0	0	
27-03-2019	2 PM	1	181	223	61	NA	NA	0	0	
27-03-2019	3 PM	1	187	221	51	NA	NA	0	0	
27-03-2019	4 PM	1	169	206	34	NA	NA	0	0	
27-03-2019	5 PM	1	165	194	32	NA	NA	0	0	
27-03-2019	6 PM	2	201	210	33	NA	NA	0	0	
27-03-2019	7 PM	2	210	220	33	NA	NA	0	0	
27-03-2019	8 PM	2	215	231	29	NA	NA	0	0	
27-03-2019	9 PM	2	229	241	30	NA	NA	0	0	
27-03-2019	10 PM	1	160	221	28	NA	NA	0	0	
27-03-2019	11 PM	1	144	208	28	NA	NA	0	0	
28-03-2019	12 AM	-	-	-	-	-	-	-	-	
28-03-2019	1 AM	-	-	-	-	-	-	-	-	
28-03-2019	2 AM	-	-	-	-	-	-	-	-	
28-03-2019	3 AM	-	-	-	-	-	-	-	-	
28-03-2019	4 AM	-	-	-	-	-	-	-	-	
28-03-2019	5 AM	-	-	-	-	-	-	-	-	
28-03-2019	6 AM	-	-	-	-	-	-	-	-	
28-03-2019	7 AM	-	-	-	-	-	-	-	-	
28-03-2019	8 AM	-	-	-	-	-	-	-	-	
28-03-2019	9 AM	-	-	-	-	-	-	-	-	
28-03-2019	10 AM	-	-	-	-	-	-	-	-	
28-03-2019	11 AM	-	-	-	-	-	-	-	-	
28-03-2019	12 PM	1	143	292	28	NA	NA	0	0.5	
28-03-2019	1 PM	1	151	188	26	NA	NA	0	0	
28-03-2019	2 PM	-	-	-	-	-	-	-	-	

28-03-2019	3 PM	-	-	-	-	-	-	-	-	
28-03-2019	4 PM	-	-	-	-	-	-	-	-	
28-03-2019	5 PM	-	-	-	-	-	-	-	-	
28-03-2019	6 PM	-	-	-	-	-	-	-	-	
28-03-2019	7 PM	-	-	-	-	-	-	-	-	
28-03-2019	8 PM	-	-	-	-	-	-	-	-	
28-03-2019	9 PM	-	-	-	-	-	-	-	-	
28-03-2019	10 PM	-	-	-	-	-	-	-	-	
28-03-2019	11 PM	-	-	-	-	-	-	-	-	
29-03-2019	12 AM	-	-	-	-	-	-	-	-	
29-03-2019	1 AM	-	-	-	-	-	-	-	-	
29-03-2019	2 AM	-	-	-	-	-	-	-	-	
29-03-2019	3 AM	-	-	-	-	-	-	-	-	
29-03-2019	4 AM	-	-	-	-	-	-	-	-	
29-03-2019	5 AM	-	-	-	-	-	-	-	-	
29-03-2019	6 AM	-	-	-	-	-	-	-	-	
29-03-2019	7 AM	-	-	-	-	-	-	-	-	
29-03-2019	8 AM	-	-	-	-	-	-	-	-	
29-03-2019	9 AM	-	-	-	-	-	-	-	-	
29-03-2019	10 AM	2	271	324	79	NA	NA	0	0.5	
29-03-2019	11 AM	2	258	251	62	NA	NA	0	0	
29-03-2019	12 PM	2	308	272	39	NA	NA	0	0	
29-03-2019	1 PM	2	255	252	30	NA	NA	0	0	
29-03-2019	2 PM	2	321	276	30	NA	NA	0	0	
29-03-2019	3 PM	2	346	280	30	NA	NA	0	0	
29-03-2019	4 PM	2	350	280	29	NA	NA	0	0	
29-03-2019	5 PM	2	351	281	28	NA	NA	0	0	
29-03-2019	6 PM	2	388	440	43	NA	NA	0	0	
29-03-2019	7 PM	2	257	253	107	NA	NA	0	0.5	

29-03-2019	8 PM	3	304	266	129	NA	NA	0	0	
29-03-2019	9 PM	2	192	224	97	NA	NA	0	0	
29-03-2019	10 PM	1	180	227	50	NA	NA	0	0	
29-03-2019	11 PM	1	156	218	34	NA	NA	0	0	
30-03-2019	12 AM	1	150	217	30	NA	NA	0	0	
30-03-2019	1 AM	1	149	215	30	NA	NA	0	0	
30-03-2019	2 AM	1	144	217	29	NA	NA	0	0	
30-03-2019	3 AM	1	141	219	28	NA	NA	0	0	
30-03-2019	4 AM	1	138	219	28	NA	NA	0	0	
30-03-2019	5 AM	1	139	226	28	NA	NA	0	0	
30-03-2019	6 AM	1	145	234	28	NA	NA	0	0	
30-03-2019	7 AM	1	145	231	34	NA	NA	0	0	
30-03-2019	8 AM	2	177	259	32	NA	NA	0	0	
30-03-2019	9 AM	1	168	258	29	NA	NA	0	0	
30-03-2019	10 AM	2	177	261	27	NA	NA	0	0	
30-03-2019	11 AM	2	186	261	27	NA	NA	0	0	
30-03-2019	12 PM	2	183	260	28	NA	NA	0	0	
30-03-2019	1 PM	2	202	262	26	NA	NA	0	0	
30-03-2019	2 PM	2	200	262	26	NA	NA	0	0	
30-03-2019	3 PM	2	212	264	26	NA	NA	0	0	
30-03-2019	4 PM	2	218	265	31	NA	NA	0	0	
30-03-2019	5 PM	2	281	276	83	NA	NA	0	0	
30-03-2019	6 PM	2	279	277	49	NA	NA	0	0	
30-03-2019	7 PM	2	258	277	32	NA	NA	0	0	
30-03-2019	8 PM	2	281	286	28	NA	NA	0	0	
30-03-2019	9 PM	2	288	284	29	NA	NA	0	0	
30-03-2019	10 PM	0	62	75	3	NA	NA	0	0	
30-03-2019	11 PM	0	28	36	1	NA	NA	0	0	
31-03-2019	12 AM	-	-	-	-	-	-	-	-	

31-03-2019	1 AM	-	-	-	-	-	-	-	-	-
31-03-2019	2 AM	-	-	-	-	-	-	-	-	-
31-03-2019	3 AM	-	-	-	-	-	-	-	-	-
31-03-2019	4 AM	-	-	-	-	-	-	-	-	-
31-03-2019	5 AM	-	-	-	-	-	-	-	-	-
31-03-2019	6 AM	-	-	-	-	-	-	-	-	-
31-03-2019	7 AM	-	-	-	-	-	-	-	-	-
31-03-2019	8 AM	-	-	-	-	-	-	-	-	-
31-03-2019	9 AM	-	-	-	-	-	-	-	-	-
31-03-2019	10 AM	-	-	-	-	-	-	-	-	-
31-03-2019	11 AM	-	-	-	-	-	-	-	-	-
31-03-2019	12 PM	-	-	-	-	-	-	-	-	-
31-03-2019	1 PM	-	-	-	-	-	-	-	-	-
31-03-2019	2 PM	-	-	-	-	-	-	-	-	-
31-03-2019	3 PM	-	-	-	-	-	-	-	-	-
31-03-2019	4 PM	-	-	-	-	-	-	-	-	-
31-03-2019	5 PM	-	-	-	-	-	-	-	-	-
31-03-2019	6 PM	-	-	-	-	-	-	-	-	-
31-03-2019	7 PM	-	-	-	-	-	-	-	-	-
31-03-2019	8 PM	-	-	-	-	-	-	-	-	-
31-03-2019	9 PM	-	-	-	-	-	-	-	-	-
31-03-2019	10 PM	-	-	-	-	-	-	-	-	-
31-03-2019	11 PM	-	-	-	-	-	-	-	-	-

Annex G5

Hourly Average of Parameters Measured in ASP

Date	Hour	ASP Hourly Average (mg/Nm ³)								Remarks
		Dust	CO	NOx	SO ₂	VOCs (including methane)	NH ₃	HCL	HF	
01-03-2019	12 AM	-	-	-	-	-	-	-	-	
01-03-2019	1 AM	-	-	-	-	-	-	-	-	
01-03-2019	2 AM	-	-	-	-	-	-	-	-	
01-03-2019	3 AM	-	-	-	-	-	-	-	-	
01-03-2019	4 AM	-	-	-	-	-	-	-	-	
01-03-2019	5 AM	-	-	-	-	-	-	-	-	
01-03-2019	6 AM	-	-	-	-	-	-	-	-	
01-03-2019	7 AM	-	-	-	-	-	-	-	-	
01-03-2019	8 AM	-	-	-	-	-	-	-	-	
01-03-2019	9 AM	-	-	-	-	-	-	-	-	
01-03-2019	10 AM	-	-	-	-	-	-	-	-	
01-03-2019	11 AM	-	-	-	-	-	-	-	-	
01-03-2019	12 PM	-	-	-	-	-	-	-	-	
01-03-2019	1 PM	-	-	-	-	-	-	-	-	
01-03-2019	2 PM	-	-	-	-	-	-	-	-	
01-03-2019	3 PM	-	-	-	-	-	-	-	-	
01-03-2019	4 PM	-	-	-	-	-	-	-	-	
01-03-2019	5 PM	-	-	-	-	-	-	-	-	
01-03-2019	6 PM	-	-	-	-	-	-	-	-	
01-03-2019	7 PM	-	-	-	-	-	-	-	-	
01-03-2019	8 PM	-	-	-	-	-	-	-	-	
01-03-2019	9 PM	-	-	-	-	-	-	-	-	
01-03-2019	10 PM	-	-	-	-	-	-	-	-	
01-03-2019	11 PM	-	-	-	-	-	-	-	-	
02-03-2019	12 AM	-	-	-	-	-	-	-	-	

02-03-2019	1 AM	-	-	-	-	-	-	-	-	-
02-03-2019	2 AM	-	-	-	-	-	-	-	-	-
02-03-2019	3 AM	-	-	-	-	-	-	-	-	-
02-03-2019	4 AM	-	-	-	-	-	-	-	-	-
02-03-2019	5 AM	-	-	-	-	-	-	-	-	-
02-03-2019	6 AM	-	-	-	-	-	-	-	-	-
02-03-2019	7 AM	-	-	-	-	-	-	-	-	-
02-03-2019	8 AM	-	-	-	-	-	-	-	-	-
02-03-2019	9 AM	-	-	-	-	-	-	-	-	-
02-03-2019	10 AM	-	-	-	-	-	-	-	-	-
02-03-2019	11 AM	-	-	-	-	-	-	-	-	-
02-03-2019	12 PM	-	-	-	-	-	-	-	-	-
02-03-2019	1 PM	-	-	-	-	-	-	-	-	-
02-03-2019	2 PM	-	-	-	-	-	-	-	-	-
02-03-2019	3 PM	-	-	-	-	-	-	-	-	-
02-03-2019	4 PM	-	-	-	-	-	-	-	-	-
02-03-2019	5 PM	-	-	-	-	-	-	-	-	-
02-03-2019	6 PM	-	-	-	-	-	-	-	-	-
02-03-2019	7 PM	-	-	-	-	-	-	-	-	-
02-03-2019	8 PM	-	-	-	-	-	-	-	-	-
02-03-2019	9 PM	-	-	-	-	-	-	-	-	-
02-03-2019	10 PM	-	-	-	-	-	-	-	-	-
02-03-2019	11 PM	-	-	-	-	-	-	-	-	-
03-03-2019	12 AM	-	-	-	-	-	-	-	-	-
03-03-2019	1 AM	-	-	-	-	-	-	-	-	-
03-03-2019	2 AM	-	-	-	-	-	-	-	-	-
03-03-2019	3 AM	-	-	-	-	-	-	-	-	-
03-03-2019	4 AM	-	-	-	-	-	-	-	-	-
03-03-2019	5 AM	-	-	-	-	-	-	-	-	-

03-03-2019	6 AM	-	-	-	-	-	-	-	-	-
03-03-2019	7 AM	-	-	-	-	-	-	-	-	-
03-03-2019	8 AM	-	-	-	-	-	-	-	-	-
03-03-2019	9 AM	-	-	-	-	-	-	-	-	-
03-03-2019	10 AM	-	-	-	-	-	-	-	-	-
03-03-2019	11 AM	-	-	-	-	-	-	-	-	-
03-03-2019	12 PM	-	-	-	-	-	-	-	-	-
03-03-2019	1 PM	-	-	-	-	-	-	-	-	-
03-03-2019	2 PM	-	-	-	-	-	-	-	-	-
03-03-2019	3 PM	-	-	-	-	-	-	-	-	-
03-03-2019	4 PM	-	-	-	-	-	-	-	-	-
03-03-2019	5 PM	-	-	-	-	-	-	-	-	-
03-03-2019	6 PM	-	-	-	-	-	-	-	-	-
03-03-2019	7 PM	-	-	-	-	-	-	-	-	-
03-03-2019	8 PM	-	-	-	-	-	-	-	-	-
03-03-2019	9 PM	-	-	-	-	-	-	-	-	-
03-03-2019	10 PM	-	-	-	-	-	-	-	-	-
03-03-2019	11 PM	-	-	-	-	-	-	-	-	-
04-03-2019	12 AM	-	-	-	-	-	-	-	-	-
04-03-2019	1 AM	-	-	-	-	-	-	-	-	-
04-03-2019	2 AM	-	-	-	-	-	-	-	-	-
04-03-2019	3 AM	-	-	-	-	-	-	-	-	-
04-03-2019	4 AM	-	-	-	-	-	-	-	-	-
04-03-2019	5 AM	-	-	-	-	-	-	-	-	-
04-03-2019	6 AM	-	-	-	-	-	-	-	-	-
04-03-2019	7 AM	-	-	-	-	-	-	-	-	-
04-03-2019	8 AM	-	-	-	-	-	-	-	-	-
04-03-2019	9 AM	-	-	-	-	-	-	-	-	-
04-03-2019	10 AM	-	-	-	-	-	-	-	-	-

04-03-2019	11 AM	-	-	-	-	-	-	-	-	
04-03-2019	12 PM	-	-	-	-	-	-	-	-	
04-03-2019	1 PM	-	-	-	-	-	-	-	-	
04-03-2019	2 PM	-	-	-	-	-	-	-	-	
04-03-2019	3 PM	-	-	-	-	-	-	-	-	
04-03-2019	4 PM	-	-	-	-	-	-	-	-	
04-03-2019	5 PM	-	-	-	-	-	-	-	-	
04-03-2019	6 PM	-	-	-	-	-	-	-	-	
04-03-2019	7 PM	-	-	-	-	-	-	-	-	
04-03-2019	8 PM	-	-	-	-	-	-	-	-	
04-03-2019	9 PM	-	-	-	-	-	-	-	-	
04-03-2019	10 PM	-	-	-	-	-	-	-	-	
04-03-2019	11 PM	-	-	-	-	-	-	-	-	
05-03-2019	12 AM	-	-	-	-	-	-	-	-	
05-03-2019	1 AM	-	-	-	-	-	-	-	-	
05-03-2019	2 AM	-	-	-	-	-	-	-	-	
05-03-2019	3 AM	-	-	-	-	-	-	-	-	
05-03-2019	4 AM	-	-	-	-	-	-	-	-	
05-03-2019	5 AM	-	-	-	-	-	-	-	-	
05-03-2019	6 AM	-	-	-	-	-	-	-	-	
05-03-2019	7 AM	-	-	-	-	-	-	-	-	
05-03-2019	8 AM	-	-	-	-	-	-	-	-	
05-03-2019	9 AM	-	-	-	-	-	-	-	-	
05-03-2019	10 AM	-	-	-	-	-	-	-	-	
05-03-2019	11 AM	1.5	0	108	0	0	8	0	1.5	Start up / Exceedance in HF is resulted by the interference of sensor by other gases.

05-03-2019	12 PM	3	0	157	1	0	8	0	0.5	Start up
05-03-2019	1 PM	3	0	162	0	0	6	0	0	Start up
05-03-2019	2 PM	1.5	33	193	2	134	93	0	0	Start up
05-03-2019	3 PM	2.5	190	325	1	10	227	0	0	Running with high flowrate 24m3/h Optimising
05-03-2019	4 PM	2	94	253	3	4	458	0	0	Running with high flowrate 24m3/h Optimising
05-03-2019	5 PM	2.5	255	180	11	10	2098	0	1	Running with high flowrate 24m3/h Optimising
05-03-2019	6 PM	1.5	348	171	27	23	1399	0	1	Running with high flowrate 24m3/h Optimising
05-03-2019	7 PM	-	-	-	-	-	-	-	-	
05-03-2019	8 PM	-	-	-	-	-	-	-	-	
05-03-2019	9 PM	0	23	28	4	1	919	0	1	Start up / tripping
05-03-2019	10 PM	3	502	429	36	1535	1069	0	1.5	Start up / tripping / Exceedance in HF is resulted by the interference of sensor by other gases.
05-03-2019	11 PM	1	22	275	1	63	68	0	0	Start up / tripping
06-03-2019	12 AM	1	4	168	0	1	42	0	1.5	Unstable running / always tripping / Exceedance in HF is resulted by the interference of sensor by other gases.

06-03-2019	1 AM	1	195	198	38	1348	762	0.5	1	unstable running / always tripping
06-03-2019	2 AM	1	142	156	10	6	183	0	0	unstable running / always tripping
06-03-2019	3 AM	2.5	108	160	5	5	408	0	0.5	unstable running / always tripping
06-03-2019	4 AM	3	62	55	10	7	1298	0	0	unstable running / always tripping
06-03-2019	5 AM	3	72	90	10	7	875	0	0	unstable running / always tripping
06-03-2019	6 AM	3	3	88	43	3	94	0	0	unstable running / always tripping
06-03-2019	7 AM	3	40	174	38	5	47	0	0	unstable running / always tripping
06-03-2019	8 AM	2	223	190	13	121	392	0	0	unstable running / always tripping
06-03-2019	9 AM	-	-	-	-	-	-	-	-	
06-03-2019	10 AM	-	-	-	-	-	-	-	-	
06-03-2019	11 AM	-	-	-	-	-	-	-	-	
06-03-2019	12 PM	-	-	-	-	-	-	-	-	
06-03-2019	1 PM	-	-	-	-	-	-	-	-	
06-03-2019	2 PM	-	-	-	-	-	-	-	-	
06-03-2019	3 PM	-	-	-	-	-	-	-	-	
06-03-2019	4 PM	-	-	-	-	-	-	-	-	
06-03-2019	5 PM	-	-	-	-	-	-	-	-	
06-03-2019	6 PM	-	-	-	-	-	-	-	-	
06-03-2019	7 PM	-	-	-	-	-	-	-	-	
06-03-2019	8 PM	-	-	-	-	-	-	-	-	
06-03-2019	9 PM	-	-	-	-	-	-	-	-	
06-03-2019	10 PM	-	-	-	-	-	-	-	-	
06-03-2019	11 PM	-	-	-	-	-	-	-	-	

07-03-2019	12 AM	-	-	-	-	-	-	-	-	
07-03-2019	1 AM	-	-	-	-	-	-	-	-	
07-03-2019	2 AM	-	-	-	-	-	-	-	-	
07-03-2019	3 AM	-	-	-	-	-	-	-	-	
07-03-2019	4 AM	-	-	-	-	-	-	-	-	
07-03-2019	5 AM	-	-	-	-	-	-	-	-	
07-03-2019	6 AM	-	-	-	-	-	-	-	-	
07-03-2019	7 AM	-	-	-	-	-	-	-	-	
07-03-2019	8 AM	-	-	-	-	-	-	-	-	
07-03-2019	9 AM	0	0	0	0	0	0	0	0	Start up / Optimising for higher flowrate
07-03-2019	10 AM	0.5	0	1	1	0	232	0	0.5	Start up / Optimising for higher flowrate
07-03-2019	11 AM	1	0	55	1	0	66	0	1	Start up / Optimising for higher flowrate
07-03-2019	12 PM	2	0	216	2	0	39	0	0	Optimising for higher flowrate
07-03-2019	1 PM	2	0	239	0	0	25	0	0	Optimising for higher flowrate
07-03-2019	2 PM	1	0	101	1	1	53	0	0	Optimising for higher flowrate
07-03-2019	3 PM	2	0	22	1	1	93	0	0	Stopping
07-03-2019	4 PM	2	0	2	1	0	277	0	0	Stopping
07-03-2019	5 PM	2	0	4	1	0	356	0	0	Stopping
07-03-2019	6 PM	-	-	-	-	-	-	-	-	
07-03-2019	7 PM	-	-	-	-	-	-	-	-	
07-03-2019	8 PM	-	-	-	-	-	-	-	-	
07-03-2019	9 PM	-	-	-	-	-	-	-	-	

07-03-2019	10 PM	-	-	-	-	-	-	-	-	-
07-03-2019	11 PM	-	-	-	-	-	-	-	-	-
08-03-2019	12 AM	-	-	-	-	-	-	-	-	-
08-03-2019	1 AM	-	-	-	-	-	-	-	-	-
08-03-2019	2 AM	-	-	-	-	-	-	-	-	-
08-03-2019	3 AM	-	-	-	-	-	-	-	-	-
08-03-2019	4 AM	-	-	-	-	-	-	-	-	-
08-03-2019	5 AM	-	-	-	-	-	-	-	-	-
08-03-2019	6 AM	-	-	-	-	-	-	-	-	-
08-03-2019	7 AM	-	-	-	-	-	-	-	-	-
08-03-2019	8 AM	-	-	-	-	-	-	-	-	-
08-03-2019	9 AM	-	-	-	-	-	-	-	-	-
08-03-2019	10 AM	-	-	-	-	-	-	-	-	-
08-03-2019	11 AM	-	-	-	-	-	-	-	-	-
08-03-2019	12 PM	-	-	-	-	-	-	-	-	-
08-03-2019	1 PM	-	-	-	-	-	-	-	-	-
08-03-2019	2 PM	-	-	-	-	-	-	-	-	-
08-03-2019	3 PM	-	-	-	-	-	-	-	-	-
08-03-2019	4 PM	-	-	-	-	-	-	-	-	-
08-03-2019	5 PM	-	-	-	-	-	-	-	-	-
08-03-2019	6 PM	-	-	-	-	-	-	-	-	-
08-03-2019	7 PM	-	-	-	-	-	-	-	-	-
08-03-2019	8 PM	-	-	-	-	-	-	-	-	-
08-03-2019	9 PM	-	-	-	-	-	-	-	-	-
08-03-2019	10 PM	-	-	-	-	-	-	-	-	-
08-03-2019	11 PM	-	-	-	-	-	-	-	-	-
09-03-2019	12 AM	-	-	-	-	-	-	-	-	-
09-03-2019	1 AM	-	-	-	-	-	-	-	-	-
09-03-2019	2 AM	-	-	-	-	-	-	-	-	-

09-03-2019	3 AM	-	-	-	-	-	-	-	-	
09-03-2019	4 AM	1.5	0	0	0	0	56	0	0.5	Start up
09-03-2019	5 AM	2	35	23	4	496	38	0	0	Start up
09-03-2019	6 AM	2	0	36	0	0	53	0	0	Start up
09-03-2019	7 AM	2	0	4	3	0	395	0	0	Start up
09-03-2019	8 AM	2	0	95	2	1	443	0	0	
09-03-2019	9 AM	3.5	350	133	10	97	3242	0	1.5	Exceedance in HF is resulted by the interference of sensor by other gases.
09-03-2019	10 AM	3	0	4	1	1	387	0	0	
09-03-2019	11 AM	3	0	53	20	0	100	0	0	
09-03-2019	12 PM	3	0	53	57	0	56	0	0	
09-03-2019	1 PM	3	0	0	26	3	924	0	0	
09-03-2019	2 PM	3	0	0	7	0	516	0	0	
09-03-2019	3 PM	3	0	0	3	1	646	0	0	
09-03-2019	4 PM	3	0	0	2	0	864	0	0	
09-03-2019	5 PM	3	0	0	2	1	992	0	0	
09-03-2019	6 PM	3	0	1	0	0	444	0	0	
09-03-2019	7 PM	3	0	23	5	0	192	0	0	
09-03-2019	8 PM	3	0	0	49	4	1064	0	0	
09-03-2019	9 PM	3	0	0	77	2	817	0	0	
09-03-2019	10 PM	3	2	0	59	3	1877	0	0.5	
09-03-2019	11 PM	2.5	0	0	19	3	1551	0	0.5	
10-03-2019	12 AM	2	0	0	7	3	1157	0	1	
10-03-2019	1 AM	3	0	0	4	0	1573	0	1	
10-03-2019	2 AM	0.5	60	47	1	6	1087	0	0.5	
10-03-2019	3 AM	3	14	19	2	2	1499	0	1	
10-03-2019	4 AM	3	0	2	0	0	464	0	0	

10-03-2019	5 AM	3	0	0	0	0	578	0	0	
10-03-2019	6 AM	3	0	7	0	0	403	0	0	
10-03-2019	7 AM	3	0	7	1	0	743	0	0	
10-03-2019	8 AM	3	0	0	2	1	1288	0	0.5	
10-03-2019	9 AM	3	0	11	8	0	669	0	0	
10-03-2019	10 AM	2.5	0	31	49	0	155	0	0	
10-03-2019	11 AM	2	0	70	47	0	94	0	0	Stopping
10-03-2019	12 PM	3	0	2	15	0	457	0	0	Stopping
10-03-2019	1 PM	1.5	0	0	4	0	263	0	0	Stopping
10-03-2019	2 PM	-	-	-	-	-	-	-	-	
10-03-2019	3 PM	-	-	-	-	-	-	-	-	
10-03-2019	4 PM	-	-	-	-	-	-	-	-	
10-03-2019	5 PM	-	-	-	-	-	-	-	-	
10-03-2019	6 PM	-	-	-	-	-	-	-	-	
10-03-2019	7 PM	1	0	0	1	0	150	0	0	Start up
10-03-2019	8 PM	3	0	206	0	0	58	0	0	Start up
10-03-2019	9 PM	1	0	509	0	0	33	0	0	Start up
10-03-2019	10 PM	0.5	93	88	2	22	597	0	0	Start up
10-03-2019	11 PM	2.5	23	129	2	2	632	0	0	
11-03-2019	12 AM	1.5	0	286	0	7	33	0	0.5	
11-03-2019	1 AM	2	0	275	0	0	32	0	0	
11-03-2019	2 AM	2	0	420	0	0	22	0	0	
11-03-2019	3 AM	2	0	298	0	0	15	0	0	
11-03-2019	4 AM	2	0	356	0	0	13	0	0	
11-03-2019	5 AM	2	0	259	0	0	11	0	0	
11-03-2019	6 AM	2	0	140	0	0	10	0	0	
11-03-2019	7 AM	2.5	0	47	0	0	31	0	0	
11-03-2019	8 AM	2	0	1	0	0	360	0	0	
11-03-2019	9 AM	2.5	0	24	0	0	255	0	0	

11-03-2019	10 AM	2	0	0	0	0	795	0	0	
11-03-2019	11 AM	2	0	0	1	0	1304	0	0	
11-03-2019	12 PM	2	0	0	1	0	1286	0	0	
11-03-2019	1 PM	2	0	0	1	0	1008	0	0	
11-03-2019	2 PM	1	0	0	0	0	446	0	0	
11-03-2019	3 PM	1	0	5	16	0	338	0	0	
11-03-2019	4 PM	1.5	200	1340	88	1423	1030	1	1	Unstable and always tripped / Start and stop
11-03-2019	5 PM	3	414	537	39	356	1994	0	1.5	Unstable and always tripped / Start and stop/ Exceedance in HF is resulted by the interference of sensor by other gases.
11-03-2019	6 PM	1	0	1057	5	6	59	0	0	Unstable and always tripped / Start and stop
11-03-2019	7 PM	0.5	6	545	0	20	165	0	0	Unstable and always tripped / Start and stop
11-03-2019	8 PM	-	-	-	-	-	-	-	-	
11-03-2019	9 PM	1.5	0	287	0	0	28	0	0	Unstable and always tripped / Start and stop
11-03-2019	10 PM	2	0	514	0	0	18	0	0	Unstable and always tripped / Start and stop

11-03-2019	11 PM	2	0	1057	0	0	13	0	0	Unstable and always tripped / Start and stop
12-03-2019	12 AM	1	84	252	7	276	346	0	0.5	Unstable and always tripped / Start and stop
12-03-2019	1 AM	0.5	6	621	4	21	85	0	0	Unstable and always tripped / Start and stop
12-03-2019	2 AM	1	1	323	0	89	141	0	0	Unstable and always tripped / Start and stop
12-03-2019	3 AM	1.5	0	1619	0	0	25	0	0	Unstable and always tripped / Start and stop
12-03-2019	4 AM	0.5	0	59	0	1	14	0	0	Unstable and always tripped / Start and stop
12-03-2019	5 AM	1	0	880	0	0	23	0	0	Unstable and always tripped / Start and stop
12-03-2019	6 AM	0	0	49	0	0	7	0	0	Unstable and always tripped / Start and stop
12-03-2019	7 AM	1	0	775	0	0	27	0	0	Unstable and always tripped / Start and stop
12-03-2019	8 AM	-	-	-	-	-	-	-	-	
12-03-2019	9 AM	-	-	-	-	-	-	-	-	
12-03-2019	10 AM	1.5	13	238	17	31	52	0	0.5	Start up
12-03-2019	11 AM	2	65	516	30	1215	513	0.5	0.5	Start up
12-03-2019	12 PM	2	0	342	0	0	42	0	0	Start up

12-03-2019	1 PM	2	0	208	0	0	24	0	0	Start up
12-03-2019	2 PM	1.5	19	169	0	186	132	0	0	Optimising for higher flowrate
12-03-2019	3 PM	2	0	103	0	0	33	0	0	Optimising for higher flowrate
12-03-2019	4 PM	2	23	289	3	334	129	0	0	Optimising for higher flowrate
12-03-2019	5 PM	3.5	43	36	29	5	326	0	0	Optimising for higher flowrate
12-03-2019	6 PM	4.5	404	175	69	25	2954	0	0.5	Optimising for higher flowrate
12-03-2019	7 PM	5	371	227	51	29	3906	0	2	Optimising for higher flowrate /Exceedance in HF is resulted by the interference of sensor by other gases.
12-03-2019	8 PM	4.5	266	214	21	14	3122	0	1	
12-03-2019	9 PM	4	293	212	12	13	2816	0	1	
12-03-2019	10 PM	2	200	129	5	9	2129	0	0.5	
12-03-2019	11 PM	0	87	41	0	4	790	0	0	
13-03-2019	12 AM	4	272	186	11	15	3653	0	1	
13-03-2019	1 AM	4	282	191	11	15	3531	0	1	
13-03-2019	2 AM	4	329	201	19	18	3423	0	1	
13-03-2019	3 AM	4	289	198	18	18	3934	0	2	Exceedance in HF is resulted by the interference of sensor by other gases.
13-03-2019	4 AM	4	286	199	14	18	3988	0	2	Exceedance in HF is resulted by the

										interference of sensor by other gases.
13-03-2019	5 AM	4	271	196	13	17	3935	0	2	Exceedance in HF is resulted by the interference of sensor by other gases.
13-03-2019	6 AM	4	250	195	13	16	3887	0	2	Exceedance in HF is resulted by the interference of sensor by other gases.
13-03-2019	7 AM	4	245	193	13	15	3953	0	2	Exceedance in HF is resulted by the interference of sensor by other gases.
13-03-2019	8 AM	4	245	194	14	15	4071	0	2	Exceedance in HF is resulted by the interference of sensor by other gases.
13-03-2019	9 AM	4	254	197	14	16	4218	0	2	Exceedance in HF is resulted by the interference of sensor by other gases.
13-03-2019	10 AM	4	200	182	14	14	4016	0	2	Exceedance in HF is resulted by the interference of sensor by other gases.

13-03-2019	11 AM	2.5	1	112	2	1	1165	0	1	
13-03-2019	12 PM	2	0	603	9	0	49	0	0	Stopping
13-03-2019	1 PM	2.5	0	352	2	0	27	0	0	Stopping
13-03-2019	2 PM	3	0	301	0	0	20	0	0	Stopping
13-03-2019	3 PM	3	0	295	0	0	17	0	0	Stopping
13-03-2019	4 PM	-	-	-	-	-	-	-	-	
13-03-2019	5 PM	-	-	-	-	-	-	-	-	
13-03-2019	6 PM	-	-	-	-	-	-	-	-	
13-03-2019	7 PM	-	-	-	-	-	-	-	-	
13-03-2019	8 PM	-	-	-	-	-	-	-	-	
13-03-2019	9 PM	-	-	-	-	-	-	-	-	
13-03-2019	10 PM	-	-	-	-	-	-	-	-	
13-03-2019	11 PM	-	-	-	-	-	-	-	-	
14-03-2019	12 AM	-	-	-	-	-	-	-	-	
14-03-2019	1 AM	-	-	-	-	-	-	-	-	
14-03-2019	2 AM	-	-	-	-	-	-	-	-	
14-03-2019	3 AM	-	-	-	-	-	-	-	-	
14-03-2019	4 AM	-	-	-	-	-	-	-	-	
14-03-2019	5 AM	0.5	6	25	0	0	332	0	0.5	Start up
14-03-2019	6 AM	2.5	1	220	0	0	149	0	0	Start up
14-03-2019	7 AM	2	0	450	0	0	35	0	0	Start up
14-03-2019	8 AM	1.5	0	137	0	0	18	0	0	Start up
14-03-2019	9 AM	2	0	409	42	0	29	0	0	
14-03-2019	10 AM	1	0	337	13	0	19	0	0	
14-03-2019	11 AM	2	0	98	2	0	40	0	0	
14-03-2019	12 PM	2	0	58	0	0	47	0	0	
14-03-2019	1 PM	2	0	56	0	0	173	0	0	
14-03-2019	2 PM	2	0	131	0	0	36	0	0	
14-03-2019	3 PM	3	7	0	7	3	2725	0	1	

14-03-2019	4 PM	3	8	0	8	4	3223	0	1	
14-03-2019	5 PM	3	17	0	9	6	3336	0	1	
14-03-2019	6 PM	3	21	0	8	6	2847	0	1	
14-03-2019	7 PM	2.5	0	58	17	1	743	0	0.5	
14-03-2019	8 PM	3	5	70	73	1	167	0	0	
14-03-2019	9 PM	1.5	16	1	27	3	1122	0	0.5	
14-03-2019	10 PM	3	25	0	24	5	2555	0	1	
14-03-2019	11 PM	3	0	2	31	0	988	0	1	
15-03-2019	12 AM	3	39	0	25	7	4414	0	2	Exceedance in HF is resulted by the interference of sensor by other gases.
15-03-2019	1 AM	3	13	0	12	6	3854	0	2	Exceedance in HF is resulted by the interference of sensor by other gases.
15-03-2019	2 AM	3	3	0	8	4	3433	0	2	Exceedance in HF is resulted by the interference of sensor by other gases.
15-03-2019	3 AM	0	10	0	0	2	1020	0	0.5	
15-03-2019	4 AM	3	40	2	11	8	4106	0	2	Exceedance in HF is resulted by the interference of sensor by other gases.
15-03-2019	5 AM	3	17	1	8	7	3519	0	2	Exceedance in HF is resulted by the interference of

										sensor by other gases.
15-03-2019	6 AM	3	38	1	10	8	3828	0	2	Exceedance in HF is resulted by the interference of sensor by other gases.
15-03-2019	7 AM	3	20	0	8	7	3545	0	2	Exceedance in HF is resulted by the interference of sensor by other gases.
15-03-2019	8 AM	3	36	1	9	9	3846	0	2	Exceedance in HF is resulted by the interference of sensor by other gases.
15-03-2019	9 AM	-	-	-	-	-	-	-	-	
15-03-2019	10 AM	-	-	-	-	-	-	-	-	
15-03-2019	11 AM	-	-	-	-	-	-	-	-	
15-03-2019	12 PM	-	-	-	-	-	-	-	-	
15-03-2019	1 PM	-	-	-	-	-	-	-	-	
15-03-2019	2 PM	-	-	-	-	-	-	-	-	
15-03-2019	3 PM	-	-	-	-	-	-	-	-	
15-03-2019	4 PM	-	-	-	-	-	-	-	-	
15-03-2019	5 PM	-	-	-	-	-	-	-	-	
15-03-2019	6 PM	-	-	-	-	-	-	-	-	
15-03-2019	7 PM	2.5	26	0	6	0	37	0	1	Start up
15-03-2019	8 PM	3	21	0	0	0	27	0	0	Start up
15-03-2019	9 PM	3	135	0	0	0	19	0	0	Start up
15-03-2019	10 PM	3	207	0	0	0	16	0	0	Start up

15-03-2019	11 PM	3	45	109	0	2	110	0	0	
16-03-2019	12 AM	3	177	120	9	9	2389	0	1	
16-03-2019	1 AM	3	159	85	9	11	2295	0	1	
16-03-2019	2 AM	3	178	139	8	8	1787	0	1	
16-03-2019	3 AM	3	110	114	28	8	768	0	0.5	
16-03-2019	4 AM	3	170	152	36	7	1258	0	1	
16-03-2019	5 AM	3	276	204	16	10	1340	0	1	
16-03-2019	6 AM	3	254	188	7	12	673	0	0.5	
16-03-2019	7 AM	3	210	177	4	15	312	0	0	
16-03-2019	8 AM	3	199	175	2	16	226	0	0	
16-03-2019	9 AM	3	216	181	3	18	229	0	0	
16-03-2019	10 AM	3	156	146	2	17	186	0	0	
16-03-2019	11 AM	3	50	65	5	14	185	0	0	
16-03-2019	12 PM	3	47	65	59	15	130	0	0	
16-03-2019	1 PM	0	292	49	10	7	398	0	0	
16-03-2019	2 PM	3	825	194	25	22	2671	0	1	
16-03-2019	3 PM	3	615	193	45	21	2031	0	1	
16-03-2019	4 PM	0	359	85	18	14	1186	0	0.5	
16-03-2019	5 PM	3	379	183	24	20	3344	0	1	
16-03-2019	6 PM	3	355	174	14	18	3070	0	1	
16-03-2019	7 PM	3	347	178	11	18	3031	0	1	
16-03-2019	8 PM	3	349	185	10	18	2994	0	1	
16-03-2019	9 PM	3	367	193	11	18	2863	0	1	
16-03-2019	10 PM	3	337	184	12	17	3058	0	1	
16-03-2019	11 PM	3	320	169	11	16	2865	0	1	
17-03-2019	12 AM	3	278	156	12	14	3408	0	1.5	Exceedance in HF is resulted by the interference of sensor by other gases.

17-03-2019	1 AM	3	192	139	13	12	3857	0	2	Exceedance in HF is resulted by the interference of sensor by other gases.
17-03-2019	2 AM	3.5	238	179	13	14	3318	0	2	Exceedance in HF is resulted by the interference of sensor by other gases.
17-03-2019	3 AM	3.5	25	409	3	1	78	0	0.5	
17-03-2019	4 AM	3	9	347	0	2	29	0	0	
17-03-2019	5 AM	3	283	182	4	14	1181	0	0.5	
17-03-2019	6 AM	3	365	189	9	17	2440	0	1	
17-03-2019	7 AM	3.5	342	184	10	16	2600	0	1	
17-03-2019	8 AM	3	296	182	10	14	2685	0	1	
17-03-2019	9 AM	3.5	263	186	10	12	2915	0	1	
17-03-2019	10 AM	4	256	189	11	13	2937	0	1	
17-03-2019	11 AM	0	98	59	0	4	856	0	0.5	
17-03-2019	12 PM	3	291	187	9	13	2274	0	1	
17-03-2019	1 PM	0	99	45	3	5	225	0	0	
17-03-2019	2 PM	0	75	23	0	3	357	0	0	
17-03-2019	3 PM	0	68	24	0	2	362	0	0	
17-03-2019	4 PM	0	69	26	0	3	414	0	0	
17-03-2019	5 PM	0	53	16	0	3	304	0	0	
17-03-2019	6 PM	0	66	20	0	3	309	0	0	
17-03-2019	7 PM	0	79	22	0	5	444	0	0	
17-03-2019	8 PM	0	63	11	0	5	359	0	0	
17-03-2019	9 PM	0	73	19	0	6	177	0	0	
17-03-2019	10 PM	1.5	26	3	23	7	326	0	0	

17-03-2019	11 PM	1.5	40	8	50	4	146	0	0	
18-03-2019	12 AM	2	39	33	30	5	1056	0	0.5	
18-03-2019	1 AM	2	0	55	7	2	64	0	0	
18-03-2019	2 AM	0	38	14	1	23	682	0	0	
18-03-2019	3 AM	0.5	4	37	0	0	144	0	0.5	
18-03-2019	4 AM	3	0	376	0	0	46	0	0	
18-03-2019	5 AM	3	0	287	0	0	31	0	0	
18-03-2019	6 AM	3	101	81	2	9	419	0	0	
18-03-2019	7 AM	3	179	116	4	17	309	0	0	
18-03-2019	8 AM	0	24	22	0	5	58	0	0	
18-03-2019	9 AM	3	26	115	1	8	84	0	0	
18-03-2019	10 AM	0.5	0	76	0	1	19	0	0	
18-03-2019	11 AM	3	0	226	0	0	25	0	0	
18-03-2019	12 PM	3	0	212	0	0	19	0	0	
18-03-2019	1 PM	3	0	221	5	0	16	0	0	
18-03-2019	2 PM	1.5	0	153	17	0	11	0	0	
18-03-2019	3 PM	1.5	16	86	5	2	14	0	0	
18-03-2019	4 PM	2.5	86	131	4	5	83	0	0	
18-03-2019	5 PM	0.5	87	78	1	8	53	0	0	
18-03-2019	6 PM	2	163	130	5	15	244	0	0	
18-03-2019	7 PM	2	206	133	7	17	466	0	0	
18-03-2019	8 PM	3	256	144	8	18	732	0	0	
18-03-2019	9 PM	3	310	153	10	20	1172	0	0.5	
18-03-2019	10 PM	1	209	82	5	12	1143	0	0.5	
18-03-2019	11 PM	3	309	129	13	18	2335	0	1	
19-03-2019	12 AM	3	243	93	42	16	2073	0	1	
19-03-2019	1 AM	3	313	125	53	19	2424	0	1	
19-03-2019	2 AM	3	280	117	24	17	3061	0	1	
19-03-2019	3 AM	3	294	121	14	18	2299	0	1	

19-03-2019	4 AM	3	311	142	11	19	1548	0	1	
19-03-2019	5 AM	3	254	134	9	16	932	0	0.5	
19-03-2019	6 AM	3	219	130	7	16	667	0	0	
19-03-2019	7 AM	3	212	135	6	15	505	0	0	
19-03-2019	8 AM	3	249	136	7	17	832	0	0	
19-03-2019	9 AM	2.5	281	144	8	19	919	0	0.5	
19-03-2019	10 AM	2	321	145	9	23	1101	0	0.5	
19-03-2019	11 AM	2	326	137	10	26	1297	0	1	
19-03-2019	12 PM	2	237	103	30	25	974	0	0	
19-03-2019	1 PM	3	438	206	38	27	1038	0	1	
19-03-2019	2 PM	3	340	179	15	20	828	0	0	
19-03-2019	3 PM	3	363	191	10	21	885	0	0.5	
19-03-2019	4 PM	2.5	316	162	10	18	961	0	0	
19-03-2019	5 PM	2.5	353	170	10	22	905	0	0	
19-03-2019	6 PM	3	388	179	13	23	1046	0	0	
19-03-2019	7 PM	3	112	242	5	9	292	0	0	
19-03-2019	8 PM	3	0	459	0	0	33	0	0	
19-03-2019	9 PM	2	0	366	16	0	22	0	0	
19-03-2019	10 PM	2	251	174	84	590	19	0	0.5	
19-03-2019	11 PM	2	886	35	113	2422	15	1.5	1	
20-03-2019	12 AM	2	1065	8	59	1705	12	0	1	
20-03-2019	1 AM	1	1860	0	73	2908	10	3.5	1	
20-03-2019	2 AM	0.5	2021	169	93	4721	7	10	2	Exceedance in HF is resulted by the interference of sensor by other gases.
20-03-2019	3 AM	2	287	7	11	489	9	0	0	
20-03-2019	4 AM	2	1002	0	36	1808	9	0.5	1	
20-03-2019	5 AM	2	1011	0	43	2084	8	1	1	

20-03-2019	6 AM	2	1021	32	61	2467	7	2	1	
20-03-2019	7 AM	4.5	441	14	15	677	7	0	0	
20-03-2019	8 AM	-	-	-	-	-	-	-	-	
20-03-2019	9 AM	-	-	-	-	-	-	-	-	
20-03-2019	10 AM	-	-	-	-	-	-	-	-	
20-03-2019	11 AM	-	-	-	-	-	-	-	-	
20-03-2019	12 PM	0.5	0	170	0	0	3	0	0.5	Start up
20-03-2019	1 PM	3	0	448	0	0	13	0	0.5	Start up
20-03-2019	2 PM	2.5	77	287	4	900	22	0	0.5	Start up
20-03-2019	3 PM	3	1	183	0	0	13	0	0	Start up
20-03-2019	4 PM	3	87	157	2	11	34	0	0	
20-03-2019	5 PM	3	130	192	7	11	65	0	0	
20-03-2019	6 PM	3	0	194	6	3	24	0	0	
20-03-2019	7 PM	3	1	217	4	2	15	0	0	
20-03-2019	8 PM	3	0	180	36	1	14	0	0	
20-03-2019	9 PM	3	105	179	58	7	59	0	0	
20-03-2019	10 PM	3	293	173	26	13	823	0	0	
20-03-2019	11 PM	3	280	161	17	16	655	0	0	
21-03-2019	12 AM	2	375	162	18	19	639	0	1	
21-03-2019	1 AM	3	269	133	17	20	798	0	0	
21-03-2019	2 AM	2	296	141	15	25	740	0	0	
21-03-2019	3 AM	2.5	342	156	14	27	805	0	0	
21-03-2019	4 AM	3	335	156	14	26	799	0	0	
21-03-2019	5 AM	3	344	154	14	28	826	0	0	
21-03-2019	6 AM	3	346	153	13	27	872	0	0	
21-03-2019	7 AM	3	351	155	13	28	858	0	0	
21-03-2019	8 AM	2	328	138	12	26	584	0	0.5	
21-03-2019	9 AM	2	268	135	20	25	529	0	0	
21-03-2019	10 AM	3	335	178	22	26	504	0	0	

21-03-2019	11 AM	1.5	282	137	9	22	384	0	0	
21-03-2019	12 PM	2	295	134	7	30	602	0	0	
21-03-2019	1 PM	3	257	122	10	26	1035	0	0	
21-03-2019	2 PM	1.5	154	57	15	13	3461	0	1	
21-03-2019	3 PM	0	108	278	22	976	1444	0	1	Stopping / Unstable
21-03-2019	4 PM	0	0	399	0	0	26	0	0	Stopping / Unstable
21-03-2019	5 PM	0	0	0	0	0	0	0	0	Stopping / Unstable
21-03-2019	6 PM	-	-	-	-	-	-	-	-	
21-03-2019	7 PM	-	-	-	-	-	-	-	-	
21-03-2019	8 PM	0	0	0	0	0	0	0	0	
21-03-2019	9 PM	0	0	0	0	0	0	0	0	
21-03-2019	10 PM	0	267	119	18	1095	615	0.5	1	Start up
21-03-2019	11 PM	0	376	331	32	1436	821	1.5	1.5	Start up /Exceedance in HF is resulted by the interference of sensor by other gases.
22-03-2019	12 AM	0	0	335	2	0	3	0	1	
22-03-2019	1 AM	0.5	0	578	2	0	34	0	1	
22-03-2019	2 AM	1	29	955	5	140	105	0	1	
22-03-2019	3 AM	1	762	1159	36	1521	671	0.5	1	
22-03-2019	4 AM	0.5	91	34	11	397	330	0	0.5	
22-03-2019	5 AM	1	814	348	80	3077	2547	4	2.5	Stopping / Unstable /Exceedance in HF is resulted by the interference of

										sensor by other gases.
22-03-2019	6 AM	1.5	1169	248	41	1332	1787	1	2	Stopping / Unstable Exceedance in HF is resulted by the interference of sensor by other gases.
22-03-2019	7 AM	1.5	231	303	44	1003	863	0	0.5	Stopping / Unstable
22-03-2019	8 AM	0	288	241	88	4546	2017	5.5	2	Stopping / Unstable Exceedance in HF is resulted by the interference of sensor by other gases.
22-03-2019	9 AM	-	-	-	-	-	-	-	-	
22-03-2019	10 AM	-	-	-	-	-	-	-	-	
22-03-2019	11 AM	-	-	-	-	-	-	-	-	
22-03-2019	12 PM	-	-	-	-	-	-	-	-	
22-03-2019	1 PM	1.5	0	1	0	2	32	0	1	
22-03-2019	2 PM	-	-	-	-	-	-	-	-	
22-03-2019	3 PM	-	-	-	-	-	-	-	-	
22-03-2019	4 PM	-	-	-	-	-	-	-	-	
22-03-2019	5 PM	-	-	-	-	-	-	-	-	
22-03-2019	6 PM	-	-	-	-	-	-	-	-	
22-03-2019	7 PM	-	-	-	-	-	-	-	-	
22-03-2019	8 PM	-	-	-	-	-	-	-	-	
22-03-2019	9 PM	-	-	-	-	-	-	-	-	

22-03-2019	10 PM	-	-	-	-	-	-	-	-	
22-03-2019	11 PM	-	-	-	-	-	-	-	-	
23-03-2019	12 AM	-	-	-	-	-	-	-	-	
23-03-2019	1 AM	-	-	-	-	-	-	-	-	
23-03-2019	2 AM	-	-	-	-	-	-	-	-	
23-03-2019	3 AM	-	-	-	-	-	-	-	-	
23-03-2019	4 AM	-	-	-	-	-	-	-	-	
23-03-2019	5 AM	-	-	-	-	-	-	-	-	
23-03-2019	6 AM	-	-	-	-	-	-	-	-	
23-03-2019	7 AM	-	-	-	-	-	-	-	-	
23-03-2019	8 AM	-	-	-	-	-	-	-	-	
23-03-2019	9 AM	-	-	-	-	-	-	-	-	
23-03-2019	10 AM	-	-	-	-	-	-	-	-	
23-03-2019	11 AM	-	-	-	-	-	-	-	-	
23-03-2019	12 PM	-	-	-	-	-	-	-	-	
23-03-2019	1 PM	-	-	-	-	-	-	-	-	
23-03-2019	2 PM	-	-	-	-	-	-	-	-	
23-03-2019	3 PM	-	-	-	-	-	-	-	-	
23-03-2019	4 PM	-	-	-	-	-	-	-	-	
23-03-2019	5 PM	-	-	-	-	-	-	-	-	
23-03-2019	6 PM	-	-	-	-	-	-	-	-	
23-03-2019	7 PM	-	-	-	-	-	-	-	-	
23-03-2019	8 PM	-	-	-	-	-	-	-	-	
23-03-2019	9 PM	-	-	-	-	-	-	-	-	
23-03-2019	10 PM	-	-	-	-	-	-	-	-	
23-03-2019	11 PM	-	-	-	-	-	-	-	-	
24-03-2019	12 AM	0.5	3	40	3	25	2	0	1	Start up
24-03-2019	1 AM	3	150	306	27	1185	161	0	1.5	Start up / Exceedance in HF is

										resulted by the interference of sensor by other gases.
24-03-2019	2 AM	2.5	180	274	29	1817	63	0.5	1	Start up
24-03-2019	3 AM	2.5	132	140	25	1520	26	0	1	Start up
24-03-2019	4 AM	3	6	54	4	56	204	0	0	
24-03-2019	5 AM	3	21	27	7	11	680	0	0	
24-03-2019	6 AM	3.5	13	58	6	10	339	0	0	
24-03-2019	7 AM	4	0	275	13	3	37	0	0	
24-03-2019	8 AM	3.5	124	420	28	538	25	0	0	
24-03-2019	9 AM	3	212	211	25	1385	29	0	0	
24-03-2019	10 AM	2.5	417	131	53	2465	40	1	0.5	
24-03-2019	11 AM	3	113	245	14	644	217	0	0	
24-03-2019	12 PM	3	21	121	3	112	72	0	0	
24-03-2019	1 PM	3	75	88	10	337	194	0	0	
24-03-2019	2 PM	3	71	55	7	251	231	0	0	
24-03-2019	3 PM	3	243	79	17	647	558	0	0	
24-03-2019	4 PM	3	150	76	15	453	408	0	0	
24-03-2019	5 PM	3	163	57	13	361	521	0	0	
24-03-2019	6 PM	3	90	43	11	308	519	0	0	
24-03-2019	7 PM	3	129	59	11	288	397	0	0	
24-03-2019	8 PM	3	168	65	16	559	535	0	0	
24-03-2019	9 PM	3	115	57	11	331	369	0	0	
24-03-2019	10 PM	3	37	69	6	105	199	0	0	
24-03-2019	11 PM	3	543	159	37	1651	1187	1	1	
25-03-2019	12 AM	2	481	128	46	2012	1243	1	1	Unsteady operating
25-03-2019	1 AM	2	371	110	35	1490	1049	0	1	Unsteady operating
25-03-2019	2 AM	2	349	86	29	1271	1025	0	1	Unsteady operating

25-03-2019	3 AM	2.5	593	163	40	1827	1372	1	1.5	Unsteady operating / Exceedance in HF is resulted by the interference of sensor by other gases.
25-03-2019	4 AM	2	590	132	44	2222	1566	1.5	1.5	Unsteady operating / Exceedance in HF is resulted by the interference of sensor by other gases.
25-03-2019	5 AM	2	513	143	53	2802	1622	2.5	2	Unsteady operating / Exceedance in HF is resulted by the interference of sensor by other gases.
25-03-2019	6 AM	2	491	218	70	3019	1659	3	2	Unsteady operating / Exceedance in HF is resulted by the interference of sensor by other gases.
25-03-2019	7 AM	2	552	214	54	3182	1702	3.5	2	Unsteady operating / Exceedance in HF is resulted by the interference of sensor by other gases.
25-03-2019	8 AM	2	468	231	63	3124	1609	3	2	Unsteady operating / Exceedance in HF is resulted by the

										interference of sensor by other gases.
25-03-2019	9 AM	1.5	579	385	82	3359	1642	3.5	2	Unsteady operating / Exceedance in HF is resulted by the interference of sensor by other gases.
25-03-2019	10 AM	2	419	419	88	3936	1011	4.5	2	Unsteady operating / Exceedance in HF is resulted by the interference of sensor by other gases.
25-03-2019	11 AM	1	339	489	80	3710	373	4	1.5	Unsteady operating / Exceedance in HF is resulted by the interference of sensor by other gases.
25-03-2019	12 PM	0.5	23	271	22	1634	83	1.5	0.5	Unsteady operating
25-03-2019	1 PM	2	379	434	68	3447	55	6	1	Unsteady operating
25-03-2019	2 PM	1.5	378	690	78	4278	292	4	1.5	Unsteady operating / Exceedance in HF is resulted by the interference of sensor by other gases.
25-03-2019	3 PM	1.5	344	825	26	1347	722	1	0.5	Unsteady operating
25-03-2019	4 PM	2.5	0	526	0	0	39	0	0	Unsteady operating
25-03-2019	5 PM	0	9	31	0	107	20	0	0	Unsteady operating

25-03-2019	6 PM	2.5	0	205	34	1	29	0	0	Unsteady operating
25-03-2019	7 PM	4.5	545	213	51	149	3111	0	0.5	
25-03-2019	8 PM	4.5	149	135	33	18	1579	0	0	
25-03-2019	9 PM	4	121	61	22	21	2264	0	0.5	
25-03-2019	10 PM	4	140	69	19	22	2203	0	0.5	
25-03-2019	11 PM	4	147	68	19	52	1763	0	0.5	
26-03-2019	12 AM	4	166	71	23	319	1407	0	0.5	
26-03-2019	1 AM	4	145	44	29	416	1736	0	1	
26-03-2019	2 AM	4	136	42	24	218	1703	0	1	
26-03-2019	3 AM	4	134	42	24	159	1805	0	0.5	
26-03-2019	4 AM	4	96	29	23	36	1938	0	0	
26-03-2019	5 AM	4	83	27	63	22	1778	0	0	
26-03-2019	6 AM	4	76	28	121	22	1685	0	0	
26-03-2019	7 AM	4	94	46	130	22	1611	0	0	
26-03-2019	8 AM	4	106	63	62	20	1601	0	0	
26-03-2019	9 AM	2.5	26	547	20	220	912	0	0.5	Unsteady operating / tripped
26-03-2019	10 AM	3	19	110	9	4	783	0	0.5	Test run by contractor
26-03-2019	11 AM	2	0	685	3	0	42	0	0	Test run by contractor
26-03-2019	12 PM	2	0	742	1	0	29	0	0	Test run by contractor
26-03-2019	1 PM	2	0	646	1	0	21	0	0	Test run by contractor
26-03-2019	2 PM	2	0	216	1	0	15	0	0	Test run by contractor
26-03-2019	3 PM	2	0	309	0	0	12	0	0	Test run by contractor
26-03-2019	4 PM	2	0	364	0	0	10	0	0	Test run by contractor

26-03-2019	5 PM	2	0	338	0	0	8	0	0	Test run by contractor
26-03-2019	6 PM	2	0	328	0	0	6	0	0	Test run by contractor
26-03-2019	7 PM	2	0	368	0	0	7	0	0	Test run by contractor
26-03-2019	8 PM	2	0	380	0	0	7	0	0	Test run by contractor
26-03-2019	9 PM	2	0	378	1	0	7	0	0	Test run by contractor
26-03-2019	10 PM	2	0	384	1	0	6	0	0	Test run by contractor
26-03-2019	11 PM	1.5	0	376	1	0	5	0	0	Test run by contractor
27-03-2019	12 AM	0.5	1	189	13	547	58	0	3	Stopping / Unstable / tripping / Exceedance in HF is resulted by the interference of sensor by other gases.
27-03-2019	1 AM	0	0	0	0	0	0	0	0	Stopping / Unstable
27-03-2019	2 AM	-	-	-	-	-	-	-	-	
27-03-2019	3 AM	1	36	56	5	3	437	0	0.5	Start up / Unstable
27-03-2019	4 AM	2	0	302	4	0	66	0	0	Start up / Unstable
27-03-2019	5 AM	2	0	330	0	0	22	0	0	Start up / Unstable
27-03-2019	6 AM	2	0	221	0	0	15	0	0	Start up / Unstable
27-03-2019	7 AM	2	0	209	0	0	11	0	0	
27-03-2019	8 AM	2	0	183	0	0	8	0	0	
27-03-2019	9 AM	2	0	133	2	0	7	0	0	
27-03-2019	10 AM	2	0	392	3	1	7	0	0	

27-03-2019	11 AM	2	0	446	5	0	8	0	0	
27-03-2019	12 PM	2	0	282	7	0	6	0	0	
27-03-2019	1 PM	2	0	250	9	0	5	0	0	
27-03-2019	2 PM	2	0	315	37	0	4	0	0	
27-03-2019	3 PM	2	0	333	28	0	4	0	0	
27-03-2019	4 PM	2	0	151	15	0	8	0	0	
27-03-2019	5 PM	2	0	185	12	0	8	0	0	
27-03-2019	6 PM	1	0	291	6	0	2	0	0	Stopping / Unstable
27-03-2019	7 PM	0	0	243	2	0	10	0	0	Stopping / Unstable
27-03-2019	8 PM	-	-	-	-	-	-	-	-	
27-03-2019	9 PM	0	0	59	0	0	11	0	0.5	
27-03-2019	10 PM	3	0	411	1	1	27	0	0	Start up / Unstable
27-03-2019	11 PM	2.5	0	320	0	0	17	0	0	Start up / Unstable
28-03-2019	12 AM	2	66	130	9	288	8	0	1.5	Start up / Unstable / Exceedance in HF is resulted by the interference of sensor by other gases.
28-03-2019	1 AM	2.5	0	102	1	0	26	0	0	Start up / Unstable
28-03-2019	2 AM	2	0	234	1	0	21	0	0	
28-03-2019	3 AM	1	12	175	0	3	109	0	0	
28-03-2019	4 AM	0.5	11	181	0	35	201	0	0	
28-03-2019	5 AM	2	0	344	0	0	38	0	0	
28-03-2019	6 AM	2	0	187	0	0	18	0	0	
28-03-2019	7 AM	2	0	205	15	0	11	0	0	
28-03-2019	8 AM	2	0	189	83	0	9	0	0	
28-03-2019	9 AM	2	0	148	90	0	7	0	0	

28-03-2019	10 AM	2	0	176	37	0	6	0	0	
28-03-2019	11 AM	2	0	176	14	0	6	0	0	
28-03-2019	12 PM	-	-	-	-	-	-	-	-	
28-03-2019	1 PM	-	-	-	-	-	-	-	-	
28-03-2019	2 PM	1.5	33	114	8	4	330	0	0.5	Start up / Unstable
28-03-2019	3 PM	2	0	422	9	0	26	0	0	Start up / Unstable
28-03-2019	4 PM	0.5	0	392	5	0	11	0	0	Start up / Unstable
28-03-2019	5 PM	0.5	4	0	4	2	570	0	0.5	Start up / Unstable
28-03-2019	6 PM	2	0	221	4	1	76	0	0	Start up / Unstable
28-03-2019	7 PM	2	0	242	2	0	20	0	0	
28-03-2019	8 PM	2	0	173	5	0	15	0	0	
28-03-2019	9 PM	1.5	0	273	40	0	12	0	0	
28-03-2019	10 PM	2	0	110	37	0	10	0	0	
28-03-2019	11 PM	2	0	187	20	0	9	0	0	
29-03-2019	12 AM	2	0	169	17	0	8	0	0	
29-03-2019	1 AM	1.5	24	273	20	37	11	0	0	
29-03-2019	2 AM	1.5	1183	283	52	1197	876	1.5	0.5	
29-03-2019	3 AM	2.5	0	159	17	0	32	0	0	
29-03-2019	4 AM	2	58	345	19	45	29	0	0	
29-03-2019	5 AM	2.5	0	91	19	0	35	0	0	
29-03-2019	6 AM	2	0	163	15	0	16	0	0	
29-03-2019	7 AM	2	0	189	11	0	12	0	0	
29-03-2019	8 AM	2	0	255	10	0	10	0	0	Stopping
29-03-2019	9 AM	1.5	0	400	10	0	7	0	0.5	Stopping
29-03-2019	10 AM	0.5	0	358	11	0	1	0	0.5	Stopping
29-03-2019	11 AM	-	-	-	-	-	-	-	-	
29-03-2019	12 PM	-	-	-	-	-	-	-	-	
29-03-2019	1 PM	-	-	-	-	-	-	-	-	
29-03-2019	2 PM	-	-	-	-	-	-	-	-	

29-03-2019	3 PM	-	-	-	-	-	-	-	-	
29-03-2019	4 PM	-	-	-	-	-	-	-	-	
29-03-2019	5 PM	-	-	-	-	-	-	-	-	
29-03-2019	6 PM	-	-	-	-	-	-	-	-	
29-03-2019	7 PM	-	-	-	-	-	-	-	-	
29-03-2019	8 PM	-	-	-	-	-	-	-	-	
29-03-2019	9 PM	0.5	0	82	14	0	6	0	0.5	Start up
29-03-2019	10 PM	3	0	407	20	0	21	0	0	Start up
29-03-2019	11 PM	3	0	305	7	0	17	0	0	Start up
30-03-2019	12 AM	3	0	173	4	0	13	0	0	
30-03-2019	1 AM	3	0	240	3	0	11	0	0	ASP unstable
30-03-2019	2 AM	3	0	246	0	0	10	0	0	ASP unstable
30-03-2019	3 AM	3	0	274	0	0	7	0	0	ASP unstable
30-03-2019	4 AM	3	0	295	0	0	5	0	0	ASP unstable
30-03-2019	5 AM	3	0	285	0	0	4	0	0	ASP unstable
30-03-2019	6 AM	3	0	256	0	0	4	0	0	ASP unstable
30-03-2019	7 AM	3	0	239	6	0	3	0	0	ASP unstable
30-03-2019	8 AM	3	0	163	5	0	2	0	0	
30-03-2019	9 AM	3	0	113	2	1	2	0	0	
30-03-2019	10 AM	3	0	86	1	1	2	0	0	
30-03-2019	11 AM	3	0	93	0	1	2	0	0	
30-03-2019	12 PM	3	0	98	1	1	2	0	0	
30-03-2019	1 PM	3	0	96	0	1	3	0	0	
30-03-2019	2 PM	3	0	151	0	1	2	0	0	
30-03-2019	3 PM	3	0	106	0	2	3	0	0	
30-03-2019	4 PM	3	0	97	3	2	2	0	0	
30-03-2019	5 PM	3	0	100	40	3	1	0	0	
30-03-2019	6 PM	3	0	91	17	1	2	0	0	
30-03-2019	7 PM	3	0	65	4	2	6	0	0	

30-03-2019	8 PM	3	0	91	1	2	6	0	0	
30-03-2019	9 PM	3	0	86	0	2	4	0	0	
30-03-2019	10 PM	0	0	2	0	0	1	0	0	
30-03-2019	11 PM	0	0	3	0	0	9	0	0	
31-03-2019	12 AM	3	0	50	3	1	34	0	0	
31-03-2019	1 AM	3	0	57	3	1	24	0	0	
31-03-2019	2 AM	3	0	38	3	1	70	0	0	Unstable / Tripping
31-03-2019	3 AM	3	0	29	4	2	95	0	0	Unstable / Tripping
31-03-2019	4 AM	1.5	0	25	2	1	43	0	0	Unstable / Tripping
31-03-2019	5 AM	0	2	0	0	0	87	0	0	Unstable / Tripping
31-03-2019	6 AM	0	0	8	0	1	34	0	0	
31-03-2019	7 AM	0	0	50	0	0	6	0	0	
31-03-2019	8 AM	0	0	30	0	0	3	0	0	
31-03-2019	9 AM	0	0	40	0	0	3	0	0	
31-03-2019	10 AM	1	0	122	3	0	5	0	0	
31-03-2019	11 AM	2	0	143	7	0	9	0	0	
31-03-2019	12 PM	1	0	103	4	0	4	0	0	
31-03-2019	1 PM	2	0	202	7	0	6	0	0	
31-03-2019	2 PM	1	0	134	4	0	4	0	0	
31-03-2019	3 PM	1	0	83	4	0	3	0	0	
31-03-2019	4 PM	2	0	202	30	0	4	0	0	
31-03-2019	5 PM	2	0	239	109	0	3	0	0	
31-03-2019	6 PM	3	0	211	135	0	1	0	0	
31-03-2019	7 PM	0	0	61	47	0	0	0	0	
31-03-2019	8 PM	1	0	215	25	0	0	0	0	
31-03-2019	9 PM	3	0	316	16	0	1	0	0	
31-03-2019	10 PM	2.5	0	306	6	0	1	0	0	
31-03-2019	11 PM	2.5	0	209	5	0	1	0	0	

